



AGNICO EAGLE
MELIADINE

Meliadine Gold Project
NWB 2BB-MEL1424
March 2019 Monthly Report

Prepared for:
Nunavut Water Board

Prepared by:
Agnico Eagle Mines Limited – Meliadine Division

April 29th, 2019

This monthly report is delivered under water license 2BB-MEL1424, PART J, Item 13.

1. The Licensee shall maintain Monitoring Stations at the following locations:

Table 1: Monitoring stations

Monitoring Station	Description	Status
MEL-1	Raw water supply intake at Meliadine Lake	Active (Volume m ³)
MEL-2	Raw water supply intake at Pump, A8 or other Lakes	Active (Volume m ³)
MEL-5	Point of discharge for the Bermed Fuel Containment Facilities	Inactive
MEL-6	Effluent from the Landfarm Treatment Facility prior to release	Active
MEL-7	Final Effluent Discharge from the BIODISK treatment system	Active (no direct discharge)
MEL-8	Point of discharge or runoff from the Non-Hazardous Waste landfill	Inactive

2. The Licensee shall measure and record, in cubic metres, the daily quantities of water utilized for camp, drilling and other purposes from all sources.

Table 2: Water quantities utilized (average)

MEL-1 ¹	Camp	m ³ /day	27.68
	Pump Shack	m ³ /day	0.00
	Construction	m ³ /day	0.00
MEL-2 (A8) ²	Underground	m ³ /day	0.00
	Drilling	m ³ /day	0.00
Not MEL-1 or MEL-2	Drilling	m ³ /day	46.32
Daily Average		m ³ /day	74.00
Total March 2019		m ³	2,294
Total 2019		m ³	5,405

3. The Licensee shall measure and record the volume of all soil from all locations entering the Landfarm Treatment Facility.

In March 2019, no material was deposited in the Type B landfarm. Any new contaminated soil generated will be deposited in the Landfarm approved in the Type A Water License.

¹ MEL-1: 541943E, 6989174N

² MEL-2 (A8): 540076E, 6987731N

4. **The Licensee shall assess and record the concentration of F1 – F4 fractions in petroleum hydrocarbon contaminated soil, according to the CCME Canada-Wide Standard for Petroleum Hydrocarbons (PHC) in Soil that is entering the Land Treatment Unit from all sources and excavations.**

No contaminated soil was deposited in March, 2019 therefore no samples were taken.

5. **The Licensee shall provide the GPS coordinates (in decimal degrees) of all locations where wastes associated with camp operations and exploration activities are deposited.**

No more waste from camp operations and exploration is deposited in locations related to Licence 2BB-MEL1424

6. **Licensee shall sample at Monitoring Program Station MEL-7, monthly during wastewater effluent discharge. Samples shall be analyzed for the parameters listed under Part D Item 11:**

pH

Biochemical Oxygen Demand – BOD5

Total Suspended Solids (TSS)

Fecal Coliforms

Oil and Grease (and visual)

The STP upgrade and maintenance program was initiated in November 2017. The effluent, treated at the exploration STP is trucked to and discharged into CP1. Therefore, discharge limits don't apply to MEL-7 results. Agnico continued to monitor the quality of the effluent; 4 samples were collected during the month. The summary of the results is provided in Table 4 below.

Table 4: Effluent testing results at STP-FINAL (MEL-7) sampling station, March 2019

MEL-7		Sample Date	3/4/2019	3/12/2019	3/18/2019	3/25/2019
Parameters	MEL-7 LIMIT	Units				
Biochemical Oxygen Demand	80	mg/L	6	15	13	11
Oil and Grease	5	mg/L	0.9	1.9	2.2	< 0.50
pH	6.0 - 9.5	pH units	7.28	7.42	7.55	7.66
Total Suspended Solids	100	mg/L	6	9	7	4
Atypical colonies	-	CFU/100mL	6 900	7 000	> 2 000 000	-
Fecal Coliform	1000	CFU/100mL	190	40	> 60 000	19 000
Heterotrophic bacteria, total	-	CFU/mL	56 000	7 800	> 300 000	-
Total Coliform	-	CFU/100mL	600	300	***	30 000

7. ***The Licensee shall, prior to the release of effluent from the Bermed Fuel Containment Facilities at Monitoring Program Station MEL-5 and the Landfarm Treatment Facility at Monitoring Program Station MEL-6 for the purpose of demonstrating compliance, sample for the parameters listed under Part D item 15.***

In March, no water was discharged from the Fuel Containment Facilities (Monitoring station MEL-5) or the Landfarm Treatment Facility (Monitoring Station MEL-6).

8. ***The Licensee shall obtain representative samples of the water column below any ice where required under part F, Items 5 and 6. Monitoring shall include but not limited to the following:***

Total Suspended Solids

pH

Electrical Conductivity, and

Total trace Metals as determined by a standard ICP Scan (to include at a minimum, the following elements: Al, Sb, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Li, Mn, Mo, Ni, Se, Sn, Sr, Tl, Ti, U, V, Zn), and Trace Arsenic and Mercury.

On-ice drilling was conducted in March 2019; samples are collected before, during and after drilling and sent for analysis. The complete set of analyses results will be presented in the monthly reports following analyses results reception.

9. ***Modify the monthly monitoring reports, starting April 2016, to include, at a minimum, waste water treatment options; and modifications of the freshet action plan.***

Since Nov, 2017 all treated sewage from the Exploration Camp STP is trucked and deposited in CP1. Previously the effluent from this system was discharged directly into Meliadine Lake. As a modification and alternate wastewater treatment option the effluent from this facility is now monitored and trucked to CP1. The Freshet Action Plan has been revised and submitted with the Annual Report in accordance with the Water License.