

ATTACHMENT 1 – APPLICATION FORM

ATTACHMENT 1



Application for Water Licence Renewal

Document Date: April 2013

Application Submission Date:

11/07/2022

Month/Day/Year

P.O. BOX 119
GJOA HAVEN, NUNAVUT
XOB 1J0
TEL: (867)360-6338
FAX: (867)360-6369

kNK5 wmoEp5 vtmpq
NUNAVUT IMALIRIYIN KATIMAYIT
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

DOCUMENT MANAGEMENT

Original Document Date: April 2010

DOCUMENT AMENDMENTS

	Description	Date
(1)	Updated for public distribution as separate document from NWB Guide 7	June 2010
(2)	Updated NWB logos and reformatted table to allow rows to break across page	May 2011
(3)	New NWB logo and request for background information	April 2013
(4)		
(5)		
(6)		
(7)		
(8)		
(9)		
(10)		



P.O. Box 119

GJOA HAVEN, NU X0B 1J0

TEL: (867) 360-6338

FAX: (867) 360-6369

kNK5 wmoEp5 vtmp5

NUNAVUT WATER BOARD

NUNAVUT IMALIRIYIN KATIMAYIT

OFFICE DES EAUX DU NUNAVUT

APPLICATION FOR WATER LICENCE RENEWAL

Your application may be classified as a **renewal** only if all operations remain the same as previously licensed and only the term of the licence requires change. If your application contemplates:

- a change to the volume of water authorized for use;
- a new activity related to water use or waste disposal;
- a new component related to water use or waste disposal;
- a change in predicted environmental impacts(s); and/or
- a change to any term or condition of the original licence

your application is **NOT** classified as a renewal but rather an amendment and will require submission of an Application for Water Licence Amendment. Licensees applying for combined renewal / amendment are also referred to the Application for Water Licence Amendment.

The applicant is referred to the NWB's Guide 7: Licensee Requirements Following the Issuance of a Water Licence for more information about this application form.

Where possible, provide background information regarding the original licence application or attach previously submitted information.

EXISTING LICENCE NO: 2BE-MLL1722

1. LICENSEE CONTACT INFORMATION

Is the licensee the same as that referred to on the existing licence?

☒ Yes ☐ No

If No, a licence assignment must be completed and approved by the NWB. **A renewal will only be issued in the name of the current licensee in the absence of assignment of the licence.**

If the licensee is the same, but the name of the licensee has changed, attach a certificate of name change.

Name: Sabina Gold & Silver Corp.

Address: #1800 – 555 Burrard Street Box 220, Vancouver, BC V7X 1M9

Phone: 604-998-4175

Fax: 604-998-1051

e-mail: mkeefe@sabinagoldsilver.com

2. LICENSEE REPRESENTATIVE CONTACT INFORMATION – If different from Block 1.

Name: Merle Keefe

Address:

Phone: _____

Fax: _____

e-mail: _____

(Attach authorization letter.)

3. NAME OF PROJECT

Is the name of the project the same as that considered in the existing water licence?

☒ Yes ☐ No

Indicate the name of the project including the name of the location: Wishbone-Malley Project

4. LOCATION OF UNDERTAKING

Is the location of the undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

Project Extents

Latitude: 66° 00' 00" N Longitude: 109° 00' 00" W

Latitude: 66° 00' 00" N Longitude: 106° 45' 00" W

Latitude: 66° 45' 00" N Longitude: 106° 45' 00" W

Latitude: 66° 45' 00" N Longitude: 109° 00' 00" W (Project Extents)

As acknowledged in the Licence (2BE-MLL1722), there is some overlap between the extents of this Licence and 2BE-GEO2025 and 2BE-GOO2028, which are both components of Sabina's wider Back River Project undertakings. Sabina continues to treat exploration activities that overlap with either of these licences as if they were solely under the project extents of 2BE-GEO2025 or 2BE-GOO2028 (as applicable)

Camp Location(s) –

No camp is currently established.

Temporary and/or seasonal camps may be constructed to support exploration activities. Camp locations may include:

Latitude: 65° 28' 35" N Longitude: 107° 37' 31" W (Rocky Camp)

Latitude: 65° 24' 18" N Longitude: 107° 39' 48" W (Rocky 2 Camp)

GPS coordinates of other camp locations would be provided in the annual reports (per Licence Part B, Item 2), and notification would be provided prior to use of new water sources as per Licence Part C, Item 2.

5. MAP

Are the locations of the main components of the undertaking the same as those considered in the existing licence?

☒ Yes ☐ No

Attach a topographical map, indicating the main components of the undertaking.

See Figure 1 – Location of Project and Mineral Claims (Attachment 2)

NTS Map Sheet No.: 076F09, 076F16, 076G03, 076G05, 076G06, 076G12, 076G13
Lake, 076G Beechy Lake

Map Scale: 1:50,000

Map Name: 076F Nose

6. NATURE OF INTEREST IN THE LAND

Is the nature of the interest in the land the same as that considered in the existing water licence?

☒ Yes ☐ No

Check any of the following that are applicable to the proposed undertaking (at least one box under the 'Surface' header must be checked).

Sub-surface

☐ Mineral Lease from Nunavut Tunngavik Incorporated (NTI)

Date (expected date) of issuance: _____ Date of expiry: _____

☒ Mineral Lease from Indian and Northern Affairs Canada (INAC) - N2016C0011

Date (expected date) of issuance: _____ Date of expiry: 2023-10-26

Surface

☒ Crown Land Use Authorization from Indian and Northern Affairs Canada (INAC) N2016C0011

Date (expected date) of issuance: _____ Date of expiry: 2023-10-26

☒ Inuit Owned Land (IOL) Authorization from Kitikmeot Inuit Association (KIA) - KTL312C004

Date (expected date) of issuance: _____ Date of expiry: 2022-10-16

☐ IOL Authorization from Kivalliq Inuit Association (KivIA)

Date (expected date) of issuance: _____ Date of expiry: _____

☐ IOL Authorization from Qikiqtani Inuit Association (QIA)

Date (expected date) of issuance: _____ Date of expiry: _____

☐ Commissioner's Land Use Authorization

Date (expected date) of issuance: _____ Date of expiry: _____

☐ Other _____

Date (expected date) of issuance: _____ Date of expiry: _____

Is the name of the entity(s) holding authorizations the same as that considered in the existing water licence?

☒ Yes ☐ No

If No, a licence assignment must be completed and approved by the NWB.

Name of entity(s) holding authorizations: Sabina Gold & Silver Corp.

7. NUNAVUT PLANNING COMMISSION (NPC) DETERMINATION

Is the undertaking located in the same land use planning area as that considered in the existing licence?

☒ Yes ☐ No

Indicate the land use planning area in which the project is located.

☐ North Baffin
☐ South Baffin
☐ Akunnig

☐ Keewatin
☐ Sanikiluaq
☒ West Kitikmeot

Was a land use plan conformity determination required from NPC prior to the issuance of the existing water licence?

☒ Yes ☐ No

If Yes, indicate date issued and attach copy. March 22, 2017, Attachment 3

Does the proposed renewal change the original NPC conformity determination or the need to obtain one?

☒ Yes ☐ No

If Yes, indicate date issued (or expected) and attach a copy. This renewal application has been provided to the NPC for a conformity determination. A determination is anticipated within 45 days of this submission. Sabina notes that this Project Proposal lies outside of a planning region with an approved regional land use plan.

If No, provide written confirmation from NPC confirming that a land use plan conformity review is not required.

8. NUNAVUT IMPACT REVIEW BOARD (NIRB) DETERMINATION

Was a screening determination required from NIRB prior to the issuance of the existing water licence?

☐ Yes ☒ No

If Yes, indicate date issued and attach copy. This Project was initially screened by the NIRB in 2006 (see May 15, 2006 NIRB Screening Decision Report – Bolder Property – File No. 06EN033 (Attachment 4). A consolidated screening of all Dundee Precious Metals Inc.'s holdings in the Beechy Lake area (inclusive of the Back River and Wishbone claim areas) was completed in 2008 under NIRB file 08EA084 and a screening decision report issued by the NIRB on March 3, 2009 (Attachment 5).

Does the proposed renewal change the original NIRB screening determination or the need to obtain one?

☐ Yes ☒ No

If Yes, indicate date issued (or expected) and attach a copy. _____
If No, provide written confirmation from NIRB confirming that a screening determination is not required. This application is being provided to the NPC who will make a determination on whether additional screening is required by the NIRB. This determination is anticipated to occur within 45 days of the submission to NPC.

9. DESCRIPTION OF UNDERTAKING

Is the description of the undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

List and attach plans and drawings or project proposal.

See the non-technical summary (Attachment 9) as well as the management plans provided in Attachments 6 through 8. No changes to the undertakings are proposed with this renewal.

10. OPTIONS

Are the alternative methods and locations that were considered to carry out the project the same as those considered in the existing water licence?

☒ Yes ☐ No

Provide a brief explanation of the alternative methods or locations that were considered to carry out the project. Sabina is committed to minimizing it's footprint due to on-going exploration activities. The option of supporting Wishbone-Malley exploration activities using existing Goose and George camp facilities is preferred. However, the need to ensure personnel safety means that they option of having temporary and/or seasonal camps in the project area is needed.

In considering locations for temporary camps, Sabina has identified a location of historic exploration. Ultimately, the primary locations will be chosen based on safety, operational needs, and environmental conditions. Sabina will notify regulators of the selected locations 30 days prior to installation, or as required.

11. CLASSIFICATION OF PRIMARY UNDERTAKING

Is the primary undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

Indicate the primary classification of undertaking by checking one of the following boxes.

- | | |
|--|--|
| <input type="checkbox"/> Industrial | <input type="checkbox"/> Agricultural |
| <input checked="" type="checkbox"/> Mining and Milling (includes exploration/drilling/exploration camps) | |
| <input type="checkbox"/> Conservation | <input type="checkbox"/> Recreational |
| <input type="checkbox"/> Municipal (includes camps/lodges) | <input type="checkbox"/> Miscellaneous (describe below): |
| <input type="checkbox"/> Power | |

See Schedule II of the *Northwest Territories Waters Regulations* for Description of Undertakings.

12. WATER USE

Is the type(s) of water use(s) the same as that considered in the existing water licence?

☒ Yes ☐ No

Check the appropriate box(s) to indicate the type(s) of water use(s) being applied for.

- | | |
|--|---|
| <input checked="" type="checkbox"/> To obtain water for camp/ municipal purposes | |
| <input checked="" type="checkbox"/> To obtain water for industrial purposes | <input type="checkbox"/> To divert a watercourse |
| <input type="checkbox"/> To cross a watercourse | <input type="checkbox"/> To modify the bed or bank of a watercourse |
| <input checked="" type="checkbox"/> To alter the flow of, or store water | <input type="checkbox"/> Flood control |
| <input type="checkbox"/> Other: _____ | |

13. QUANTITY OF WATER INVOLVED

Is the source of water the same as that considered in the existing licence?

☒ Yes

☐ No

Name of water source(s): Domestic Camp use – local lakes; Industrial use – lakes proximal to drilling targets

Is the quality of the water source and its available capacity the same as that considered in the existing licence?

☒ Yes ☐ No

Describe the quality of the water source(s) and the available capacity(s): In general, lakes in the area contain low TSS and turbidity levels, are nutrient poor, and contain low metal concentrations, typical of Arctic lakes. Most lakes have soft, near-neutral water, that is low in alkalinity. Naturally elevated metal concentrations occur in some lakes and likely results from the proximity of the lakes to metal-bearing minerals in the landscape. The quality of water for potable uses is tested prior to use to confirm it meets Canadian drinking water requirements and may be disinfected if necessary.

Is the overall estimated quantity of water to be used the same as that considered in the existing licence?

☒ Yes ☐ No

Provide the overall estimated quantity of water to be used: 200 m³/day

Are the quantity(s) of water to be used from each source the same as those considered in the existing licence?

☒ Yes ☐ No

Provide the estimated quantity(s) of water to be used from each source: As per Part C, Item 1 of the Water Licence, Sabina "...shall obtain all water for domestic camp use from sources proximal to the camp facility. Total camp water use shall not exceed seventy (70) cubic metres per day. Water for drilling shall be obtained from source(s), proximal to the drilling targets as outlined in the Application and shall not exceed one hundred and thirty (130) cubic metres per day. The volume of water for all purposes under this Licence shall not exceed two hundred (200) cubic metres per day."

Are the quantity(s) of water to be used for each purpose the same as those considered in the existing licence?

☒ Yes ☐ No

Provide the estimated quantities to be used for each purpose (camp, drilling, etc.): Domestic use: 70 m³/day; Drilling (including miscellaneous industrial use): 130 m³/day

Are the method(s) of extraction the same as those considered in the existing licence?

☒ Yes ☐ No

Describe the method(s) of extraction: same as existing licence; intakes equipped with fish screens/uptake rates meeting the DFO water intake guidelines. Water intake is quantified.

Are the quantity(s) of water returned to source(s) the same as those considered in the existing licence?

☒ Yes ☐ No

Estimated quantity(s) of water returned to source(s): 0 to 130 m³/day

Are the quality(s) of water(s) returned to source(s) the same as those considered in the existing licence?

☐ N/A ☒ Yes ☐ No

Describe the quality(s) of water(s) returned to source(s): Unused drill recirculation water is water circulated through the drill continuously but not used in the drilling process. This chemically unaltered water may be returned to the source watershed.

Any water which may be altered in any way is discharged at least 31m from any waterbody's high water mark.

14. WASTE

Are the type(s) of waste(s) to be generated and/ or deposited the same as those considered in the existing licence?

☒ Yes ☐ No

Check the appropriate box(s) to indicate the types of waste(s) generated and deposited.

- | | |
|---|--|
| <input checked="" type="checkbox"/> Sewage | <input checked="" type="checkbox"/> Waste oil |
| <input checked="" type="checkbox"/> Solid Waste | <input checked="" type="checkbox"/> Greywater |
| <input checked="" type="checkbox"/> Hazardous | <input checked="" type="checkbox"/> Sludges |
| <input checked="" type="checkbox"/> Bulky Items/Scrap Metal | <input checked="" type="checkbox"/> Contaminated soil and/or water |
| <input type="checkbox"/> Animal Waste | |
| <input type="checkbox"/> Other (describe): _____ | |

15. QUANTITY AND QUALITY OF WASTE INVOLVED

Are the quantity(s) of the types of wastes involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the composition(s) of the types of wastes involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the method(s) of treatment for the types of waste involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the method(s) of disposal for the types of waste involved the same as those considered in the existing licence?

☒ Yes ☐ No

For each type of waste indicated in Block 14, describe its composition, quantity in cubic meters/day, method of treatment and method of disposal.

Type of Waste	Composition	Quantity Generated	Treatment Method	Disposal Method
Sewage	Pactio toilet waste in bags	2-3 bags/day	Backhaul to primary BRP facilities	Per Approved BRP Waste Management Plans (incinerated or used in landfarming) or on-site incineration and backhaul of ash
Solid Waste	Paper, plastic, wood, burlap, absorbent material, food wastes	20 bags a day	Backhaul to primary BRP facilities and/or Open burning on site (untreated wood and cardboard)	Per Approved BRP Waste Management Plans (landfilling, incineration, open burn) or on-site open burning/incineration (for allowable materials) and backhaul of ash
Hazardous	Batteries, contaminated materials	Variable	Backhaul to primary BRP facilities	Per Approved BRP Hazardous Materials Management Plan (shipped off site for final disposal)
Bulk Items/ Scrap Metal	Empty drums	Variable	Backhaul to primary BRP facilities	Per Approved BRP Waste Management Plans (landfilled or shipped offsite for recycling or disposal)
Waste Oil	Waste Oil	Variable	Backhaul to primary BRP facilities	Per Approved BRP Hazardous Materials Management Plan (shipped off site for final disposal or reused)
Greywater	Kitchen, bathing and laundry water	3 m3/d	Grease trap, Natural attenuation	Collection sump
Sludges	Water and rock mixture from drilling	500 gallons	Natural attenuation	Collection sump
Contaminated soil	Contaminated soil	1 m ³	Backhaul to primary BRP facilities	Per Approved BRP Waste Management Plans (landfarmed or shipped offsite for disposal)
Contaminated water	Contaminated waler	1 m ³	Backhaul to primary BRP facilities	Per Approved BRP Waste Management Plans (treated or shipped offsite for disposal)

16. OTHER AUTHORIZATIONS

In addition to the sub-surface and surface land use authorizations provided in Block 6, are the same authorizations required as considered in the existing licence?

☒ Yes ☐ No

For each provide the following:

Authorization: _____

Administering Agency: _____

Project Activity: _____

Date (expected date) of issuance: _____ Date of expiry: _____

There are no other authorizations required.

17. PREDICTED ENVIRONMENTAL IMPACTS OF UNDERTAKING AND PROPOSED MITIGATION MEASURES

Are predicted environmental impacts of the undertaking and proposed mitigation measures the same as those considered in the existing water licence?

☒ Yes ☐ No

Describe direct, indirect, and cumulative impacts related to water and waste.

The potential environmental impacts related to the use of water and the disposal of waste from camp operation and drilling are as follows:

- Water will be sourced from lakes following DFO guidelines
- Camp waste is removed from site to primary BRP facilities where it is managed per the applicable BRP Waste Management Plan
- Greywater is discharged to a sump located at least 31 m from any waterbody high water mark
- Drills and drilling supplies are positioned using helicopters to minimize ground disturbance when the ground is unfrozen.
- When drilling on land, salt (calcium chloride) is added to drill water and water may be heated to keep the drill rods from freezing in the hole.
- Brine is not required for drilling on the ice into the bottom of larger lakes as these lakes are not underlain with permafrost.
- Water from drilling operations is recirculated to minimize the quantity of both water and salt used and to minimize runoff near the drill site.
- Drill cuttings are collected and subsequently deposited in a sump
- Drilling in lake bottoms occurs within a casing to minimize sedimentation.
- At each drill site (except those drilled from ice) drillholes are backfilled with cuttings and cement or bentonite.
- Drill casing and anchors are removed or cut and capped.

Cumulative impacts of drilling are minimized as a result of the above mitigation measures and progressive reclamation (backfilling) of drill holes. Sabina notes that past inspection reports by the CIRNAC Water Resources Inspector have commended Sabina on the handling of wastes and drill hole reclamation.

18. WATER RIGHTS OF EXISTING AND OTHER WATER USERS

Are the effects of the undertaking on any known persons or property including those that hold licences for water use in precedence to the application, domestic users, in-stream users, authorized waste depositors, owners of property, occupiers of property, and/or holders of outfitting concessions, registered trapline holders, and holders of other rights of a similar nature, the same as those considered in the existing water licence?

☒ Yes ☐ No

Provide the names, addresses and nature of use for any known persons or properties that may be adversely affected by the proposed undertaking, including those that hold licences for water use in precedent to the application, domestic users, in-stream users, authorized waste depositors, owners of property, occupiers of property, and/or holders of outfitting concessions, registered trapline holders, and holders of other rights of a similar nature.

Advise the Board if compensation has been paid and/or agreement(s) for compensation have been reached with any existing or other users.

19. INUIT WATER RIGHTS

Are the effects of the undertaking on the quality, quantity or flow of waters flowing through Inuit Owned Land (IOL) the same as those considered in the existing water licence?

☒ Yes ☐ No

Advise the Board of any substantial affect of the quality, quantity or flow of waters flowing through Inuit Owned Land (IOL), and advise the Board if negotiations have commenced or an agreement to pay compensation for any loss or damage has been reached with one or more Designated Inuit Organization (DIO).

No substantial effects to the quality, quantity or flow of waters through IOL is expected to occur from water use and waste disposal contemplated in this licence renewal.

20. CONSULTATION - Provide a summary of any consultation meetings including when the meetings were held, where and with whom. Include a list of concerns expressed and measures to address concerns.

No consultation meetings were held in conjunction with this request. However, Sabina has carried out extensive consultation with nearby communities regarding it's Back River Project, as documented in Volume 3 of its Final Environmental Impact Statement and annual reports to the NIRB located on the NIRB public registry.

21. SECURITY INFORMATION

Is the financial security assessment the same as that considered in the existing water licence?

☒ Yes ☐ No

Is the estimate of the total financial security for final reclamation the same as that considered in the existing water licence?

☒ Yes ☐ No

Provide an estimate of the total financial security for final reclamation equal to the total outstanding reclamation liability for land and water combined sufficient to cover the highest liability over the life of the undertaking. Estimates of reclamation costs must be based on the cost of having the necessary reclamation work done by a third party contractor if the operator defaults. The estimate must also include contingency factors appropriate to the particular work to be undertaken.

Where applicable, the financial security assessment should be prepared in a manner consistent with the principals respecting mine site reclamation and implementation found in the *Mine Site Reclamation Policy for Nunavut*, Indian and Northern Affairs Canada, 2002.

The KIA holds security for this Licence under KTL312C004. Sabina is providing an Abandonment and Restoration Plan with this application (Attachment 8) which describes a theoretical camp and appropriate abandonment and restoration measures.

22. FINANCIAL INFORMATION

Is the statement of financial security the same as that considered in the existing water licence?

☒ Yes ☐ No

Provide an updated statement of financial security.

Sabina's most recent financial statements can be found on it's website at <http://www.sabinagoldsilver.com/investors/financial-reports> . 2022 first quarter interim financial results indicated that the company had cash and cash equivalents \$181 million at March 31, 2022. More information is available at: <http://www.sabinagoldsilver.com/assets/docs/fs/2022-Q1-FS.pdf>

If the applicant is a business entity please answer the questions below:

Is the list of the officers of the company the same as those considered in the existing water licence?

☐ Yes ☒ No

Provide a list of the officers of the company.

Bruce McLeod. President/CEO
Wendy Louie. Vice-President. Finance & CFO
Nicole Hoeller. Vice-President. Communications & Corporate Secretary
Angus Campbell. Vice-President. Exploration
Matthew Pickard. Vice-President, Environment & Sustainability

Is the Certificate of Incorporation or evidence of registration of the company name the same

☒ Yes ☐ No

Attach a copy of the Certificate of Incorporation or evidence of registration of the company name.

See Attachment 11.

23. STUDIES UNDERTAKEN TO DATE

List and attach updated studies, reports, research etc.

Provide a compliance assessment and status report including a response to any inspector's reports. The licensee must contact the NWB for licence specific direction in completing the assessment and report.

If in non-compliance, a licence may not be issued until compliance is achieved. If in non-compliance, attach plans/reports for consideration. Application will not be processed if significant issues of non-compliance exist.

Sabina has conducted extensive studies related to the Back River Project (BRP) which includes the Wishbone-Malley area. The majority of these studies, reports and research can be found on the NIRB public registry and the NWB public registry

There are no outstanding compliance concerns in regard to this Licence.

24. PROPOSED TIME SCHEDULE

Is the time schedule for all phases of development (construction, operations, closure and post closure) the same as that considered in the existing licence?

☐ Yes ☒ No

Indicate the proposed start and completion dates for each applicable phase of development (construction, operation, closure, and post closure).

Construction

Proposed Start Date: June 2022 Proposed Completion Date: June 2027
(month/year) (month/year)

Operation

Proposed Start Date: June 2022 Proposed Completion Date: June 2027
(month/year) (month/year)

Closure

Proposed Start Date: _____ Proposed Completion Date: _____
(month/year) (month/year)

Closure is not currently planned for exploration activities. Sabina anticipates that exploration will continue in parallel to mining activities at the BRP; throughout the mine life and beyond.

Post - Closure

Proposed Start Date: _____ Proposed Completion Date: _____
(month/year) (month/year)

For each applicable phase of development indicate which season(s) activities occur.

Construction

☐ Winter ☐ Spring ☐ Summer ☐ Fall ☒ All season

Operation

☐ Winter ☐ Spring ☐ Summer ☐ Fall ☒ All season

Closure

☐ Winter ☐ Spring ☐ Summer ☐ Fall ☐ All season

Post - Closure

☐ Winter ☐ Spring ☐ Summer ☐ Fall ☐ All season

25. PROPOSED TERM OF LICENCE

On what date does the existing licence expire? June 29, 2022

Indicate the proposed term of the renewal (maximum of 25 years): 5 years

Requested date of renewal issuance: June 30, 2022 Requested Expiry Date: June 30, 2027
(month/year) (month/year)

(The requested date of renewal issuance must be at least three (3) months from the date of application for a type B water licence and at least one (1) year from the date of application for a type A water licence, to allow for processing of the water licence application. These timeframes are approximate and do not account for the time to complete any pre-licensing land use planning or development impact requirements, time for the applicant to prepare and submit a water licence application in accordance with any project specific guidelines issued by the NWB, or the time for the applicant to respond to requests for additional information. See the NWB's *Guide 5: Processing Water Licence Applications* for more information)

26. ANNUAL REPORTING

Is the annual report template expected to be the same as that considered in the existing licence?

☒ Yes ☐ No

If not using the NWB's *Standardized Form for Annual Reporting*, provide details regarding the content of annual reports and a proposed outline or template of the annual report.

27. CHECKLIST

The following must be included with the application for renewal for the water licensing process to begin.

Completed Application for Water Licence Renewal form.

☒ Yes ☐ No If no, date expected _____

Updated plans, including designs and reports (see Block 23).

☒ Yes ☐ No If no, date expected _____

Updated security assessment (see Block 21).

☐ Yes ☒ No If no, date expected 30 days prior to camp construction

Updated financial statement (see Block 22).

☒ Yes ☐ No If no, date expected _____

Compliance Assessment / Status Report (see Block 23).

☒ Yes ☐ No If no, date expected _____

English Summary of Renewal Application.

☒ Yes ☐ No If no, date expected _____

Inuktitut and/or Inuinnaqtun Summary of Renewal Application.

☒ Yes ☐ No If no, date expected _____

Application fee of \$30.00 CDN (Payee Receiver General for Canada).

☒ Yes ☐ No If no, date expected _____

Water Use Fee Deposit of \$30.00 CDN (Payee Receiver General for Canada). The actual water use fee will be calculated by the NWB based upon the amount of water authorized for use in accordance with the Regulations at the time of issuance of the licence.

A cheque addressed to the Receiver General for Canada is being forwarded to the Nunavut Water Board office in Gjoa Haven for payment of the Application Fee and the Water Use Deposit.

☒ Yes ☐ No If no, date expected _____

28. SIGNATURE

I, _____ (print name)

certify that the application requires no changes to water use or waste disposal as previously authorized and that the information given on this form is, to the best of my knowledge, correct and complete.

Signature

Date