



NWB Tools

Phyllis Beaulieu &lt;phyllis.beaulieu@nwb-oen.ca&gt;

---

**RE: 2BE-MSX0712 Clean Up**

1 message

**Ian Atacan** <iatacan@silvermet.ca>

Thu, Nov 19, 2015 at 2:29 PM

To: Baba Pedersen &lt;Baba.Pedersen@aandc-aadnc.gc.ca&gt;

Cc: Erik Allain &lt;Erik.Allain@aandc-aadnc.gc.ca&gt;, Tracey McCaie &lt;Tracey.McCaie@aandc-aadnc.gc.ca&gt;, Licensing Department &lt;licensing@nwb-oen.ca&gt;, Eva Paul &lt;Eva.Paul@aandc-aadnc.gc.ca&gt;

Dear Baba,

I left a voice mail to your phone. Also I talked to Ms. Robin Ikkutisluq at the Nunavut Water Board. She will send me a copy of a water licence cancellation form.

I am not sure whether there are any other outstanding items before we close this file. I will wait for your confirmation.

Thanks and best regards,

Ian

Ian D. Atacan, CPA, CMA, MBA, BSc.

Chief Financial Officer

Silvermet Inc.

[iatacan@silvermet.ca](mailto:iatacan@silvermet.ca)

Office: 1 (416) 203-8336

CA Mobile: 1 (416) 562-3220

TR Mobile: 90 (531) 781-4131

Fax: 1 (416) 368-5146

8 King Street East, Suite 1700, Toronto, ON, M5C 1B5, Canada

[www.silvermet.ca](http://www.silvermet.ca)

---

**From:** Eva Paul [mailto:[Eva.Paul@aandc-aadnc.gc.ca](mailto:Eva.Paul@aandc-aadnc.gc.ca)]**Sent:** November-19-15 3:56 PM**To:** Baba Pedersen; Ian Atacan**Cc:** Erik Allain; Tracey McCaie; 'Licensing Department'**Subject:** RE: 2BE-MSX0712 Clean Up

Hi Ian,

As indicated in my e-mail below, I passed on your reports to the Land Administration division for their records. I have not seen Mr. Pedersen's report for the inspection to know whether he has recommended closure of these LUP's. Cancellation of the water licence is done by the Nunavut Water Board; I don't know whether or not Silvermet has requested cancellation. Please correspond with the Nunavut Water Board to

pursue that end.

Best regards,

*Eva Paul*

Water Resources Officer | Agent des ressources en eau  
Aboriginal Affairs and Northern Development Canada | Affaires autochtones et Développement du Nord Canada  
Rm 424, 4923-52 St | Pièce 424, 4923-52e Rue  
Yellowknife, NWT | Yellowknife, TNO  
X1A 2R3  
Phone | Tél.: [867-669-2438](tel:867-669-2438)  
Cell | Mobile: [867-222-6490](tel:867-222-6490)  
Fax | Téléc: [867-669-2702](tel:867-669-2702)  
[Eva.Paul@aandc-aadnc.gc.ca](mailto:Eva.Paul@aandc-aadnc.gc.ca)

>>> "Ian Atacan" <[iatacan@silvermet.ca](mailto:iatacan@silvermet.ca)> 11/19/2015 1:45 PM >>>

Hi Eva, Hi Baba,

Just wanted to do a quick follow up to Silvermet's water licence. I was wondering whether the licence has now been canceled. After our cleanup, there should not be any water liability remaining on our site.

Thanks and best regards,

Ian

Ian D. Atacan, CPA, CMA, MBA, BSc.  
Chief Financial Officer  
Silvermet Inc.  
[iatacan@silvermet.ca](mailto:iatacan@silvermet.ca)  
Office: 1 (416) 203-8336  
CA Mobile: 1 (416) 562-3220  
TR Mobile: 90 (531) 781-4131  
Fax: 1 (416) 368-5146  
8 King Street East, Suite 1700, Toronto, ON, M5C 1B5, Canada  
[www.silvermet.ca](http://www.silvermet.ca)

---

**From:** Eva Paul [<mailto:Eva.Paul@aandc-aadnc.gc.ca>]  
**Sent:** August-14-15 2:59 PM  
**To:** Baba Pedersen; Ian Atacan  
**Cc:** Tracey McCaie; Licensing Department; 'Rein Lehari'  
**Subject:** RE: 2BE-MSX0712 Clean Up Part 1 of 2

Hi Ian,

Thank you for the excellent report, and the apparently thorough cleanup of sites associated with 2BE-MSX0712, N2006C0025 and N2007J0012.

Please ensure that the cleanup activities are reported to the Nunavut Water Board also (I have copied the

Licensing Department above for your convenience). I can pass on the report to AANDC Land Administration here in Iqaluit.

I believe Mr. Pedersen was planning to do the final inspection shortly after the cleanup, and I will await his report before I recommend cancellation of the licence to the NWB.

Thank you,

*Eva Paul*

Water Resources Officer | Agent des ressources en eau  
Aboriginal Affairs and Northern Development Canada | Affaires autochtones et Développement du Nord Canada  
Nunavut Regional Office | Bureau régional du Nunavut  
Building 969, PO Box 2200 | Édifice 969, CP 2200  
Iqaluit, NU X0A 0H0

Phone | Tél. : [867-975-4548](tel:867-975-4548)

Cell | Mobile: [867-222-6490](tel:867-222-6490)

Fax | Téléc. : [867-979-6445](tel:867-979-6445)

[Eva.Paul@aandc-aadnc.gc.ca](mailto:Eva.Paul@aandc-aadnc.gc.ca)

>>> "Ian Atacan" <[iatacan@silvermet.ca](mailto:iatacan@silvermet.ca)> 8/13/2015 4:14 PM >>>

#### REPORT SPLIT INTO TWO DUE TO EMAIL SIZE RESTRICTION

Dear Ms. Paul, Dear Mr. Pedersen,

In late July to early August, Silvermet carried out an extensive site reclamation project, to address the deficiencies noted.

Please find attached the report documenting the activities carried out. Please do not hesitate to contact me in case of questions.

Best Regards,

Ian Atacan

Ian D. Atacan, CPA, CMA, MBA, BSc.

Chief Financial Officer

Silvermet Inc.

[iatacan@silvermet.ca](mailto:iatacan@silvermet.ca)

Office: 1 (416) 203-8336

CA Mobile: 1 (416) 562-3220

Fax: 1 (416) 368-5146

8 King Street East, Suite 1700, Toronto, ON, M5C 1B5, Canada

[www.silvermet.ca](http://www.silvermet.ca)

---

**From:** Eva Paul [<mailto:Eva.Paul@aandc-aadnc.gc.ca>]

**Sent:** December-01-14 3:26 PM

**To:** Licensing Department; [rlehari@silvermet.ca](mailto:rlehari@silvermet.ca)

**Cc:** Baba Pedersen; Erik Allain; [karen.kharatyan@nwb-oen.ca](mailto:karen.kharatyan@nwb-oen.ca)

**Subject:** 2BE-MSX0712 Inspection of August 16 2014

Hello Mr. Lehari,

Please find attached a report of an inspection conducted for the above water licence in August. Several deficiencies remain on this expired licence; restoration work that should have been completed prior to the licence expiry is still outstanding. It is noted that AANDC Inspector Baba Pedersen conducted an inspection of this project (LUP# N2007J0012) in 2013, and required that remedial work be completed in 2014. This work was still not completed at the time of my inspection.

It is further noted that while Silvermet applied for and received a burn permit from the NWB in 2012, there was flagrant disregard for the conditions of that permit.

These deficiencies are to be addressed early in the snow-free season in 2015 (see dates included in the attached report) and a follow-up report with photos submitted to myself and RMO Pedersen to show that the work has been completed. Failure to do so will result in enforcement measures.

Regards,

*Eva Paul*

Water Resources Officer | Agent des ressources en eau  
Aboriginal Affairs and Northern Development Canada | Affaires autochtones et Développement du Nord Canada  
Nunavut Regional Office | Bureau régional du Nunavut  
Building 969, PO Box 2200 | Édifice 969, CP 2200  
Iqaluit, NU X0A 0H0

Phone | Tél. : [867-975-4548](tel:867-975-4548)

Cell | Mobile: [867-222-6490](tel:867-222-6490)

Fax | Téléc. : [867-979-6445](tel:867-979-6445)

[Eva.Paul@aandc-aadnc.gc.ca](mailto:Eva.Paul@aandc-aadnc.gc.ca)