Google Groups

140122 2BE-MVP1217 Application of Cancellation Acknowledgement for the Melville Exploration Project

me <megan.porter@nwb-oen.ca>

Jan 24, 2014 11:22 AM

Posted in group: Licensing Department

The Nunavut Water Board ("NWB") acknowledges receipt on December 16, 2013 of your Cancellation Application for the Melville Exploration Project.

The file is currently undergoing an administrative check and preliminary technical review. You will be notified if any additional information is required prior to sending out the application out for our 30 day review.

Regards,



Megan Porter- L△L° >

Licence Administrator Assistant- Administratrice des permis C∆5CCo⁵⁶J^C ∆b₹⁵⁶∩- Laisaliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0

C.P. 119 Gjoa Haven (Nunavut), X0B 1J0 **በበናቴቴል** 119 کومر پورکاری X0B 1J0 کومر پورکاری

Titigaqaqvia 119 Ughugtung, NU, X0B 1J0

Toll Free / Sans Frais /

¬CO

¬Akiittug: 1 -855 – 521 - 3745

Tel / Téléphone / アペトレウ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / として / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressec(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Ameri de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email