



COMMANDER RESOURCES LTD.

April 27, 2006

Nunavut Water Board
P.O. Box 119
Goja haven, Nunavut
X0B 1J0

Attention: Philippe di Pizzo

RE: NWB Licence No. 2BE-NAD0608

Dear Mr. di Pizzo:


In accordance with your letter dated April 7, 2006, please find enclosed the additional information requested under Part H and Part I of the Water Licence.


The required information under Part H is included in a revised Spill Contingency Plan and attached MSDS sheets and map of the fuel storage and spill kit storage locations. As at the date of this letter, the fuels listed in the Plan are not yet on site but will be moved there by the end of June.

Under Part I, the following, I revised the Reclamation plan that was initially submitted with inclusion of the requests made in your letter.

Please advise if all is in order. Should you require further clarification or information, please let me know.

Regards,
COMMANDER RESOURCES LTD.


Kenneth E. Leigh
President & CEO






**COMMANDER
RESOURCES LTD.**

**FUEL SPILL CONTINGENCY PLAN
FOR THE CENTRAL BAFFIN ISLAND PROJECT
NUNAVUT, CANADA**

November, 2005

(Amended April 27, 2006)



PREAMBLE:

This Fuel Spill Contingency Plan applies to exploration programs to be conducted by Commander Resources Ltd. in central Baffin Island, Nunavut.

Copies and updates of this Plan may be obtained by writing to:

Kenneth Leigh
President
Commander Resources Ltd.
501-510 Burrard Street
Vancouver, B.C.
Canada V6C 3A8

1.0 INTRODUCTION

The purpose of Commander Resources Ltd's Fuel Spill Contingency Plan is to provide a plan of action for any spill event during the Company's exploration programs in the central area of Baffin Island, Nunavut. This Plan provides the protocols for responding to spills (or potential spills) that minimizes health and safety hazards, environmental damage and clean up costs as well as defining responsibilities of response personnel.

The area of exploration is 225 kilometres to 300 kilometres southwest of Clyde River within NTS maps 37A/9,10 and 27B/5,6, 11-14, 37A/7,8,10.

The duration of exploration programs is typically April to October. Work could involve mobile skid-mounted drilling on ice in the spring and helicopter supported diamond drilling, mapping, sampling, prospecting and ground geophysical programs during the summer months.

Once the exploration program commences fuel and hazardous materials will be stored at proposed fuel caches at a base camp located on Dewar Lakes, immediately adjacent to the North Warning radar station Fox-3 airstrip.

Fuel Caches	Aviation and diesel fuel to be stored in fuel caches. Quantities of up to 300 drums will be located a minimum of 31 metres from normal high water mark and in such a manner that no fuel can enter any such water body.
-------------	---

2.0 RESPONSE ORGANIZATION

Project Supervisor - will report any spill to the Yellowknife 24-Hour Spill Report Line and initiate cleanup. Project Supervisor will request additional aid from external sources if deemed necessary. Responsible for checking fuel drum conditions and evidence of leakage daily, keeping spill kits and absorbent mats in good repair and accessible.

Project Supervisor – Alan Sexton, P.Geo., MSc
GeoVector Management Inc.
10 Green Street Suite 312
Ottawa Ontario K2J 3Z6
CANADA

Tel: 613-843-8109 Fax: 613-843-8110 mobile: 613-864-3937

24 Hour Emergency Contact for Commander Resources Ltd.

Ken Leigh, President & CEO

604-484-7110 (day), (604) 646 0416 (night) 604 318 4106 (mobile)

Pilots to report spills or potential spills to the **Project Supervisor**.

3.0 INITIAL ACTION

1. Stay alert and consider safety first. Identify the source of leak or spill and the type of product.
2. Assess the hazards to persons in the vicinity of the spill.
3. Isolate or remove any potential ignition source.
4. Control danger to human life if possible.
5. Assess whether the spill can be readily stopped or brought under control.
6. If safe (and possible) try to stop the flow.
7. Report the spill to the Project Supervisor and to the Yellowknife 24-hour Spill Report Line at (867) 920-8130.
8. Initiate or resume clean up.

4.0 REPORTING PROCEDURE

Communication in the way of two-way radios will be set-up in the event that if a spill occurs outside of camp at either the drill rig or external fuel cache it can be immediately reported to the Project Supervisor.

All spill kits located at all sources of fuel will have contact information for the Yellowknife Spill Report Line prominently displayed.

A listing of the Yellowknife 24 Hour Spill Report Line as well as other government contacts and company officials will be displayed adjacent to the satellite phone in camp. (See Reporting Procedure and Contacts provided below.

SPILL REPORTING PROCEDURE

1. Fill, out "SPILL REPORT" form as completely as possible before making the report.
2. Report IMMEDIATELY to Yellowknife using the 24-hour Spill Report Line

24-HOUR SPILL REPORT LINE (867) 920-8130

AND TO

DIAND WATER RESOURCES INSPECTOR (NUNAVUT) (867) 975-4298

NOTE: Telephone calls can be made collect by informing the Operator that you wish to report a spill.

RCMP communications may be used if other means are not available.

Additional Information or Assistance:

Environment Canada, Yellowknife
Phone: (867) 669-4700

Nunavut Tunngavik Inc.
Cambridge Bay, NU
Fax: (867) 983-2723

Environment Canada Office, Iqaluit
(867) 975-4664, Fax: (867) 975-4594
Mobile: (867) 975-1925

Commander Resources Ltd.
Phone: (604) 685-5254

Nunavut Water Inspector
Phone: (867) 975-4298

Qikiqtani Inuit Association
Lands and Resources Officer
Phone: (867) 979-5391

A detailed report on each occurrence must also be filed with the DIAND Water Resources Inspector no later than 30 days after initially reporting the event.

5.0 ACTION PLAN

The following responses are recommended for fuel spills in differing environments. Depending on the location and size of the exploration program some of the equipment mentioned in the responses listed below will obviously not be located on site but could be transported to the spill if deemed necessary.

Spills on Land (gravel, rock, soil and vegetation)

- Trench or ditch to intercept or contain flow of fuel or petroleum products on land where feasible (loose sand, gravel and surface layers of organic materials are amenable to trenching/ditching-trenching in rocky substrates is typically impractical and impossible.)
- Construct a soil berm downslope of the spill. Use of synthetic, impervious sheeting can also be used to act as a barrier.
- Where available, recover spills through manual or mechanical means including shovels, heavy equipment and pumps.
- Absorb petroleum residue with synthetic sorbent pad materials.
- Recover spilled and contaminated material, including soil and vegetation.
- Transport contaminated material to approved disposal or recovery site. Equipment used will depend on the magnitude and location of the spill.
- Land based disposal is only authorized with the approval of government authorities.

Spills on Snow

- Trench or ditch to intercept or contain flow of fuel or petroleum products on snow, where feasible (ice, snow, loose sand, gravel and surface layers of organic materials as amenable to trench/ditching; trenching in solid, frozen ground or rocky substrates is typically impractical and impossible).
- Compact snow around the outside perimeter of the spill area.
- Construct a dike or dam out of snow, either manually with shovels or with heavy equipment such a graders and dozers where available.
- If feasible, use synthetic liners to provide an impervious barrier at the spill site.
- Locate the low point of the spill area and clear channels in the snow, directed away from waterways, to allow non-absorbed material to flow into the low point.
- Once collected in the low area, options include shoveling spilled material into containers, picking up with mobile heavy equipment, pumping liquid into tanker trucks or using vacuum truck to pick up material.
- Where safe, disposal can be done through in-situ combustion with approval from government and safety consultants.

- Transport contaminated material to approved disposal site. Equipment used will depend on the magnitude and location of the spill.

Spills on Ice

- Contain material spill using methods described above for snow, if feasible and/or mechanical recovery with heavy equipment.
- Prevent fuel/petroleum products from penetrating ice and entering watercourses.
- Remove contaminated material, including snow/ice as soon as possible.
- Containment of fuel/petroleum products under ice surface is difficult given the ice thickness and winter conditions. However, if the materials get under ice, determine area where the fuel/petroleum product is located.
- Drill holes through ice using ice auger to locate fuel/petroleum product.
- Once detected, cut slots in the ice using chain saws and remove ice blocks. Fuel/petroleum products collected in ice slots or holes can be picked up via suction hoses connected to portable pump, vacuum truck or standby tanker. Care should be taken to prevent the end of the suction hose clogging up by snow, ice or debris.
- Fuel/petroleum products that have collected in ice slots may be disposed of by in-situ burning if sufficient holes are drilled in ice. Once all the holes are drilled, the oil which collects in the holes may be ignited. Consult with fire/safety consultants and government authorities to obtain approval.

Spills on Water

- Contain spills on open water immediately to restrict the size and extent of the spill.
- Fuel/petroleum products which float on water may be contained through the use of booms, absorbent materials, skimming and the erection of culvers.
- Deploy containment booms to minimize spill area, although effectiveness of booms may be limited by wind, waves and other factors.
- Use sorbent booms to slowly encircle and absorb spilled material. These absorbent are hydrophobic (absorb and repel water).
- Once booms are secured, use skimmers to draw in hydrocarbons and minimal amounts of water. Skimmed material can be pumped through hoses to empty fuel tanks/drums.
- Culverts permit water flow while capturing and collecting fuel along the surface with absorbent materials.
- Chemical methods including dispersants, emulsion - treating agents and shoreline cleaning will be considered.

NOTE:

1. In-situ combustion is a disposal method available for fuels and petroleum products. In-situ burning can be initiated by using a large size portable propane torch (tiger torch) to

ignite the fuel/petroleum products. Highly flammable products such as gasoline or alcohol, or combustible material such as wood, may be used to promote ignition of the spilled product. The objective is to raise the temperature for sustained combustion of the spilled product.

Precautions need to be taken to ensure safety of personnel. Also, spilled product should be confined to control burning. These include area where the spilled material has pooled naturally or been contained via dikes, trenches, depressions or ice slots. Prior to any attempts at in-situ burning, consultation with experts and approval by government authorities are required.

2. Chemical response methods are also available and may include the use of dispersants, Emulsions-treating agents, visco-elastic agents, herding agents, solidifiers, and shoreline cleaning agents.
3. Biological response methods include nutrient enrichment and natural microbe seeding.
4. Site remediation will be completed as per the advice of government authorities.

6.0 ENVIRONMENTAL MAPPING

Spill response equipment will be located at NWS Fox-3 and Fox-8 airstrips.

7.0 RESOURCE INVENTORY

Resources available on site:

- Trenching/digging equipment in the form of picks and shovels.
- Absorbent material (pads)
- Pumps
- Impervious sheeting (tarps)
- Plastic bags, buckets, empty drums for collection of contaminated material.

8.0 TRAINING/EXERCISE

COMMANDER Resources Ltd. is an established mining exploration company and has explored for minerals in every major mining province and territory for over ten years. The Company's record of compliance with regulations and environmental management is excellent. All contract personnel will be briefed and given a copy of the Fuel Spill Contingency Plan before field operations begin.

9.0 SPILL KITS

Spill Kits on site consist of the following:

- 1 – 205 litre, 16 gauge open top drum with bolting ring and gasket
- 1 package of 10 disposable 5 mil polyethylene bags
- 1 shovel
- 4 – 5" x 10" booms
- 10 lb bag of particulate
- 1 bail 17' x 19' sorbent sheets (100 sheets per bail)
- 2 PVC oil resistant gloves
- 2 respirators
- 2 pairs of splash protective goggles

10.0 Material Data Sheets (MSDS)

MSDS sheets are attached for Jet A-1, Diesel fuel, unleaded gasoline and Propane.

11.0 Fuel Inventory on site (starting June, 2006)

- Maximum 200 drums Jet A-1
- Maximum 100 drums Diesel fuel
- 150 x 100lb propane
- 6 drums unleaded gasoline



NWT SPILL REPORT

(Oil, Gas, Hazardous Chemicals or other Materials)

24 – Hour Report Line
Phone: (867) 920-8130
Fax: (867) 873-6924

A Report Date and Time		B Date and Time of spill (if known)		C <input type="checkbox"/> Original Report <input type="checkbox"/> Update no. _____		Spill Number	
D Location and map coordinates (if known) and direction (if moving)							
E Partly responsible for spill							
F Product(s) spilled and estimated quantities (provide metric volumes/weights if possible)							
G Cause of spill							
H Is spill terminated? <input type="checkbox"/> yes <input type="checkbox"/> no		I If spill is continuing, give estimated rate		J Is further spillage possible? <input type="checkbox"/> yes <input type="checkbox"/> no		K Extent of contaminated area (in square meters if possible)	
L Factors effecting spill or recovery (weather conditions, terrain, snow cover, etc.)				M Containment (natural depression, dikes, etc.)			
N Action, if any, taken or proposed to contain, recover, clean up or dispose of product(s) and contaminated materials							
O Do you require assistance? <input type="checkbox"/> no <input type="checkbox"/> yes, describe:				P Possible hazards to person, property, or environment; eg: fire, drink water, fish or wildlife			
Q Comments or recommendations						FOR SPILL LINE USE ONLY	
						Lead agency	
						Spill significance	
						Lead Agency contact and time _____ _____ _____ _____	
Reported by						Position. Employer, Location	
Reported to						Position. Employer, Location	
						Telephone	
						Telephone	