KLEEN-FLO TUMBLER IND)	MATERIAL SAFETY DATA SHEET			PAGI		
SECTION I-MATERIAL IDEN	NTIFICATION ANI	<u>O USE</u>					
Material Name/Identifier:	Kleen-Start Starting Fluid		Stock No.			730	
Manufacturer's Name:	Kleen-Flo Tumbler Industries Ltd		Street Address:		75 Advance Blvd.		
City:	Brampton		Province:	Province:		Ontario	
Postal Code:	L6T 4N1		Emergency Phone #:		(905) 793-4311		
Chemical Name:	N.Ap. (Mixture)		Chemical Family:		N/Av. (Mixture)		
Chemical Formula:	N.Ap. (Mixture)		Trade Names & Synonyms:		Kleen-Start		
Material Use:	Engine Starting Fluid		Molecular V	Veight:	N/Av. (Mixture)		
SECTION II-HAZARDOUS IN	NGREDIENTS OF M	<u> MATERIAL</u>					
Hazardous		Approximate	LD50		LC50		
Ingredients	C.A.S.	% Concentration	Species &	Route	s	Species & Route	
Diethyl ether	60-29-7	40-70	1215mg/kg ra			m(150 min.) rat-inhal.	
Heptane	142-82-5	30-60	24000 mg/kg			14000 ppm (4 hr) rat-inhl.	
Carbon dioxide	124-38-9	5-10	N/Ap.		N/Av.		
Upper Cylinder Lubricant	64741-89-5	1-5	N/Av.		N/Av.		
SECTION III-PHYSICAL DA	 TA FOR MATERIA	<u>L</u>					
Physical State:	Liquid	Odour/Appearance:	ether-like odour/ colorless liquid				
Specific Gravity:	0.713	Odour Threshold(p.p.	m.):	N/Av.			
Boiling Point:	35.5°C	Evaporation Rate:	>1 (Butyl-acetate=1)				
Freezing Point:	N/E	Solubility in Water:		Negligible			
% Volatile(by volume):	100	Vapour Pressure, psig		80 -90			
Vapour Density(Air=1):	>1	Coefficient of Water/Oil Distribut: N/A		N/Av.			
pН	N/Ap.						
SECTION IV-FIRE AND EXP	LOSION HAZARD	OF MATERIAL					
Flammability Yes/No:	Yes, extremely	If yes under which o	onditions?: Excessive heat, open flame or sparks				
Auto Ignition Temperature:	N/Av.		Means of Ex	Ieans of Extinction: carbon dioxide, dry chemical, foam			
Flashpoint and Method:	-45°C	Hazardous Combustion Products: Hydrocarbon fumes, smoke,					
Flame Extension:	>45 cm but <100 cn	Carbon dioxide, carbon monoxide. Flashback yes.					
Upper Flammable limit (%vol)		1	Lower Flammable Limit(% by volume):1				
Explosion Data:	Sensitivity to Mecha		nsitivity to Static Discharge: N.Ap.				
SECTION V-REACTIVITY D.		anneur ampuew a map	pensultiy to	Suute 2 Beau		z wage	
	Chemical Stability Yes/No:			If NO under which conditions? above 35.5°C			
Chemical Stability Yes/No:		No	II I TO UIIUCI	If so which ones? Inorganic acid conc., Peroxides. Caus			
•	ances Yes/No:	Yes		ones?	Inorganic aci	d conc., Peroxides. Can	
Chemical Stability Yes/No: Incompatibility to Other Substa Reactivity and under what con					Inorganic aci	d conc., Peroxides. Cau	

N/E: not established	N.Ap.: not a	pplicable	N/Av.:	not available				
Material Name/Identifier:	Kleen-Start Starting Fluid	Stock No.	730	PAGE 2				
SECTION VI-TOXICOLOGI	CAL PROPERTIES OF PRODUCT							
Route of Entry: ALL Routes	SKIN CONTACTSKIN ABSORPTIONEYE CONTACTINHALATIONINGESTION							
Effects of Acute Exposure:	May cause defatting and drying of skin. May irritate mucous membranes of respiratory tract.							
	Overexposure may cause central nervous system depression. Headache or nausea.							
Effects of Chronic Exposure:	Continuous inhalation of spray may harmful or fatal.							
LD 50 of Product:	N/Av.	LC 50 of Product:	N/Av.					
Irritancy of Product:	Skin & Eye Irritant	Exposure Limits of Produ	ict:	N/Av.				
Sensitization of Product:	N/Av.	Toxicologically Synergisti	ic Materials:	N/Av.				
CARCINOGENICITYRE	PRODUCTIVE EFFECTS TERATOGEN	ICITYMUTAGENICITY	Y					
Diethyl ether has caused birth defects and toxicity to the fetus in animal tests.								
SECTION VII-PREVENTIVE	E MEASURES							
Personal Protective Equipmen	t to be used:							
Gloves(specify):	Solvent resistant gloves	Eye(specify):	Safety Glasses					
Respiratory(specify):	NOISH approved organic vapor mask	Clothing:	Not required					
Respiratory Protection:	If used indoors or on a continuous basis, us	se of cartridge type respirat	tor is recommended					
Engineering Controls:	Local ventilation to keep exposure limit below 400 ppm (diethyl ether).							
Waste Disposal:	Defective cans with residual liquid should be disposed of in an approved hazardous waste site.							
_	Empty cans can disposed of at local recycling depots.							
Storage Requirements:	Storage at room temperature. Do not expose under direct sunlight for prolonged period.							
Handling Procedure &	Keep away from open flame and spark. Do not store above 30°C for a long period of time.							
Equipment:	Keep away from open flame and spark.							
NFPA30B/CNFC3.3.5	Level 3							
IATA (air transport)	Prohibited. (Passanger Aircraft)							
Marine (IMDG)	Limited Quantity, Aerosol, UN1950, Class 2.1							
DSL listing:	All components are listed in the inventory.							
TDG Classification:	Consumer Commodity							
WHMIS Classification:	Consumer Commodity - exempt from WHMIS labeling requirement. Complies with CCCR 2001							
		J .	_					
SECTION VIII-FIRST AID M	<u>IEASURES</u>							
Eye:	Flush with large amount of water for at least 15 minutes. If irritation persists, seek medical help.							
Skin:	Wash with soap and water.							
Inhalation:	Remove to open air. Maintain body warmth. Seek medical help.							
Ingestion:	DO NOT INDUCE VOMITING. Seek medical help.							
SECTION IX-PREPARATIO	N DATE OF M.S.D.S.							
Additional Info/Comments:		Sources Used: Supplier's	data					
Phone Number:	(905) 793-4311	Prepared By: Quality Control Laboratory						
Date Prepared:	January 31, 2010.	Kleen-Flo	Tumbler Industries	Limited				
	THIS SHEET SUPERSEDES ANY OTHER	M.S.D.S. PREVIOUSLY P	PREPARED					
N/E: not established	N.Ap.: not a			not available				
	r not u	•						