Material Safety Data Sheet



Revision Date: 05/02/2008 **Issue date:** 05/02/2008

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product use: LePage Speed Set Epoxy- Hardener
Adhesive

Product Use: Adhesive Company address:

Henkel Canada Corporation 6685 Kennedy Rd Suite 1 Mississauga, Ontario L5T 3A5 Item No. IDH No. 1165245
Region: Canada
Contact Information:
Telephone: 905.696-2770

Emergency telephone: 613-996-6666

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components	<u>%</u>	ACGIH TLV	OSHA PEL	OTHER
Pentaerythritol-PO-mercaptoglycerol 72244-98-5	60-100	None	None	None
N-(2-Aminoethyl)piperazine 140-31-8	5-10	None	None	None
Aliphatic amines Proprietary	5-10	None	None	None
Phenol, 2,4,6- tris[(dimethylamino)methyl] 90-72-2	5-10	None	None	None
Silica, amorphous, fumed, crystalline-free 112945-52-5	1-5	10mg/m³ TWA inhalable 3mg/m³ TWA respirable	6mg/m³ TWA	None

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Liquid WHMIS hazard class:

Color: Amber Clear
Odor: Mercaptan Amine

DANGER: CAUSES EYE, SKIN AND RESPIRATORY TRACT BURNS.

MAY CAUSE ALLERGIC SKIN REACTION.

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.

Relevant routes of exposure: Eye contact, Ingestion, Inhalation, Skin contact

Potential Health Effects

Physical state:

Inhalation: Respiratory tract burns. May cause respiratory tract irritation. May cause irritation to nose and throat.

Lung damage.

Skin contact: May cause skin burns. Allergic skin reaction. May be harmful if absorbed through skin. Rash. Redness.

Tissue damage.

Eye contact: Burns. Severe eye irritation. Redness. Tissue damage.

Ingestion: May be harmful if swallowed. May cause burns of mouth and throat if swallowed.

Existing conditions aggravated by

Item No.: IDH No. 1165245

exposure:

Skin disorders. Skin allergies. Respiratory disorders. Eye disorders. Asthma.

See Section 11 for additional toxicological information.

E, D.2.B

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get

medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing

and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if

symptoms occur.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Keep individual calm. Get

medical attention immediately.

Notes to physician: None.

5. FIRE-FIGHTING MEASURES

Flash point: Greater than 93°C (200°F) Tagliabue closed cup

Autoignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special fire fighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: In the event of fire, cool tanks with water spray.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Ammonia. Amines. Nitric acid. Nitrosamines. Irritating organic

fragments.

Sensitivity to mechanical impact: Not available.

Sensitivity to static discharge: Not available.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Prevent product from entering drains or open waters.

Clean-up methods: Remove all ignition sources. Immediately contact emergency personnel. Scrape up as much material

as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Handling: Keep away from heat, spark and flame. Do not breathe mist or vapors. Keep container closed. Avoid

contact with eyes, skin and clothing. Wash thoroughly after handling.

Storage: Store at or below 37.8°C (100°F). Store in original container until ready to use. Keep in a cool, well

ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for

use.

Incompatible products: Refer to Section 10.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls: Use local exhaust ventilation to maintain airborne concentrations below established exposure limits.

Respiratory protection: Use a NIOSH approved air-purifying respirator if the potential to exceed established exposure limits

exists.

Item No.: IDH No. 1165245 Product name: LePage Speed Set Epoxy- Hardener

Skin protection:

Chemical resistant, impermeable gloves. Use chemical resistant, impermeable clothing including

gloves and either an apron or body suit to prevent skin contact.

Eye/face protection:

Chemical splash goggles or safety glasses with side shields.

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid

Color:

Amber Clear

Odor:

Mercaptan, Amine

Odor Threshold: Vapor pressure:

Not available

Not available

pH:

Not applicable

Boiling point/range: Melting point/range: Not available Not available

Specific gravity:

1.04

Vapor density: **Evaporation rate:** Not available Not available

Slightly soluble

Solubility in water: Partition coefficient (n-octanol/water):

Not available

VOC content:

3.7%; 0.377 grams/liter

10. STABILITY AND REACTIVITY

Stability:

Stable

Hazardous polymerization:

Will not occur.

Hazardous decomposition products:

None

Incompatability:

Strong acids. Strong oxidizers. Halogenated compounds. Strong mineral acids. Reactive metals.

Calcium hypochlorite. Sodium hypochlorite. Nitrous acid and other nitrosating agents.

Conditions to avoid:

Excessive heat. Storage with incompatible materials.

11. TOXICOLOGICAL INFORMATION

Product toxicity data:

Item No.: IDH No. 1165245

Not available

Toxicologically synergistic products:

Not available.

Refer to the following for Irritancy of Product, Sensitization to Product, Carcinogenicity, Reproductive Toxicity, Teratogenicity, and Mutagenicity.

Ingredient Toxicity Data & Carcinogen Status

Hazardous components	LD50s & LC50s	Other LD50s and LC50s	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen	ACGIH - Carcinogens
Pentaerythritol-PO-mercaptoglycerol 72244-98-5	None	None	No	No	No	No
N-(2-Aminoethyl)piperazine 140-31-8	Oral LD50 (Rat) = 2140 μL/kg Dermal LD50 (Rabbit) = 880 μL/kg	None	No	No	No	No
Aliphatic amines Proprietary	None	None	No	No	No	No
Phenol, 2,4,6- tris[(dimethylamino)methyl] 90-72-2	Oral LD50 (Rat) = 1000 mg/kg Dermal LD50 (Rat) = 1280 mg/kg	None	No	No	No	No
Silica, amorphous, fumed, crystalline-free 112945-52-5	Oral LD50 (Rat) = 3160 mg/kg	None	No	No	No	No

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs	
Pentaerythritol-PO-	No data	
mercaptoglycerol 72244-98-5		
N-(2-Aminoethyl)piperazine	Irritant, Corrosive, Allergen	
Aliphatic amines Proprietary	No data	
Phenol, 2,4,6- tris[(dimethylamino)methyl] 90-72-2	Allergen, Irritant	
Silica, amorphous, fumed, crystalline-free 112945-52-5	Nuisance dust	

12. ECOLOGICAL INFORMATION

Ecological information:

Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Dispose of in accordance with federal and local regulations.

14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classification may be different for bulk packaging.

Canada Transportation of Dangerous Goods - Ground:

Proper shipping name:

Amines, liquid, corrosive, n.o.s. (Aminoethylpiperazine , Aliphatic amines)

Hazard class or division:

UN 2735

Identification number: Packing group:

II II

International Air Transportation (ICAO/IATA):

Proper shipping name:

Amines, liquid, corrosive, n.o.s. (Aminoethylpiperazine , Aliphatic amines)

Hazard class or division: Identification number:

UN2735

Item No.: IDH No. 1165245

Product name: LePage Speed Set Epoxy- Hardener

Packing group:

11

WaterTransportation (IMO/IMDG):

Proper shipping name: Hazard class or division: Amines, liquid, corrosive, n.o.s. (Aminoethylpiperazine , Aliphatic amines)

Identification number: UN

Packing group:

UN2735

15. REGULATORY INFORMATION

Canada Regulatory Information

CEPA DSL/NDSL Status:

All components are listed on or are exempt from listing on the Domestic Substances List.

United States Regulatory Information

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: First Issue

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Product Regulations.

Prepared by: Regulatory Affairs

Item No.: IDH No. 1165245

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.