



July 23, 2015

BY ELECTRONIC MAIL

Ms. Phyllis Beaulieu, Manager of Licensing
Nunavut Water Board
PO Box 119
Gjoa Haven, NU X0B 1J0

Dear Ms. Beaulieu:

RE: 2BE-NAN1318 – NANUQ ANNUAL REPORT COVER LETTER

Please find enclosed the 2BE-NAN1318 annual report for the Nanuq Project covering report year January 18, 2015 to January 18, 2016. Peregrine has not conducted any 2015 field work to date and will not be conducting field work for the balance of the year. The water allocation under 2BE-NAN1318 is 60m³ per day. The fees are detailed below:

January 18, 2014 to January 18, 2015	= outstanding balance of \$165.00
January 18, 2015 to January 18, 2016	= 60m ³ allocation x \$0.01 per cubic meter x 365 days
	= \$219.00/year

The fees will be paid by corporate MasterCard. At your convenience please email me the receipt for my accounting records.

Please do not hesitate to contact me at (604) 608-4524 or by email (dave@pdiam.com) if you have any questions or require anything

Yours truly,

PEREGRINE DIAMONDS LTD.

David Willis – Land Administrator

cc. Jean Allen, AANDC – Water Resources

NWB Annual Report

Year being reported:

2015

License No: 2BE-NAN1318

Issued Date:

January 18, 2013

Expiry Date:

June 30, 2018

Project Name:

Nanuq

Licensee:

Peregrine Diamonds Ltd.

Mailing Address:

Suite 201 - 1250 Homer Street
 Vancouv, BRitish Columbia
 V6B 1C6

Name of Company filing Annual Report (if different from Name of Licensee please clarify relationship between the two entities, if applicable):

Peregrine Diamonds Ltd.

General Background Information on the Project (*optional):

No exploration work conducted in 2015 and no exploration work planned for 2015.

Licence Requirements: the licensee must provide the following information in accordance with

Part B



Item 2



A summary report of water use and waste disposal activities, including, but not limited to: methods of obtaining water; sewage and greywater management; drill waste management; solid and hazardous waste management.

Water Source(s):

Lorillard River

Water Quantity:

10 per day

Quantity Allowable Domestic (cu.m)

0

Actual Quantity Used Domestic (cu.m)

50 per day

Quantity Allowable Drilling (cu.m)

0

Total Quantity Used Drilling (cu.m)

Waste Management and/or Disposal



Solid Waste Disposal



Sewage



Drill Waste



Greywater



Hazardous



Other:

Additional Details:

No work done, no wast generated.

A list of unauthorized discharges and a summary of follow-up actions taken.

Spill No.: (as reported to the Spill Hot-line)

Date of Spill:

Date of Notification to an Inspector:

Additional Details: (impacts to water, mitigation measures, short/long term monitoring, etc)

No Spills

Revisions to the Spill Contingency Plan

SCP submitted and approved - no revision required or proposed

Additional Details:

No revisions

Revisions to the Abandonment and Restoration Plan

AR plan submitted and approved - no revision required or proposed

Additional Details:

No revisions

Progressive Reclamation Work Undertaken

Additional Details (i.e., work completed and future works proposed)

No reclamation done or necessary

Results of the Monitoring Program including:

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where sources of water are utilized;

Not Applicable (N/A)

Additional Details:

No exploration work planned or done in 2015

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where wastes associated with the licence are deposited;

Not Applicable (N/A)

Additional Details:

No exploration work done in 2015

Results of any additional sampling and/or analysis that was requested by an Inspector

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (date of request, analysis of results, data attached, etc)

No additional sampling requested.

Any other details on water use or waste disposal requested by the Board by November 1 of the year being reported.

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (Attached or provided below)

No additional sampling requested.

Any responses or follow-up actions on inspection/compliance reports

No inspection and/or compliance report issued by INAC ▼

Additional Details: (Dates of Report, Follow-up by the Licensee)

No inspection reports received.

Any additional comments or information for the Board to consider

No field work conducted to date in 2015 and no field work planned.

Date Submitted:

July 16, 2015

Submitted/Prepared by:

David Willis

Contact Information:

Tel: 604-608-4524

Fax: 604-408-8881

email: dave@pdiam.com