

MATERIAL SAFETY DATA SHEET

Page 01 of 05

High Strength Threadlocker Red Automotive Grade

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: High Strength Threadlocker Red Automotive Grade
IDH: 209741
Product Type: Anaerobic

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredients	CAS No.	%
Polyglycol dimethacrylate	25852-47-5	65-70
Bisphenol A fumarate resin	39382-25-7	20-25
Saccharin	81-07-2	3-5
CUMENE HYDROPEROXIDE*	80-15-9	1-3
N,N-Dialkyltoluidines	613-48-9	0.1-1

* This component is listed as a SARA Section 313 Toxic Chemical.

Ingredients which have exposure limits

Exposure Limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
CUMENE HYDROPEROXIDE	None	None	1ppm (6mg/m3) Skin (WEEL)
Exposure Limits (STEL) Ingredients	ACGIH (TLV)	OSHA (PEL)	

3. HAZARDS IDENTIFICATION

Toxicity: Eye irritant.
Inhalation irritant to respiratory tract.
Estimated oral LD50 more than 5000mg/kg
Estimated dermal LD50 more than 2000mg/kg

Primary Routes of Entry: None known

Signs and Symptoms
of Exposure: May cause dermatitis on prolonged contact in sensitive individuals.

Existing Conditions

Aggravated by Exposure: None known

MATERIAL SAFETY DATA SHEET

Page 02 of 05

Product Name:
IDH:High Strength Threadlocker Red Automotive Grade
209741

3. HAZARDS IDENTIFICATION

(continued)

Ingredients	Literature Referenced Target Organ and Other Health Effects	Carcinogen		
		NTP	IARC	OSHA
Polyglycol dimethacrylate	ALG IRR	NO	NO	NO
Bisphenol A fumarate resin	ALG IRR	NO	NO	NO
Saccharin	NTO	NO	N/A	NO
CUMENE HYDROPEROXIDE	ALG CNS COR IRR MUT	NO	NO	NO
N,N-Dialkyltoluidines	NTO	NO	NO	NO

Abbreviations

N/A Not Applicable
CNS Central nervous system
IRR Irritant
NTO No Target OrgansALG Allergen
COR Corrosive
MUT Mutagen

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention.

Inhalation: Remove to fresh air. If symptoms develop, seek medical attention.

Skin Contact: Flush with water.

Eye Contact: Flush at least 15 minutes with water holding eyelids open. Obtain medical attention.

5. FIRE FIGHTING MEASURES

Flash Point: More than 200°F Method: Tag Closed Cup

Recommended Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting Procedures: Not available

Hazardous Products formed by Fire or Thermal Decomp: Irritating organic vapors

Unusual Fire or Explosion Hazards: None

Explosive Limits:
(% by volume in air) Lower Not available
(% by volume in air) Upper Not available

MATERIAL SAFETY DATA SHEET

Page 03 of 05

Product Name:
IDH:

High Strength Threadlocker Red Automotive Grade
209741

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case
of spill or leak:

Soak up in an inert absorbent. Store in a partly
filled, closed container until disposal.

7. HANDLING AND STORAGE

Safe Storage:
(Contact Loctite Customer
Handling:

Store below 100 deg. F
Service 1-800-243-4874 for shelf life information)
Avoid contact with eyes, skin, and clothing. Avoid
breathing vapor and mist.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes:
Skin:
Ventilation:
Respiratory

Safety glasses or goggles.
Neoprene, rubber, or butyl rubber gloves.
Does not apply
Use NIOSH approved respirator if there is potential to
exceed exposure limits.

See Section 2 for Exposure Limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red liquid
Odor: Mild
Boiling Point: More than 300°F
pH: Does not apply
Solubility in Water: Slight
Specific Gravity 1.10 at 80°F
Volatile Organic Compound
(EPA Method 24) 0.8177%; 7.8053 g/l
Vapor Pressure: Less than 5mm at 80°F
Vapor Density: Not available
Evaporation Rate
(Ether = 1) Not available

10. STABILITY AND REACTIVITY

Stability: Stable
Hazardous Polymerization: Will not occur
Incompatibility: Strong oxidizers. Strong acids. Strong reducing agents.
Copper, iron and rust.
Conditions to Avoid: Not available
Hazardous Decomposition
Products (non-thermal): Oxides of carbon, sulfur, and nitrogen. Irritating
organic vapors. Phenols.

HENKEL CONSUMER ADHESIVES

AVON, OH 44011
TELEPHONE: (440) 937-7000

02/27/08 rev 10/1/08

MATERIAL SAFETY DATA SHEET

Page 04 of 05

Product Name:
IDH:

High Strength Threadlocker Red Automotive Grade
209741

11. TOXICOLOGICAL INFORMATION

See Section 3.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended methods of
disposal:

Dispose of according to federal, state, and local
government regulations.

EPA Hazardous Waste
Number:

NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49 CFR 172)

Domestic Ground Transport

Proper Shipping Name: Unrestricted

Hazard Class or

Division:

Unrestricted

Identification Number: None

Marine Pollutant:

None

IATA

Proper Shipping Name: Unrestricted

Class or Division:

Unrestricted

UN or ID Number:

None

15. REGULATORY INFORMATION

CA Proposition 65:

This product contains a chemical known to the state of
California to cause cancer.

16. OTHER INFORMATION

Estimated NFPA(R) Code:

Health Hazard:

1

Fire Hazard:

1

Reactivity Hazard:

1

Specific Hazard:

Does not apply

Estimated HMIS(R) Code:

Health Hazard:

1

Flammability Hazard:

1

Reactivity Hazards:

1

Personal Protection:

See Section 8.

HENKEL CONSUMER ADHESIVES

AVON, OH 44011

TELEPHONE: (440) 937-7000

02/27/08 rev 10/1/08

MATERIAL SAFETY DATA SHEET

Page 05 of 05

Product Name:

IDH:

High Strength Threadlocker Red Automotive Grade
209741

Prepared by:

Regulatory Affairs

Company:

Henkel Corporation
32150 Just Imagine Drive
Avon, Ohio 44012
Phone (440) 937-7000