

Shell Canada Limited Material Safety Data Sheet

Effective Date: 2008-06-30 Supersedes: 2005-07-20



Class D2B Skin Sensitization

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT: AeroShell* Grease 7

SYNONYMS: AIRCRAFT LUBRICATING GREASE

PRODUCT USE: Lubricating Grease

PRODUCT CODE: 519-010

SUPPLIER TELEPHONE NUMBERS

Shell Canada Limited (SCL)Shell Emergency Number1-800-661-7378P.O. Box 100, Station MCANUTEC 24 HOUR EMERGENCY NUMBER1-613-996-6666400-4th Ave. S.W.For general information:1-800-661-1600Calgary, AB Canadawww.shell.ca

T2P 2H5

This MSDS was prepared by the Toxicology and Product Stewardship Section of Shell Canada Limited.
*An asterisk in the product name designates a trade-mark(s) of Shell Canada Limited, used under license by Shell Canada Products.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS Number	% Range	WHMIS Controlled
Fatty Acid Amides	68910-93-0	1 - 3 % (wt)	Yes

See Section 8 for Occupational Exposure Guidelines.

3. HAZARDS IDENTIFICATION

Physical Description: Semi-Solid Grease Buff Colour Mild Hydrocarbon Odour **Routes of Exposure:** Exposure will most likely occur through skin or eye contact.

Hazards:

May produce an allergic reaction on contact with skin.

May be slightly irritating to the eyes.

Inhalation of oil mist or vapours from hot oil may cause irritation of the upper

respiratory tract.

Handling: Minimize skin contact.

For further information on health effects, see Section 11.

AeroShell* Grease 7 519-010
Revision Number: 10

4. FIRST AID MEASURES

Eyes: Flush eyes with water for at least 15 minutes while holding eyelids open. If irritation

occurs and persists, obtain medical attention.

Skin: Wipe excess from skin. Wash contaminated skin with mild soap and water for at

least 15 minutes. If irritation occurs and persists, obtain medical attention. If material is injected under the skin, get medical attention promptly to prevent serious damage;

do not wait for symptoms to develop.

Ingestion: Not normally required; obtain medical attention if large amounts have been ingested.

Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to

prevent aspiration of liquid into the lungs.

Inhalation: Remove victim from further exposure. Additional first aid treatment is not ordinarily

required.

Notes to Physician: In general, lubricating oils have low oral toxicity. High pressure injection under the

skin may have serious consequences and may require urgent treatment.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Dry Chemical

Carbon Dioxide Water Fog

Firefighting Instructions: Material will not burn unless preheated. Caution, spilled material is slippery.

Product will float and can be reignited on surface of water. Do not use a direct

stream of water as it may spread fire. Use water to cool fire exposed containers. Water may be used to flush spills away from exposure. Do not enter confined fire space without adequate protective clothing and an

approved positive pressure self-contained breathing apparatus.

Hazardous Combustion

Products:

Carbon dioxide, carbon monoxide and unidentified organic compounds may

be formed upon combustion.

6. ACCIDENTAL RELEASE MEASURES

Spilled material is slippery. Isolate hazard area and restrict access. Wear appropriate breathing apparatus (if applicable) and protective clothing. Stop leak only if safe to do so. Dike and contain land spills; contain spills to water by booming. For large spills remove by mechanical means and place in containers. Adsorb residue or small spills with adsorbent material and remove to non-leaking containers for disposal. Notify appropriate environmental agency(ies). After area has been cleaned up to the satisfaction of regulatory authorities, flush area with water to remove trace residue.

7. HANDLING AND STORAGE

Handling: Avoid all direct contact with this material. Avoid excessive heat, formation of oil mist,

breathing of vapours and mist of hot oil and prolonged or repeated contact with skin. Wash with soap and water prior to eating, drinking, smoking, applying cosmetics or using toilet facilities. Launder contaminated clothing prior to reuse. Use good personal hygiene.

Storage: Store in a cool, dry, well ventilated area, away from heat and ignition sources.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

AeroShell* Grease 7 519-010

Revision Number: 10

The following, while appropriate for this product, is general in nature. The selection of personal protective equipment will vary depending on the conditions of use.

OCCUPATIONAL EXPOSURE LIMITS (Current ACGIH TLV/TWA unless otherwise noted):

Oil mist (mineral): 5 mg/m3 (STEL: 10 mg/m3)

Mechanical Not normally required. Local ventilation is recommended if oil mist is present or if Ventilation:

exposure limit is exceeded. Make up air should always be supplied to balance air

exhausted (either generally or locally).

PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: Chemical safety goggles and/or full face shield to protect eyes and face, if product is

handled such that it could be splashed into eyes.

Skin Protection: Chemically-resistant gloves should be worn for frequent or prolonged contact with this

product.

Not normally required under intended conditions of use. If vaporization of oil Respiratory **Protection:** component is occurring (i.e. under conditions of high heat), use a NIOSH-approved

chemical cartridge respirator with organic vapour cartridges in combination with a P95

particulate filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Semi-Solid Grease

Appearance: Buff Colour

Odour: Mild Hydrocarbon Odour

Odour Threshold: Not available

Freezing/Pour Point: Dropping Point > 165 °C **Density:** 960 - 970 kg/m3 @ 15 °C

Vapour Density (Air = 1): Not available Not available Vapour Pressure (absolute): pH: Not applicable Flash Point: COC > 215 °C Lower Flammable Limit: Not available **Upper Flammable Limit:** Not available **Auto-ignition Temperature:** Not available Not available **Viscosity:** Evaporation Rate (n-BuAc = 1): Not available Partition Coefficient (log K_{OW}): Not available Water Solubility: Insoluble None Identified Other Solvents:

10. STABILITY AND REACTIVITY

Chemically Stable: Yes **Hazardous Polymerization:** No Sensitive to Mechanical Impact: Nο Sensitive to Static Discharge:

Incompatible Materials: Avoid strong oxidizing agents. AeroShell* Grease 7 519-010

Revision Number: 10

Conditions of Reactivity:Avoid excessive heat, open flames and all ignition sources.

11. TOXICOLOGICAL INFORMATION

Ingredient (or Product if not specified)	Toxicological Data
Fatty Acid Amides	

Routes of Exposure: Exposure will most likely occur through skin or eye contact.

Irritancy: This product is expected to be a skin sensitizer.

Chronic Effects: Long term intensive exposure to oil mist may cause benign lung fibrosis. Prolonged

or repeated contact may cause various forms of dermatitis including folliculitis and

oil acne.

Skin Sensitization: Testing completed with this product or with one of similar formulation, indicates

that the product is expected to be a skin sensitizer.

Pre-existing Conditions: Pre-existing skin disorders may be aggravated by exposure to components of this

product.

12. ECOLOGICAL INFORMATION

Environmental Effects: Do not allow product or runoff from fire control to enter storm or sanitary sewers,

lakes, rivers, streams, or public waterways. Block off drains and ditches. Provincial regulations require and federal regulations may require that environmental and/or other agencies be notified of a spill incident. Spill area must be cleaned

and restored to original condition or to the satisfaction of authorities.

Biodegradability: Not readily biodegradable. Potential for bioaccumulation.

13. DISPOSAL CONSIDERATIONS

Waste management priorities (depending on volumes and concentration of waste) are: 1. recycle (reprocess), 2. energy recovery 3. incineration, 4. disposal at a licenced waste disposal facility. Do not attempt to combust waste on-site.

14. TRANSPORT INFORMATION

Canadian Road and Rail Shipping Classification:

This product is not regulated under the Canadian Transportation of Dangerous Goods Regulations for transport by road and rail.

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Class: Class D2B Skin Sensitization

DSL/NDSL Status:This product, or all components, are listed on the Domestic Substances List, as

required under the Canadian Environmental Protection Act. This product

and/or all components are listed on the U.S. EPA TSCA Inventory.

Other Regulatory Status: No Canadian federal standard; however, for general discharge guidance,

Page 4 of 5

AeroShell* Grease 7 519-010

Revision Number: 10

federal installations limited to 15 mg/L for total oil and grease. Provincial criteria are likely and should be requested when notifying provincial

authorities.

16. OTHER INFORMATION

LABEL STATEMENTS

Hazard Statement: May produce an allergic reaction on contact with skin.

Handling Statement: Minimize skin contact.

First Aid Statement: Wash contaminated skin with soap and water.

Flush eyes with water.

If overcome by vapours remove to fresh air.

Do not induce vomiting. Obtain medical attention.

Revisions: This MSDS has been reviewed and updated. Changes have been made to: Section 2

Section 3 Section 4 Section 5 Section 6 Section 7 Section 8 Section 11 Section 12