



NWB Tools

Ida Porter &lt;ida.porter@nwb-oen.ca&gt;

---

## Water Licence inspection @BE-NUE1318

---

**Christine Wilson** <Christine.Wilson@aandc-aadnc.gc.ca>

Fri, May 13, 2016 at 2:31 PM

To: perkins.exploration@sasktel.net, rogr@urumetals.com

Cc: Atuat.shoudice@aandc.gc.ca, ida.porter@nwb-oen.ca

Good Afternoon,

I will be completing an inspection of water licence no. 2BE-NUE1318 and the associated land use permit this summer Though I have not determined the exact dates it will be between July 1st- August 13.

In preparation for your inspection I have completed a review of the Nunavut Water Board's (NWB) ftp website, please note that there are no annual reports posted for your project and it appears that there may be outstanding water use fees. Please follow up with Mrs. Porter (cc'd). It is a requirement of your licence to report annual to the NWB and pay all outstanding water use fees.

If you have any questions please contact me directly.

Christine Wilson  
Water Resource Officer | Agent des ressources hydriques  
Indigenous and Northern Affairs | Affaires autochtones et du Nord Canada  
Kivalliq Regional Office | Bureau régional du Kivalliq  
Ikingutigiit Center Suite 1 | Centre de Ikingutigiit 1 Suite , PO Box 129  
| CP 129  
Rankin Inlet, NU X0C 0G0

Phone | Tél. : 867-645-2830

Fax | Téléc. : 867-645-2592

[Christine.Wilson@aandc-aadnc.gc.ca](mailto:Christine.Wilson@aandc-aadnc.gc.ca)

This communication, including any or all attachments, is intended only for the use of the person or entity to which it is addressed and may contain confidential and/or privileged material. If you are not the intended recipient of this communication, any use, review, retransmission, distribution, dissemination, copying, printing, or other use of, or taking of any action in reliance upon this communication, is strictly prohibited. If you have received this communication in error, please contact the sender and delete the original and any copy of this communication and any printout thereof, immediately.