NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

150826 2BE-PEL0813 Outstanding Issues Amaruk Project Kitikmeot Region (Revised)

Ida Porter <ida.porter@nwb-oen.ca> Wed, Aug 26, 2015 at 3:23 PM
To: z.pratt@adamera.com
Cc: Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>, Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>, Brady MacCarl <brady.maccarl@nwb-oen.ca>

The Nunavut Water Board ("NWB") acknowledges receipt of a submission from Adamera Minerals Corporation entitled Type 'B' Cancellation for Water Licence 2BE-PEL0813 received on May 27, 2015

Please find attached copy of the Water Licence Inspection Form Dated July 22, 2015 with outstanding issues. Once deficiencies are addressed the Nunavut Water Board will proceed with cancellation of Water Licence.

Ida Porter- ᐊᐃᑕ ᓴᐊᑕ
Licence Administrator- Administratrice des permis
ᓕᐃᓴᓕᓂᖅᓂᒃ ᐊᐅᓚᕐᒥᖅ- Laisaligiriqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔨᖏᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119, Gjoa Haven, NU, X0B 1J0
C.P. 119, Gjoa Haven (Nunavut), X0B 1J0
ᑎᑎᒋᖅᑲᖅᖢᐅ 119, ᐅᒡᒍᓱᓐ, ᓄᓇᕗᑦ X0B 1J0
Titigaqaqvia 119, Uqhuqhuuq, NU, X0B 1J0

Tel / Téléphone / ᓯᕿᓕᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓯᒃᖢᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᑖᒃᑎᑕᐅᓗᒃ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

150814 2BE-PEL0813 July 22 2015 AANDC Inspection Report-IAAE.pdf
1989K