

Richard Dwyer

From: Graham Gill [G.Gill@diamondsnorth.com]
Sent: Tuesday, October 19, 2010 1:51 PM
To: Richard Dwyer
Subject: RE: 2BE-PEL0813 Revised Spill Plan & Addendum to Abandonment & Restoration Plan submission reminder

Follow Up Flag: Follow up
Flag Status: Flagged

Hi Richard;

Once I am back in the office I will get to this right away. I'm sure we have revised the spill plan and A and R but will check and forward you the latest.

Graham

From: Richard Dwyer [<mailto:licensingadmin@nunavutwaterboard.org>]
Sent: Tue 19/10/2010 9:07 AM
To: Graham Gill
Cc: 'Karén Kharatyan'; 'INAC Peter Kusugak'; 'INAC Lou-Ann Cornacchio'
Subject: 2BE-PEL0813 Revised Spill Plan & Addendum to Abandonment & Restoration Plan submission reminder

Good morning,

In accordance with the terms and conditions of the current licence 2BE-PEL0813, the Nunavut Water Board ("NWB") requires the submission of:

- Part H, Item 2 Revised Spill Contingency Plan due June 27, 2008
- Part I, Item 2 Addendum to Abandonment & Restoration Plan due June 27, 2008

Please forward to licensingadmin@nunavutwaterboard.org

Regards,

