NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2BE-PKR1621 & 2BE-PTR1621 annual reports review

Richard Dwyer <richard.dwyer@nwb-oen.ca> Thu, Jul 4, 2019 at 1:13 PM
To: David Frenette <david.frenette@agnicoeagle.com>
Cc: Licensing Department <licensing@nwb-oen.ca>
Bcc: Distro Kivalliq <distro-kivalliq@nwb-oen.ca>

Good afternoon,

Please see attached technical review of:

- 2BE-PKR1621 2018 annual report
- 2BE-PTR1621 2016, 2017, and 2018 annual reports

Regards,

Richard

Richard Dwyer- ᓇᑦᓱᕐᑕ ᑐᐊᐃᔪᕐ

Manager of Licensing - Responsable des Permis ᐊᐅᓚᑦᑎᔨ ᓚᐃᓴᓕᓇᓂᖅᒧᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᓇᔨᑦ ᑲᑎᒪᔨᖏᑦ- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᑎᑎᕋᖅᑕ ᕕᖓ
ᐅᖅᓱᖅᑑᖅ, ᓄᓇᕗᑦ X0B 1J0

Titigaqaqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

190704 2BE-PKR1621 & 2BE-PTR1621 2018 Annual Reports Review-OSKE.pdf
179K