

TP.O. Box 119 TEL: (867) 360-6338 Fax: (867) 360-6369

ው**ኖ**৯ι ∇Γ⊂^۷۶ι PUΓ۶_εሊ GJOA HAVEN, NU X0B 1J0 NUNAVUT WATER BOARD NUNAVUT IMALIRIYIN KATIMAYINGI OFFICE DES EAUX DU NUNAVUT

EXPLORATION/ REMOTE CAMP SUPPLEMENTARY QUESTIONNAIRE

Applic	cant:	Cameco Corporation Licence No:	
		(For NWB Use Only) ATIVE INFORMATION	_
ADMI	11151N	ATTVE INFORMATION	
1.		nment Manager: Garth Drever Tel: (306) 956-6363 Fax: (306) 956-6390 : garth_drever@cameco.com	
2.		Manager: Garth Drever Tel: (306) 956-6363 Fax: (306) 956-6390 : garth drever@cameco.com	
3.	Does th	ne applicant hold the necessary property rights?	
		rea is subject to a pending mineral claim staked by R. Spooner. Exploration area held by Cameco or a Canada Inc. Some portions of exploration area in NTS 66B7 and 66B8 are Inuit owned (surface only)	
4.		applicant an 'operator' for another company (i.e., the holder of the property rights)? If s provide letter of authorization. No	0,
5.	Duratio	on of the Project	
		One year or less Start and completion dates: Multi Year:	
		i-Year indicate proposed schedule of on site activities March 2007 Completion: June 2008	
CAMI	P CLAS	SIFICATION	
6.	Type o	f Camp	
		Mobile (self-propelled) Temporary Seasonally Occupied: March - August Permanent	

Page 1 of 7 June 21, 2006

7. What is the design, maximum and expected average population of the camp? Camp is designed as a 20 – man camp with occupational levels averaging 10 persons. 8. Provide history of the site if it has been used in the past. To our knowledge the campsite has not been previously used. **CAMP LOCATION** 9 Please describe proposed camp location in relation to biogeographical and geomorphological features, and water bodies. The campsite is located on the southwest shore of Qamanaarjuk Lake on a raised beach. An area suitable for landing a fixed wing aircraft is located within 200 m of the campsite (see attached figure 4). 10. How was the location of the camp selected? Was the site previously used? Was assistance from the Regional Inuit Association Land Manager sought? Include maps and/or aerial photographs. The campsite was selected with the following criteria in the forefront. -an area of durable ground (sand &/or gravel with a minimum of vegetation) relatively level and large enough to hold a camp to accommodate 20 persons, approximately one hectare. -an area in close proximity and easy access to accommodate a "natural" airstrip (minimal surface disturbance – removal of large rocks) 10 m x 300 m -a nearby source of clear surface water, within 400 m (ideally closer) This site was selected based on reconnaissance by Ookpik Aviation and air photo interpretation. No other assistance was used. 11. Is the camp or any aspect of the project located on: Permit Number (s)/Expiry Date: Crown Lands Commissioners Lands Permit Number (s)/Expiry Date: Inuit Owned Lands Permit Number (s)/Expiry Date: 12. Closest Communities (direction and distance in km): Baker Lake is 100km ESE 13. Has the proponent notified and consulted the nearby communities and potentially interested parties about the proposed work? Yes, a meeting was held in Baker Lake in April 2006. Elders were brought to the campsite in August 2006, and a select group was flown by helicopter to Beverly Lake to visit their homelands. In January 2007, Cameco representatives visited the hamlet office and Arctic College in Baker Lake where an overview of plans for 2007 was briefly discussed. 14. Will the project have impacts on traditional water use areas used by the nearby communities?

June 21, 2006 Page 2 of 7

Will the project have impacts on local fish and wildlife habitats?

No

15.

PURP	OSE OF TH	HE CAMP
16.		Mining (includes exploration drilling) Tourism (hunting, fishing, wildlife observation, adventure/expedition, etc.) (Omit questions # 16 to 21) Other
17.	Activities (check all applicable)
		Preliminary site visit Prospecting Geological mapping Geophysical survey Diamond drilling Reverse circulation drilling Evaluation Drilling/Bulk Sampling (also complete separate questionnaire) Other:
18. Type of deposit (posit (exploration focus):
DDII		Lead Zinc Diamond Gold Uranium Other:
DKIL		
19.	Drilling Act	tivities
		Land Based drilling Drilling on ice
20.	Describe wl	hat will be done with drill cuttings?
	Drill cuttings	will be collected for sampling, remainder will be backfilled upon completion of the hole.
21.	Describe wl	nat will be done with drill water?
	Drill water wi	ll be reused for drilling

soon as additives are known. Additives will be non-toxic and biodegradable.

List the brand names and constituents of the drill additives to be used? Includes MSDS sheets

At this time, the exact drill additives are not known. The Spill Contingency Plan MSDS sheets will be updated as

June 21, 2006 Page 3 of 7

and provide confirmation that the additives are non-toxic and biodegradable.

22.

	Physical properties (color and spectral analysis) will be done on site.
SPIL	L CONTINGENCY PLANNING
24.	The proponent is required to have a site specific Spill Contingency Plan prepared and submitted with the application This Plan should be prepared in accordance with the <i>NWT Environmental Protection Act</i> , <i>Spill Contingency Planning and Reporting Regulations</i> , <i>July 22</i> , 1998 and <i>A Guide to the Spill Contingency Planning and Reporting Regulations</i> , <i>June 2002</i> . Please include for review.
	Attached
25.	How many spill kits will be on site and where will they be located?
	Three (3); Two (2) 206 Liter drum overpack kits (SPC A95) and one (1) spill locker spillkit (SPC SKA-SL)
26.	Please describe the types, quantities, and method of storage of fuel and chemicals on site, and provide MSDS sheets.
	Please see attached Hazardous Materials Spill Contingency Plan.
WAT	ER SUPPLY AND TREATMENT
27.	Describe the location of water sources.
	Qamanaarjuk Lake campsite (see attached figure 5), for drilling there are numerous lakes that can be used (see attached figure 3).
28.	Estimated water use (in cubic metres/day):
	Domestic Use: 0.1 cubic meters/day Water Source: Qamanaarjuk Lake Drilling: 55 cubic meters/day Water Source: See attached figure 3 Water Source: Water Source:
29.	Describe water intake for camp operations? Is the water intake equipped with a mesh screen to prevent entrapment of fish? (see <i>DFO 1995</i> , <i>Freshwater Intake End-of-Pipe Fish Screen Guideline</i>) Describe:

23.

Will any core testing be done on site? Describe.

June 21, 2006 Page 4 of 7

Water will be pumped from surface (lake) source through a sandpoint in compliance with DFO regulations.

30.	Will drinking water quality be monitored? What parameters will be analyzed and at what frequency?			
	An initial set of test (6-10) to establish a baseline will be followed by tests twice a week. The test kit used will be WATERSAFE®, parameters include bacteria, nitrite, nitrates, and pH.			
31.	Will drinking water be treated? How?			
	Yes; addition of household chlorine solution (bleach) having 5.25% available chlorine at a rate of 2.5 ml/ 100 L to clear water added to storage just prior to addition to ensure adequate mixing.			
32.	Will water be stored on site?			
	Yes, an approximate maximum of 3,000 liters in containers (tanks) within the main building (wash and water pressure pump room).			
WAS'	TE TREATMENT AND DISPOSAL			
33.	Describe the characteristics, quantities, treatment and disposal methods for:			
	√ Camp Sewage (blackwater)			
Max. 1	15 Liters/day of which solids will be incinerated and liquids disposed through sumps			
Max. 3	,000 Liters/day, which will be disposed through sumps			
	Solid Waste			
Max. 8	0 Liter (volume)/day, which will be incinerated and residue will be removed to municipal disposal			
	☐ Bulky Items/Scrap Metal			
	√ Waste Oil/Hazardous Waste			
	Liter/day from genset and other small engines that will be used to incinerate waste materials, hazardous wastes will noved for disposal at approved sites.			

June 21, 2006 Page 5 of 7

	V	Empty Barrels/Fuel Drums
Will be	e removed to stor	rage at Baker Lake
		Other:
34.	Please descr	ribe incineration system if used on site. What types of wastes will be incinerated?
	Burning barrel	s will be used. Incineration will be fueled by waste fuel and waste oil. (See above description)

35. Where and how will non-combustible waste be disposed of? If in a municipality in Nunavut, has authorization been granted?

Non-combustible waste will be removed to the municipal disposal in Baker Lake. Authorization has been granted to use the Baker Lake municipal disposal.

36. Describe location (relative to water bodies and camp facilities) dimensions and volume, and freeboard for all sumps (if applicable).

Sumps will be located directly outside the footprint of structures having drains (kitchen and wash). Sumps will be cribbed with clean perforated steel drums (sides and bottoms) approximately 60 cm in diameter and 90 cm deep. The top will be screened with expanded metal (steel and/or aluminum). Volume will be approximately 200 liters. Freeboard estimated to be a minimum of 30 cm at maximum discharge. All located at a minimum of 31 meters from the normal high mark of any waterbody.

37. Will leachate monitoring be done? What parameters will be sampled and analyzed, and at what frequency?

OPERATION AND MAINTENANCE

38. Have the water supply and waste treatment and disposal methods been used and proven in cold climate? What known O&M problems may occur? What contingency plans are in place?

The same processes have been used for 5 years at another camp in the area. Freezing of supply lines and pumps are the main operation and maintenance problems that may occur. Contingency plans in place include the use of spare supply lines, pumps, portable heaters, and the scaling down of water usage.

ABANDONMENT AND RESTORATION

39. Provide a detailed description of progressive and final abandonment and restoration activities at the site.

The exploration camp is being designed for multiple year usage. The main building (kitchen/dining/ablutions/office) will be constructed on site, while the sleeping cabins (5) will be components that are assembled on site. The structures are all wood and appropriately insulated to be used from May until September comfortably with the option of winter occupancy (emergency use). All waste materials will be incinerated and/or removed to a municipal waste storage area. Water consumption and wastewater will be disposed of via sumps.

June 21, 2006 Page 6 of 7

During periods of inactivity, the camp will be "winterized". All structures will be sealed to prevent incursion from animals and inclement weather. Detailed instructions regarding access information will be posted in an obvious location in case of emergency.

Exploration on several of Cameco's projects in the area will be operated out of this central camp. It is anticipated that exploration activities for Cameco will increase in intensity from year to year. At such time when Cameco ceases activities the exploration camp will be removed from the site. This will involve removal of all structures, and sumps will be restores to their original state.

BASELINE DATA

40.	Has or will	any baseline information be collected as part of this project? Provide bibliography.
		Physical Environment (Landscape and Terrain, Air, Water, etc.) Biological Environment (Vegetation, Wildlife, Birds, Fish and Other Aquatic Organisms, etc.)
		Socio-Economic Environment (Archaeology, Land and Resources Use, Demographics, Social and Culture Patterns, etc.) Other:

REGULATORY INFORMATION

- 41. At a minimum, you should ensure you have a copy of and consult the documents below for compliance with existing regulatory requirements:
 - ✓ ARTICLE 13 NCLA -Nunavut Land Claims Agreement
 - ✓ NWNSRTA The Nunavut Waters and Nunavut Surface Rights Tribunal Act, 2002
 - ✓ Northwest Territories Waters Regulations, 1993
 - ✓ NWB Water Licensing in Nunavut Interim Procedures and Information Guide for Applicants
 - ✓ NWB Interim Rules of Practice and Procedure for Public Hearings
 - ✓ RWED Environmental Protection Act, R-068-93- Spill Contingency Planning and Reporting Regulations, 1993
 - ✓ RWED A Guide to the Spill Contingency Planning and Reporting Regulations, 2002
 - ✓ NWTWB Guidelines for Contingency Planning
 - ✓ Canadian Environmental Protection Act, 1999 (CEPA)
 - ✓ Fisheries Act, RS 1985 s.34, 35, 36 and 37
 - ✓ DFO Freshwater Intake End of Pipe Fish Screen Guideline
 - ✓ NWTWB Guidelines for the Discharge of Treated Municipal Wastewater in the NWT
 - ✓ Canadian Council for Ministers of the Environment (CCME); Canadian Drinking Water Quality Guidelines, 1987
 - ✓ Public Health Act Camp Sanitation Regulations
 - ✓ Public Health Act Water Supply Regulations
 - ✓ Territorial Lands Act and Territorial Land Use Regulations; Updated 2000

June 21, 2006 Page 7 of 7