



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪᓴᓪ ᑲᓂᓕᓂᓪᓴᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File: 2BE-QAM0813/Part H/2

September 18, 2008

Rebecca Hunter, Geologist
Cameco Corporation
2121 6th St West
Saskatoon, SK S7M 1J3

Rebecca_hunter@cameco.com

**Subject: Cameco Corporation; Submission of a Spill Contingency Plan Addendum for the
Aberdeen – Turqavik Project; Licence 2BE-QAM0813**

Dear Ms. Hunter;

The Nunavut Water Board (ñNWBö) would like to acknowledge the receipt of the Addendum to the 2008 Hazardous Material Spill Contingency Plan, Turqavik ó Aberdeen Project, Nunavut under Part H, Item 2 of Licence 2BE-QAM0813. The Addendum was reviewed internally upon receipt on July 9, 2008. The technical review of the Addendum has been completed and the document was found to conform to the requirements specified under Part H, Item 2 of the Licence.

Should you have any further questions, please feel free to contact me at (867) 360-6338, at your earliest convenience.

Yours truly,

Don Carr
Technical Advisor

Cc: Distribution list ó Kivalliq