



ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File No.: **2BE-QIL1722**

July 03, 2019

Mike MacMorran, Geologist
North Arrow Minerals Inc.
Suite 960 – 789 West Pender Street
Vancouver, BC V6C 1H2

Email: mmacmorran@northarrowminerals.com

RE: NWB Technical Review of 2018 Annual Report and Spill Plan Addendum for the Naujaat Project; Water Licence No. 2BE-QIL1722

Dear Mr. MacMorran:

The Nunavut Water Board (NWB or Board) has completed a technical review of 2018 Annual Report submitted to the Board on February 22, 2019. On February 25, 2019, the Board acknowledged receipt of the Annual Report and made it available to the Kivalliq distribution list for information. No comments have been received to date.

The technical review of the Annual Report determined that the information provided generally addresses the requirements of the Water Licence.

The Board notes that the Spill Plan Addendum required by Part H, Item 1 of the Licence was submitted to the NWB on December 20, 2018. The technical review of the Spill Plan Addendum found it to be complete and meeting the requirements of current Water Licence.

Should you have any questions, please feel free to contact me, Sergey Kuflevskiy, at (867) 360-6338 (extension 29), at your earliest convenience.

Sincerely,

Sergey Kuflevskiy
Nunavut Water Board,
Technical Advisor

Cc: Distribution List – Kivalliq