



NWB Tools

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Fwd: FW: RE: 2BE-RAI0611- Licensee Xstrata Nickel

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>
 To: Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Tue, Dec 3, 2013 at 3:43 PM

For the file I passed to you to administer



Phyllis Beaulieu- ᐱᕐᕐᕐ ᐸᕐᕐ

Manager of Licensing- Responsable des permis

ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ ᐸᕐᕐ - Maniayuyuq Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
 ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ ᐸᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.NunavutWaterBoard.org

P.O. Box 119
 Gjoa Haven, NU, X0B 1J0

C.P. 119
 Gjoa Haven (Nunavut), X0B 1J0

ᐱᕐᕐᕐᕐᕐᕐ 119
 ᐸᕐᕐᕐᕐᕐ, ᐱᕐᕐᕐᕐ X0B 1J0

Titigaqavua 119
 Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐸᕐᕐᕐᕐᕐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐸᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Phyllis Beaulieu** <licensing@nunavutwaterboard.org>
 Date: Mon, Nov 18, 2013 at 10:55 AM
 Subject: FW: RE: 2BE-RAI0611- Licensee Xstrata Nickel
 To: phyllis.beaulieu@nwb-oen.ca

From: Christine Wilson [mailto:Christine.Wilson@aandc-aadnc.gc.ca]
Sent: Friday, August 16, 2013 8:13 AM
To: ADufresne@xstratanickel.ca
Cc: Phyllis Beaulieu
Subject: RE: RE: 2BE-RAI0611- Licensee Xstrata Nickel

Good Morning Mr. Dufresne,

As previously discussed 2BE-RAI0611 is eligible for closure.

Complete the annual reporting duties and submit any outstanding water use fees, so that I may recommend it for closure.

Closure.

Need I remind you, expiry of this license does not absolve Xstrata's responsibility to fulfill the terms and conditions which include PART B item two: annual reporting requirements (see attached license).

Feel free to contact myself or Nunavut Water Board at anytime for guidance with compliance or the term and conditions of your license.

Thank you for your cooperation,

Regards,

Christine Wilson

Water Resource Officer- Kivalliq Region

Field Operations Unit

Aboriginal Affairs and Northern Development Canada

Nunavut Regional Office

P.O. Box 100

Iqaluit, Nunavut X0A 0H0

Ph: [867-975-4296](tel:867-975-4296)

Fx: [867-979-6445](tel:867-979-6445)

>>> "Phyllis Beaulieu" <licensing@nunavutwaterboard.org> 8/15/2013 4:48 PM >>>

Nothing received to date,

Regards,

From: Christine Wilson [<mailto:Christine.Wilson@aandc-aadnc.gc.ca>]

Sent: Thursday, August 15, 2013 12:15 PM

To: Phyllis Beaulieu

Cc: ADufresne@xstratanickel.ca

Subject: Fwd: RE: 2BE-RAI0611- Licensee Xstrata Nickel

Good Afternoon Phyllis,

I am inquiring about the progression of this file. As indicated below the appropriate documentation was to submitted to NWB.

>>> <ADufresne@xstratanickel.ca> 7/11/2013 4:51 PM >>>

Thank you for this Christine. We will ensure to appropriate documentation as set out in your note below.

Best regards,

Andre

From: Christine Wilson [<mailto:Christine.Wilson@aandc-aadnc.gc.ca>]

Sent: Thursday, July 04, 2013 10:16 AM

To: Dufresne, Andre (Toronto - Nickel)

Cc: Lisa Buchan

Subject: 2BE-RAI0611- Licensee Xsrtata Nickel

I am reviewing your licence for cancellation and have a few concerns the Administrative requirements found under PART B of the license (see attached) and outstanding since issuance.

As per Part B item 2 -The Licensee is required to submit an annual report regardless of the water use or activities of the project.

I have attached for your convenience a guide for annual reporting and a standardized annual reporting spreadsheet. All reports must be submitted before this license can be recommended for cancellation by an Inspector.

Any parts of the annual reporting sheet which do not apply exclude.

Could you please provide more information about any activities; location, base camp, transport to and from location, staging area and provide as much information possible.

Finally, once the annual reports have been submitted complete a request for cancellation of the license (see attached document) and submit to the Manager, Licensing <licensing@nunavutwaterboard.org> at the Nunavut Water Board (NWB) as per Part B item 7 of your License.

If you require any assistance please feel free to contact me or the administration staff at NWB at the email address above.

I would also like to inform you that transfer of the Mineral Claims does not transfer the liabilities for the water license. All forms must be signed by Xstrata as they are the Licensee for 2BE-RAI0611

Failure to undertake the actions required as described in this letter, and to the satisfaction of the Inspector, may result in enforcement action(s) being undertaken pursuant to the *Nunavut Waters and Nunavut Surface Rights Tribunal Act*.

Christine Wilson

Resource Management Officer, Field Operations Unit
Aboriginal Affairs
Nunavut Regional Office
P.O. Box 100
Iqaluit, Nunavut X0A 0H0
Ph: [867-975-4296](tel:867-975-4296)
Fx: [867-979-6445](tel:867-979-6445)

This message may contain confidential information. If it has been sent to you in error, please reply to advise the sender of the error and then immediately delete this message. / Ce message peut contenir des renseignements confidentiels. Si vous l'avez reçu par erreur, veuillez s'il vous plaît en aviser l'expéditeur par retour de courriel, puis supprimer immédiatement le message. Merci. / Este mensaje puede contener información confidencial. Si recibió este mensaje por error, le rogamos responder al remitente para comunicarle del error e inmediatamente después borrar el mensaje.

12/16/13

Nunavut Water Board Mail - Fwd: FW: RE: 2BE-RAI0611- Licensee Xstrata Nickel



060921 2BE-RAI0611 Signed Licence-IACE.pdf

485K