

P.O. Box 119 GJOA HAVEN, NU XOB 1JO TEL: (867) 360-6338 FAX: (867) 360-6369 ຼຼລຼວ ΔL ፫ ሊትና ቴበLት ዣ NUNAVUT IMALIRIYIN KATIMAYINGI NUNAVUT WATER BOARD OFFICE DES EAUX DU NUNAVUT

NWB: 2BE-RBP0811

November 30, 2010

Jennifer Pikor Advanced Explorations Inc. 50 Richmond Street East, Suite 300 Toronto ON M5C 1N7

E-mail: Jennifer@advanced-exploration.com

Re: Amendment Application Acknowledgement for the Roche Bay Project

Dear Ms. Pikor:

The Nunavut Water Board ("NWB") acknowledges receipt on November 16, 2010 of your new water license application for the Roche Bay Project, file number 2BE-RBP0811.

We undertook a preliminary administrative and technical review of your application and conclude that, in accordance with approved legislation under the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* ("NLCA"), it does not contain sufficient information for the NWB to commence processing the file at this time. Specifically, we are asking you to provide the following:

Spill Contingency Plan (SCP)

- 1. The section entitled "Description of Facility" on page 6 of the SCP should be revised to include similar information for the Peninsula Camp;
- 2. The site plan shown in Figure 2, page 9, should be revised to show the location of the Peninsula camp;
- 3. A schematic similar to the one provided for the Roche Bay camp site, page 10, Figure 3, should be provided for the Peninsula site. If the schematic for the peninsula camp is almost identical that of Figure 3, please indicate that;
- 4. The contact number, 867-975-4295, listed in the sections entitled "Initial Actions"- pg 14, item g and "Spill Reporting Procedures"- page 15, item 4, is that of INAC's Manager of Field Operation as opposed to the Inspector. Since the contact number is already correct, please change the title accordingly to INAC's Manager of Field Operation. The Field Operation should be the contact;
- 5. Include a topographic map in an appropriate scale depicting nearby water bodies, all camp infrastructure, spill kits, and any other relevant information;
- 6. After revising include the latest revision date on the front of the document;
- 7. Include the following contact numbers to the list in Appendix D:
 - a. INAC Manager of Field Operation- Phone: 867-975-4295
 - b. Qikiqtani Inuit Association (QIA)
- 8. Include any other relevant changes deemed necessary

Abandonment and Restoration

- 1. The Executive Summary and Introduction should be revised to include information pertaining to the Peninsula camp;
- 2. Update the Site Plan in Figure 1 and the Schematic in Figure 2 to include the Peninsula camp;
- 3. Table 1 and Table 2 "Drill and Camp Demobilization and Staging Area" should be revised to include data for the Peninsula camp.

Inspections

1. Provide photos to confirms that the issues identified in INAC's 2009 inspection report have been addressed.

NIRB

1. NIRB Screening Decision of this amendment (or confirmation in writing that a NIRB screening is not required)

NPC

1. NPC Conformity of this amendment(or confirmation in writing that an NPC Conformity is not required)

Summaries

1. English & Inuktitut summaries of the amendment

\$30.00 Application fee.

We will resume the processing of your application once we receive the requested information.

Please call the undersigned at (867) 360-6338 or email at <u>licensingadmin@nunavutwaterboard.org</u> if you have any questions.

Sincerely,

Original signed by:

Richard Dwyer Licensing Administrator

Copy Brian Aglukark NPC Sean Joseph NWB

NIRB