



FILE COPY

INDUSTRIAL WATER USE INSPECTION REPORT

DATE: Aug 10 2008

COMPANY REP: Leigh Adams and Wibe Schick

LICENSEE: Advanced Exploration Inc.

LICENCE #: 2BE-RBP 0608

WATER SUPPLY

Source: Unusual Lake

Quantity Used: unrecorded

Meter Rdg.: Noted

Indicate:

A - Acceptable

U - Unacceptable

N/A - Not Applicable

Intake Facilities

A

Storage Structures

A

Treatment Systems

Recycling

Flow Meas. Device

Conveyance Lines

Pumping Stations

Modifications

Comments:

Notable water for drinking is found in water from lake for showers and laundry only.

WASTE DISPOSAL

Tailings:

Tailings Pond ☐

Natural Lake ☐

Underground ☐

Sewage:

Sewage Treat. System ☐

Tailings Pond ☐

Natural Water Body ☐

Continuous Discharge ☐

Inter. Dischg. ☐

Solid Waste:

Open Dump ☐

Landfill ☐

Burn & Bury ☐

Underground ☐

Indicate:

A - Acceptable

U - Unacceptable

N/A - Not Applicable

Discharge Quality

Conveyance Lines

Disch. Meas. Dev.

Freeboard

Decant Structures

Pond Treatment

Dams, Dykes

Seepages

Dyke Inspections

Runoff Diversion

Erosion

Spills

Effluent Discharge Rate:

Samples Collected:

Comments:

Various waste buried in new "Burned" incinerator. 2 other small Ash pits on site. Metal waste buried in "Brock" by dump. No records of shipments off site.

GENERAL CONDITIONS

Indicate:

A - Acceptable

U - Unacceptable

N/A - Not Applicable

Ore & Waste Rock Stockpiles

Records & Reporting

A

Surv. Net. Prog.

1

Geotechnical Inspection

Posting, Signage

1

Contingency Plan

14

Restoration Activities

New Construction

1

Fuel Storage

14

Mine Water Discharge

Chemical Storage

14

Annual Report

14

Comments:

Secondary containment is highly recommended and granulated at fuel transfer site. Camp is clean and gravel pathways keep down mud.

Violations of Act or Licence:

Nothing noted at time of inspection

General Comments:

Advancement and mechanization is still within capture show the license is progressing in the right direction. Camp and site management were knowledgeable and helpful.

Page 2 attached ☐ Yes ☒ No

Licensee Representative's Title

Inspector's Name

Licensee Representative's Signature

Inspector's Signature