

Suite 800 - 625 Howe Street Vancouver, BC, Canada V6C 2T6 tel: 604.668.8355 fax: 604.668.8366 www.strongbowexploration.com

## REGAN LAKE PROJECT SPILL CONTINGENCY PLAN

Created: May 2006

Effective: May 2006 - September 2008

## **Table of Contents**

Project Introduction	1
Spill Response Plan	1
Detailed Spill Response Plan	2
- On-site person in charge - Description of Facility - Description of Potential Contaminants - Preventative Measures - Reporting - Containment - Clean Up - Disposal - Training	2 3 4 4
Spill Reporting Procedure	5
Emergency Contact Information	6
Consultations	7
Appendix 1 – Spill Report Form	I
Appendix 2 – Camp Schematic	11

#### **Project Introduction**

The following plan applies to the Regan Lake Project operated by Strongbow Exploration Inc. ("Strongbow"). This project, located in the West Kitikmeot Region of Nunavut, approximately 170 km south of Bathurst Inlet and 430 km southeast of Kugluktuk, consists of both Inuit Owned Lands (surface and subsurface rights) and mineral claims on Crown Lands.

The proposed exploration program for the Regan Lake area will be conducted in two phases. The exact timing and nature of Strongbow's field program has not been finalized, however initial field work (Phase I) will most likely occur in the summer of 2006 and consist of exploratory drilling, mapping, prospecting, sampling, and possible ground geophysical surveys. A second phase of field work "Phase II" is planned for the spring and/or summer months of 2007, however the exact areas to be followed up will be determined based on the results of this year's work and ongoing data compilation. If a Phase II program was to occur it would most likely run for a similar length of time in the spring or summer of 2007

The entire Phase I program is anticipated to run for approximately 6 weeks commencing after Spring break up, around the beginning of July, 2006. A Phase II program would run for a similar length of time in the spring or summer of 2007. Personnel requirements for a Phase I and II program will include 14-16 persons: 4-6 geologists/geophysicists, 2 geotechnicians, 5 drillers, 1 helicopter pilot, 1 engineer, and 1 cook.

Both Phase I and II will use the existing camp infrastructure which is located at 65<sup>0</sup> 19' 26" N, 107<sup>0</sup> 38' 07" W. The camp currently consists of 9, 14'x16' wooden floors and frames which would be used with Jutland-style tents (1 kitchen, 1 dry, 1 office, 6 sleeping tents).

#### Spill Response Plan

A <u>spill</u> is classified as the discharge of petroleum products or other dangerous substances into the environment. Potential hazards created by the spill for humans, vegetation, water resources, fish and wildlife vary in severity, depending on several factors, including nature of the material, quantity spilled, location and season. The general response to be followed in the event of a spill is:

Identify the product - check container design, warning labels, markings, etc.

Protect people - prevent personnel from approaching the site and keep them at a distance sufficiently removed that they will not be injured by, or cause, a fire or explosion

Stop the flow at the source - reduce or terminate the flow of product without endangering anyone

Assess the seriousness of the spill - evaluate potential dangers of the spill to human health and safety, the aquatic environment, wildlife, ground water, vegetation and other land resources

Report the spill - provide basic information such as location of spill, name of polluter, type and amount of material spilled, date and time of the spill and any perceived threat to human health or the environment (complete NWT Spill Report form)

Clean up the spill - follow procedures appropriate for the location, environment, and material and time of year.

Detailed Report – A detailed report of the spill (including GPS location) must be submitted to the DIAND Water Resources Inspector less than 30 days after the spill is reported

#### **Detailed Response Plan**

(a) On-site person in charge, management or control of contaminants

Robert Campbell, Strongbow Exploration Inc. – camp phone to be determined

(b) Name and address of employer of personnel described in part (a)

Strongbow Exploration Inc.

800-625 Howe St., Vancouver, B.C.

V6C-2T6

phone:

(604) 668-8355

fax:

(604) 668-8366

(c) Description of the facility

Facility – 14-16 Person Camp

<u>Locations</u> –Fuel will be stored in the appropriate facility a safe distance from the accommodations and well away (>100m) from water bodies

<u>Size</u> - Fuel stored at above ground facility in sealed 205 litre (45 gal.) steel drums <u>Storage Capacity</u> – Maximum fuel stored at camp will be 19 drums (3895 litres) of Jet-B and diesel combined, plus two (2) 100lb-propane tanks.

A minor amount of fuel will be stored for no more than four days at the drill site, and removed promptly upon completion of each drill hole. On-site storage will be a safe distance from drilling activities, with fuel stored in sealed steel drums. Maximum fuel storage will be 4 drums (820L) of diesel and 2 drums (410L) of Jet-B, plus one (1) 100lb propane tank.

(d) Description of the type and amount of potential contaminants normally stored at the camp during occupation:

JET B fuel for the helicopter – 2050 litres (10 drums)
Propane for heating, etc. - Two (2) 100 lb. tanks
Oil – Several Cases of 4 Cycle Engine Oil
Diesel -1845 litres (9 drums)
Gasoline for water pump – 25 litres

Description of the type and amount of potential contaminants normally stored at drill site:

JET B fuel for the helicopter – 410 litres (2 drums) Diesel for the drill - 820 litres (4 drums) Propane for heating, etc. - One (1) 100 lb. tank

(e) Steps to be taken to report, contain, clean up and dispose of a contaminant in the case of a spill

#### Preventative Measures

Fuel drums will be monitored for any signs of leakage:

- (i) Immediately after they arrive on-site,
- (ii) Once they have been transported to the designated storage area, and
- (iii) Periodically after that time (i.e. as the stocks are accessed).

Drums will be stored upright on flat stable terrain during the summer to reduce chances of a leak. If available a natural depression situated well away from water bodies will be utilized for storage. The contents of any drum that leaks, or shows the potential to leak, will be transferred by wobble pump to a different drum. With the exception of the container in use, all fuel container outlets will be kept sealed to prevent leakage. On-site equipment (e.g. helicopter) will be refueled at some distance from the main storage facilities to reduce potential damage should a fire occur.

#### Reporting

- (i) Identify the product check container design, warning labels, markings, etc.
- (ii) Protect people prevent personnel from approaching the site and keep them at a distance sufficiently removed that they will not be injured by, or cause, a fire or explosion
- (iii) Stop the flow at the source reduce or terminate the flow of product without endangering anyone
- (iv) Assess the seriousness of the spill evaluate potential dangers of the spill to human health and safety, the aquatic environment, wildlife, ground water, vegetation and other land resources
- (v) Report the spill to the 24-Hour Spill Report Line (867) 920-8130 provide basic information such as location of spill, direction of motion if any, name of contact onsite, type and amount of material spilled, cause of spill, date and time of the spill and any perceived threat to human health or the environment (complete Spill Report form)
- (vi) Report the spill to Strongbow Exploration Inc.'s office in Vancouver
- (vii) Depending on severity of the spill, report to the other appropriate authorities (i.e. Nunavut Water Board, Department of Fisheries and Oceans; Regional Inuit Association)

#### Containment

Oil spill containment techniques include:

- (i) Earth dams simple and effective control means for surface and small streams
- (ii) Interceptor trenches control on land and shallow subsurface seepage
- (iii) Culvert weirs not applicable
- (iv) Underflow dams effective in narrow ditch or stream
- (v) Net and absorbent barriers effective in tundra area and slow moving water
- (vi) Containment booms commercial product for large bodies of water
- (vii) Space spraying or 'herding' using a very fine water spray as a means of cleaning vegetation, shorelines, lake surface, etc.
- (viii) Absorbent materials include fine sand, soil or snow; commercial sorbents include sheets, rolls, pillows and booms that can be rapidly deployed with no preparation

On-site equipment available for employees includes:

Spill Kit (containing 1 20L Poly containment pail, 12 or more 16" x 20" oil absorbent pads, 2-3" by 48" oil absorbent socks, 1 heavy duty disposal bag (6 mil), 1 pair Chemi-pro gloves and 3 lbs of All Purpose absorbent.) An extra supply of (approx. 100) 16" x 20" oil absorbent pads will be kept in the "Dry" tent in case of emergency.

#### Clean up

The most likely spill scenario is the partial loss of petroleum products from one of the 205 I (45 gal.) drums. Drums will be checked on arrival in camp, after transfer to the designated storage facility and periodically thereafter. Contents of any leaking drum will be immediately transferred via wobble pump to an empty, leak free drum. It is unlikely that more than one drum will leak at any time. Any spills will be contained, and pumped into empty barrels.

#### Disposal

No organic soils are present at the proposed storage site, and if possible, any sands and gravels contaminated by a significant spill of petroleum products will be excavated by hand, incinerated to remove hydrocarbons, and returned to their natural site.

#### Training

All employees and contractors will be oriented upon arrival to the site as to the location and nature of possible spill hazards, as well as the location, content, and usage of spill kits, and locally available materials to control a spill. A brief exercise will be conducted after orientation to clearly outline the spill response protocol, and ensure the employee's comfort with the plan.

#### SPILL REPORTING PROCEDURE

- 1. Immediately report the spill to the following agencies:
  - 24 Hour Spill Report Line (867) 920-8130
  - Environment Canada 24 Hour Pager (867) 920-5131
  - Environment Canada (867) 975-4644
  - DIAND Water Resources Inspector (867) 975-4298
  - Department of Fisheries and Oceans Nunavut Regional Office (867) 979-8000
- 2. Report the spill to Strongbow Exploration Inc.'s office in Vancouver\*
  - David Gale Vice President, Exploration
  - Nicole Westcott Land Administrator
  - \* The on-site person in charge will have a confidential 24 hour contact number for a representative of Strongbow Exploration Inc.'s management team throughout the field season.
- 3. Fill out the NWT Spill Report Form (as it appears in Appendix 1 of this plan) which is to be submitted to the DIAND Water Resources Inspector no later than 30 days after the occurrence of the spill.

## **Emergency Contact Information**

24-Hour Spill Report Line Phone Number	(867) 920-8130
24-Hour Spill Report Line Fax Number	(867) 920-8127
DIAND Water Resources Inspector	(867) 975-4298
Environment Canada (Nunavut)	(867) 975-4644
Environment Canada 24 Hour Emergency Pager Number	(867) 920-5131
Department of Fisheries and Oceans-Nunavut Regional Office	(867) 979-8000
Indian and Northern Affairs Canada, Land Administration Minister – Nunavut Regional Office	(867) 975-4280
Kitikmeot Inuit Association	(867) 982-3310
Kitikmeot Hunters' and Trappers' Association	(867) 982-4207
Kugluktuk Hunters' and Trappers' Association	(867) 982-4908
Bay Chino (Umingmaktok) Hunters' and Trappers' Association	(867) 983-2426
RCMP, Kugluktuk Detachment	(867) 982-0123
Kugluktuk Health Center (Nursing Station)	(867-982-4531
Stanton Yellowknife Hospital	(867) 669-4111

#### **Consultations**

- Contingency Planning and Spill Reporting in the NWT A guide to the new regulations, GNWT, 8pp. June, 2002.
- Oil Spill Containment and Clean up Techniques 22 minute instructional video prepared by NWT Renewable Resources Pollution Control Division, 1988.
- Report All Spills Environment Series, GNWT Renewable Resources, Pollution Control Division, 1988.
- Spill Containment and Clean-up Course, GNWT Renewable Resources, Pollution Control Division, 1991, 74pp.
- Spill Contingency Planning and Reporting Regulations Environmental Protection Act Northwest Territories, July 22, 1993, 11pp.
- Spills, Our Record in the Northwest Territories Environment Series, GNWT Renewable Resources, Culture and Communications, 1990

(867) 873-7654

(867) 873-0221

Hazardous Substance Specialist
Environmental Protection Division
Renewable Resources
Government of the NWT
600, 5102-50th Ave. telephone:
Yellowknife NWT facsimile:

X1A 3S8

# Appendix 1 Spill Report Form



## **NWT SPILL REPORT**

(Oil, Gas, Hazardous Chemicals or other Materials)

24 – Hour Report Line Phone: (867) 920-8130 Fax: (867) 873-6924

Α	Report Date and Time	B Date and Time o	of spill (if known)			nal Report ate no	Spill Num	ber		
D	Location and map coordinates (if known) and o	direction (if moving)								
Ε	Partly responsible for spill									
F	Product(s) spilled and estimated quantities (provide metric volumes/weights if possible)									
G	Cause of spill									
Н	Is spill terminated?  If spill is continuing, give estimated rate  yes no  I spill is continuing, give estimated rate yes no  K Extent of					contaminated area (in square meters if possible)				
L	Factors effecting spill or recovery (weather cor	nditions, terrain, snow	cover, etc.)	M Con	tainment (natural	depression, dikes, et	C.)			
N	Action, if any, taken or proposed to contain, re									
O	Do you require assistance?  no yes, describe:	P	ossible hazards to person,	property, o	r environment; eg:	fire, drink water, fish	or wildlife			
Q	Comments or recommendations					FOR SPILL	LINE US	SE ONLY		
						Lead agency				
						Spill significance				
						Lead Agency conf	act and time			
						Is this file now clo	sed?	yes no		
Repo	orted by P	osition. Employer, Loc	ation			Telephone				
Repo	orted to P	osition. Employer, Loc	eation			Telephone				

## Appendix 2

Figure 1: Camp Schematic

## CAMP SCHEMATIC TO BE DETERMINED