



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

[Licensing] Re: 2BE-SCH-0712 Renewal Application

1 message

Cynthia Ene <cynthia.ene@nwb-oen.ca>

Tue, Jun 23, 2015 at 4:21 PM

To: Anthony Williamson <a.williamson@forumuranium.com>, Licensing Department <licensing@nwb-oen.ca>

Thanks for the email Anthony, I look forward to getting the report for 2014. Please cc our Licensing department so they can upload that info to our ftp site, for the 2BE-SCH0712 file. Also Anthony, do you have a response to the following questions I posed earlier:

1. The NWB requests that written confirmation be provided from the Hamlet of Baker Lake, confirming that the Licensee can dispose non-hazardous waste materials in their landfill facility.

2. Please update the Spill Contingency Plan. (items required are listed below:

- A complete Response Organization Flow Chart (Section 3);
 - On-site company contact information, once available (e.g., the On-Scene Coordinator referenced in section 3.1 and the On-Site Geologist referenced in Table 2); and
 - A schematic of the Judge Sissions Lake Camp that references where fuel caches and spill response kits are situated, as well as nearby water sources.
 - Based on the Department Of Environment Spill Contingency Planning and Reporting Regulations, Contingency Planning and Spill Reporting in Nunavut (a Guide to the New Regulations, and Guideline for the General Management of Hazardous Waste in Nunavut): Page 9 of the Spill Contingency Plan stated that the proponent will "contact Federal and Territorial regulatory agencies to identify appropriate disposal methods before disposing of contaminated material. Please note that the government does not provide disposal instructions for spilled and/or contaminated materials. It is the proponent's responsibility to develop a complete plan which addresses the steps to be taken from the start of the spill, up to and including the final clean up and disposal. Regulatory agencies such as the Department of Environment can review the final plan to assess its adequacy and provide advice at that time. The Nunavut Water Board request that such a plan be developed for review.



Cynthia Ene, MBA, P.Eng. - ᑎᓄᓐᓂᓐ ᑎᓐᓂᓐ

Technical Advisor - Conseillère Technique

ᑎᓄᓐᓂᓐ ᑎᓐᓂᓐ ᑎᓐᓂᓐ - Piluaqnaqtuliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᑎᓄᓐᓂᓐ ᑎᓐᓂᓐ ᑎᓐᓂᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Cijoa Haven, NU, X0B 1J0

C.P. 119

Cijoa Haven (Nunavut), X0B 1J0

ᑎᓄᓐᓂᓐ ᑎᓐᓂᓐ 119

ᑎᓄᓐᓂᓐ ᑎᓐᓂᓐ X0B 1J0

Titigagaqvia 119

Uqhuqtiq, NU, X0B 1J0

Tel / Téléphone / ᑎᓄᓐᓂᓐ / Hivayaut: (867) 360-6338 | Fax / Télécopieur / ᑎᓄᓐᓂᓐ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᑎᓄᓐᓂᓐ ᑎᓐᓂᓐ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Mon, Jun 22, 2015 at 6:40 PM, Anthony Williamson <a.williamson@forumuranium.com> wrote:

Hi Cynthia,

Sorry to have taken so long to get back to you.

You can find reports 2009, 2011-2013 here:

<https://app.box.com/s/sg7tx09m9el6pbusr1zcol2nonfso7>

I am not currently working for Forum right now but I will try and get you the 2014 report as well.

Tony

From: Cynthia Ene [mailto:cynthia.ene@nwb-oen.ca]

Sent: Monday, June 08, 2015 9:08 AM

To: Anthony Williamson

Subject: Re: 2BE-SCH-0712 Renewal Application

Good Morning Mr. Williamson,

I'm writing to followup on the below email sent on April 22nd 2015. Please advise if you need more time or have any questions.

Thanks



$\Delta b^{(S)}_N$ -Piluagnaqtuliginigmun Ikayuqti

ᓄᓇᓂᓪ ᐃᓚᓕᓂᓪ ᓂᑎᓚᓪᓴᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

Titigauqvia 119
Uqhuqhuq, NU, X013 110

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(e) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Apr 22, 2015 at 3:00 PM, Cynthia Ene <cynthia.ene@nwb-oen.ca> wrote:

Good Afternoon,

Thanks for taking my call earlier. As discussed, could you please forward to the NWB (at licensing@nwb-oen.ca) all Annual Reports from 2011 to 2014. Please cc myself on that communication. Also, please note that all received submissions from third parties with respects to your Renewal Application have been placed on the NWB public registry and is available from the NWB ftp site USERNAME: public, PASSWORD: registry. [ftp.nwb-oen.ca](ftp://nwb-oen.ca) (Folder Name: ADMIN: SUBMISSIONS)

1. The NWB requests that written confirmation be provided to the Hamlet of Baker Lake, confirming that the Licensee can dispose non-hazardous waste materials in their landfill facility.
2. Please update the Spill Contingency Plan to include:
 - A complete Response Organization Flow Chart (Section 3);
 - On-site company contact information, once available (e.g., the On-Scene Coordinator referenced in section 3.1 and the On-Site Geologist referenced in Table 2); and
 - A schematic of the Judge Sissions Lake Camp that references where fuel caches and spill response kits are situated, as well as nearby water sources.
 - Based on the Department Of Environment Spill Contingency Planning and Reporting Regulations, Contingency Planning and Spill Reporting in Nunavut (a Guide to the New Regulations, and Guideline for the General Management of Hazardous Waste in Nunavut): Page 9 of the Spill Contingency Plan stated that the proponent will "contact Federal and Territorial regulatory agencies to identify appropriate disposal methods before disposing of contaminated material. Please note that the government does not provide disposal instructions for spilled and/or contaminated materials. It is the proponent's responsibility to develop a complete plan which addresses the steps to be taken from the start of the spill, up to and including the final clean up and disposal. Regulatory agencies such as the Department of Environment can review the final plan to assess its adequacy and provide advice at that time. The Nunavut Water Board request that such a plan be developed for review.
3. As outlined in the Heritage River Management Plan, please confirm in writing that camp sites are situated at least one kilometer (buffer zone) from the local rivers.

4. Lastly, we recommend that you review The Fisheries Protection Program (the Program) of Fisheries and Oceans Canada's guidance tools and recommendations, in the submissions folder dated August 5th, 2014.

If you have any further questions please do not hesitate to email or call me on my direct line: [867 983 5173](tel:8679835173).

Sincere regards,

Cynthia Ene

Under the ----- Forwarded message -----

From: **Anthony Williamson** <a.williamson@forumuranium.com>

Date: Tue, Jan 27, 2015 at 4:57 PM

Subject: RE: 2BE-SCH-0712 Renewal Application (NIRB 07EN046)

To: Cynthia Ene <cynthia.ene@nwb-oen.ca>

Cc: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>, David Hohnstein <david.hohnstein@nwb-oen.ca>, Denise Lockett <lockett@telus.net>, info@nirb.ca

Hi Cynthia,

NIRB informed me of the outstanding reports by letter and I have since submitted all of them (Phyllis was CC'd too). I have not heard a response but hopefully they are satisfactory and the process can now continue.

Thanks for the update,

Tony

Anthony Williamson

Project Manager

Forum Uranium Corp.

#615 - 800 West Pender Street

Vancouver, BC, Canada

V6C 2V6

T: [\(250\) 897-8000](tel:2508978000)

F: [\(604\) 689-3609](tel:6046893609)

From: Cynthia Ene [mailto:cynthia.ene@nwb-oen.ca]

Sent: Tuesday, January 27, 2015 3:38 PM

To: a.williamson@forumuranium.com

Cc: Phyllis Beaulieu; David Hohnstein

Subject: 2BE-SCH-0712 Renewal Application (NIRB 07EN046)

Good day Mr. Williamson,

I'm writing to provide an update on your file 2BE-SCH-0712 at the NWB.

The NWB is currently on hold waiting for the NIRB's Screening report and decision. According to the NIRB's most recent updates on their FTP site they are on hold waiting for the submission of outstanding reports.

Thank You.



$\Delta b^{96}n$ - Piluaqnaqtuligiriqmun Ikayuqti

www.nwb-oen.ca

Titigaqavua 119
Uqhuqtuq, NU, X013 1J0

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email