

NWB Annual Report

Year being reported: 2007 ▼

License No: 2BE-SCH0712 **Issued Date:** September 27, 2007
Expiry Date: September 30, 2012

Project Name: North Thelon Joint Venture (Schultz Lake Project)

Licensee: Forum Uranium Corporation

Mailing Address: #910 - 475 Howe Street, Vancouver, BC V6C 2B3

Name of Company filing Annual Report (if different from Name of Licensee please clarify relationship between the two entities, if applicable):

Forum Uranium Corporation

General Background Information on the Project (optional):

Please refer to Forum Uranium's file on the NIRB ftp site for details.
 LINK:
http://ftp.nunavut.ca/nirb/NIRB_SCREENINGS/COMPLETED_SCREENINGS/ARCHIVE/2007_SCREENINGS/07EN046-Forum_Uranium_Corporation/1-SCREENING/

Licence Requirements: the licensee must provide the following information in accordance with

Part B ▼ Item 2 ▼

A summary report of water use and waste disposal activities, including, but not limited to: methods of obtaining water; sewage and greywater management; drill waste management; solid and hazardous waste management.

Water Source(s):	Thom Lake	
Water Quantity:	5	Quantity Allowable Domestic (cu.m)
	avg 1.13	Actual Quantity Used Domestic (cu.m)
	40	Quantity Allowable Drilling (cu.m)
	0	Total Quantity Used Drilling (cu.m)

Waste Management and/or Disposal

- ☒ Solid Waste Disposal
- ☒ Sewage
- ☐ Drill Waste
- ☒ Greywater
- ☐ Hazardous
- ☐ Other:

Additional Details:

Combustible solid waste, including human waste (sewage) was incinerated at Thom Lake Camp in a SmartAsh incinerator. Non-combustibles were removed to Baker Lake for proper disposal. Greywater was collected in sumps lined with rocks to filter out particulate matter.

A list of unauthorized discharges and a summary of follow-up actions taken.

Spill No.: **07-334** (as reported to the Spill Hot-line)

Date of Spill: **before July 10, 2007**

Date of Notification to an Inspector: **July 13, 2007**

Additional Details: (impacts to water, mitigation measures, short/long term monitoring, etc)

Please note that this spill *was not* caused by Forum Uranium Corp., and occurred prior to Forum's occupation of the land use area. Contaminated soil was removed from site and sent to Baker Lake for disposal as described in the spill report submitted July 13, 2007. The resulting hole was backfilled with clean sand.

Revisions to the Spill Contingency Plan

SCP submitted and approved - no revision required or proposed ▼

Additional Details:

Spill Contingency Plan revised and submitted December 2007

Revisions to the Abandonment and Restoration Plan

AR plan submitted and approved - no revision required or proposed ▼

Additional Details:

Abandonment and Restoration Plan revised and submitted December 2007

Progressive Reclamation Work Undertaken

Additional Details (i.e., work completed and future works proposed)

Two sites in the project area were cleaned up. One site was an old staking camp containing garbage, 5 empty fuel drums, and scattered stakes & laths (location N 64 38 45.5, W 97 40 04.4). The other site comprised nine empty fuel drums which were removed to Baker Lake for disposal (location N 64 23 20.4, W 97 21 58.6). Please note that waste at these sites *was not* caused by Forum Uranium Corp., and had been on location long before Forum's occupation of the land use area.

Results of the Monitoring Program including:

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where sources of water are utilized;

Details attached ▼

Additional Details:

See "GPS Coordinates" tab

The GPS Co-ordinates (in degrees, minutes and seconds of latitude and longitude) of each location where wastes associated with the licence are deposited;

Details attached ▼

Details attached ▼

Additional Details:

See "GPS Coordinates" tab

Results of any additional sampling and/or analysis that was requested by an Inspector

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (date of request, analysis of results, data attached, etc)

Any other details on water use or waste disposal requested by the Board by November 1 of the year being reported.

No additional sampling requested by an Inspector or the Board ▼

Additional Details: (Attached or provided below)

Any responses or follow-up actions on inspection/compliance reports

Inspection Report received by the Licensee (Date): ▼

Additional Details: (Dates of Report, Follow-up by the Licensee)

Inspected by D. Ningeongan of INAC. Requested rocks be put in greywater sumps to filter particulate matter (completed August 20, 2007). Recommended flow meter and water use log to be installed in camp to monitor water use (completed September 2

Any additional comments or information for the Board to consider

Please refer to the summary of water use at Thom Lake Camp between Sept 3, 2007 and Sept 17, 2007 in the tab "ThomLk_water_use_log".

Date Submitted:

January 30, 2008

Submitted/Prepared by:

Jacques Stacey, Taiga Consultants Ltd.

Contact Information:**Tel:** 403-265-2777 ext. 207**Fax:** 403-265-6410**email:** jstacey@taiga-ltd.com

GPS Coordinates for water sources utilized

[illegible]

GPS Locations of areas of waste disposal

[illegible]

THOM LAKE CAMP WATER USE LOG					
Date	Time	Total Litres (cumulative)	Previous Total	Litres used since last reading	Cubic metres used since last reading
Sept-3-07	8:30 PM	404.1	0	404.1	0.4041
Sept-4-07	7:30 PM	1202	404.1	788	0.788
Sept-5-07	7:30 PM	2006.1	1202	804.7	0.8047
Sept-6-07	7:25 PM	3501.1	2006.1	1494.4	1.4944
Sept-7-07	8:00 PM	4738	3501.1	1236.9	1.2369
Sept-8-07	7:50 PM	6300	4738	1562	1.562
Sept-9-07	7:40 PM	7376	6300	1076	1.076
Sept-10-07	8:30 PM	8610	7376	1234	1.234
Sept-11-07	8:10 PM	9607	8610	997	0.997
Sept-12-07	7:30 PM	10627	9607	1020	1.02
Sept-13-07	8:00 PM	11424	10627	797	0.797
Sept-14-07	7:45 PM	12692	11424	1266	1.266
Sept-15-07	7:45 PM	13778	12692	1086	1.086
Sept-16-07	7:25 PM	14775	13778	997	0.997
Sept-17-07	8:00 PM	17000	14775	2225	2.225
				AVERAGE	1.13254