



Application for Water Licence Cancellation

Document Date: May 2011

Application Submission Date:

09/04/2012

Month/Day/Year

P.O. BOX 119
GJOA HAVEN, NUNAVUT
XOB 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

kNK5 wmoEp5 vtrmpq
NUNAVUT IMALIRIYIN KATIMAYIT
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

DOCUMENT MANAGEMENT

Original Document Date: April 2010

DOCUMENT AMENDMENTS

	Description	Date
(1)	Updated for public distribution as separate document from NWB Guide 7	June 2010
(2)	Updated NWB logos and reformatted table to allow rows to break across page	May 2011
(3)		
(4)		
(5)		
(6)		
(7)		
(8)		
(9)		
(10)		



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

kNK5 wmoEp5 vtmp5
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYIT
OFFICE DES EAUX DU NUNAVUT

APPLICATION FOR WATER LICENCE CANCELLATION

1. LICENCE NO: 2BE-SNN0508 & 2BE-SNN0813	2. EXPIRY DATE: September 30, 2012
3. NAME AND MAILING ADDRESS OF LICENSEE Stornoway Diamond Corporation Unit 116-980 West 1 st Street North Vancouver, BC V7P 3N4 Phone: 604-983-7750 Fax: 604-987-7107 e-mail: nwestcott@stornowaydiamonds.com	4. ADDRESS OF CORPORATE OFFICE IN CANADA (if applicable) Phone: _____ Fax: _____ e-mail: _____
5. DECLARATION: I, <u>Nicole Westcott</u> on behalf of <u>Stornoway Diamond Corporation</u> hereby make application to cancel the above-noted water use licence effective <u>ASAP</u> (insert proposed date of cancellation) Date of most recent water licence inspection: <u>August 9, 2008</u> (attach copy of inspection report, if available) A copy of the Industrial Water Use Inspection Report issued by the Inspector, Andrew Keim, has been attached. Please see the Annual Report submitted for 2BE-SNN0508 reporting activities during the 2008 exploration season for a detailed listing of the remedial actions taken in response to this inspection. Additional details are available upon request. Signature of Licensee: <u>[Signature]</u> Date: <u>September 4, 2012</u>	

6. CANCELLATION FEE:

Application fee of \$30.00 CDN (payable to the Receiver General for Canada)

Arrangements will be made with the Manager of Licensing to pay this fee (as well any outstanding water use fees that may be payable in association with this authorization) over the phone, via credit card.

7. ABANDONMENT MEASURES

The following measures have been taken to address the final abandonment conditions required by the licence: (explain, with drawings, how abandonment conditions of the licence have been met; how stream channels have been rehabilitated; how tailings have been recontoured; how instream structures have been removed; and how waste materials have been disposed of. Enclose pictures if available.

Please see the attached Final Land Use Plan that was submitted to AANDC in association with the request to close Class “A” Land Use Permit (N2007C0003) for detailed information regarding the abandonment and reclamation activities that were conducted on the Aviat camp location during July of 2012.

As stated in the report an addendum (which the Nunavut Water Board will be cc'd on) containing additional photographs of the camp location upon the completion of the abandonment and reclamation activities will be submitted as soon as is practicable.

8. CERTIFICATE OF COMPLETION: Application for Licence Cancellation must be accompanied by either of the following:

- ☐ Application for Certificate of Completion enclosed; or
- ☐ Certificate of Closure enclosed.



INDUSTRIAL WATER USE INSPECTION REPORT

DATE: Aug 9, 2008 COMPANY REP.: Joe Kidman
LICENSEE: Stornoway LICENCE #: 236-SNO0508

WATER SUPPLY

Source: Uncontaminated Lake Quantity Used: noted Meter Rdg.: 51
Indicate: A - Acceptable U - Unacceptable N/A - Not Applicable
Intake Facilities A Storage Structures A Treatment Systems A Recycling /
Flow Meas. Device A Conveyance Lines A Pumping Stations A Modifications /
Comments: Lake is eutrophic, no sign of algae build up on sediment in Tanks. Meter installed. No issues noted.

WASTE DISPOSAL

Tailings: Tailings Pond ☐ Natural Lake ☐ Underground ☐
Sewage: Sewage Treat. System ☐ Tailings Pond ☐ Natural Water Body ☐
 Continuous Discharge ☐ Inter. Dischg. ☐
Solid Waste: Open Dump ☐ Landfill ☐ Burn & Bury ☐ Underground ☐
Indicate: A - Acceptable U - Unacceptable N/A - Not Applicable
Discharge Quality _____ Conveyance Lines _____ Disch. Meas. Dev. _____ Freeboard _____
Decant Structures _____ Pond Treatment _____ Dams, Dykes _____ Seepages _____
Dyke Inspections _____ Runoff Diversion _____ Erosion _____ Spills _____
Effluent Discharge Rate: _____ Samples Collected: _____
Comments: Licensee ships waste to Town - Thibault -
Sump from Kitchen and Dry continues to be an issue.
Ground conditions are not conducive to a sump.

GENERAL CONDITIONS

Indicate: A - Acceptable U - Unacceptable N/A - Not Applicable
Ore & Waste Rock Stockpiles / Records & Reporting A Surv. Net. Prog. /
Geotechnical Inspection / Posting, Signage NA Contingency Plan /
Restoration Activities / New Construction NA Fuel Storage /
Mine Water Discharge / Chemical Storage NA Annual Report /
Comments: Secondary containment is highly encouraged and
required at places of fuel transfer and maintenance.

Violations of Act or Licence: _____

General Comments: Camp is clean & well maintained. Secondary
containment is required at maintenance and
transfer areas. Storage of fuels should also have
containment.

Page 2 attached ☐ Yes ☐ No

PROJECT GEOLOGIST
Licensee Representative's Title

A. Klein
Inspector's Name

JOE KIDMAN
Licensee Representative's Signature

[Signature]
Inspector's Signature