

RE: NWB Licence Amendment
From: [Tara Arko](#) Add to Contacts
Sent: Tue, Jul 3, 2012 at 7:23 am
To: clivingstone@apexgeoscience.com

Hello Chris,

Sorry for the delayed response.

It would be helpful for these previous NIRB documents to be noted in the NWB application, but the NWB will consult the NIRB office as part of their processing of the application. At that time the NIRB will respond formally to the NWB with any determination of further screening requirements.

Best regards,

Tara Arko

Technical Advisor

Nunavut Impact Review Board (NIRB)

Box 1360, Cambridge Bay, NU X0B 0C0

www.nirb.ca

<http://ftp.nirb.ca>

Phone Direct: 867-983-4611

Toll Free: 1-866-233-3033

Fax: 867-983-2594 or 2574

tarko@nirb.ca

From: clivingstone@apexgeoscience.com [mailto:clivingstone@apexgeoscience.com]

Sent: June-26-12 11:51 AM

To: tarko@nirb.ca

Cc: Kris Raffle

Subject: NWB Licence Amendment

Good Morning Ms. Arko,

I am applying for an amendment to the approved NWB licence 2BE-STO1015 on behalf of Commander Resources Ltd. At this time, I am in the process of filling out the application form (*100401-Application_for_Water_Licence_Amendment-OEDE-edited110502*) which indicates a requirement for a) confirmation from the NIRB as to whether the proposed amendment changes the NIRB screening determination or the need to obtain one, and b) written confirmation from the NIRB that a screening determination is not required.

Attached is the original NIRB screening decision, a summary of the project, and a map showing the proposed changes. Could you please review the attached information and provide me with the aforementioned written confirmation (if a screening determination is not required)? If there is any additional information that you require, please let me know.

Thank you for your time.

Best Regards,

Chris Livingstone

Chris Livingstone, B.Sc.

Geologist

APEX Geoscience Ltd.

1278-885 W. Georgia St.

Vancouver, BC V6C 3E8

Phone: (604) 696-9628

Fax: (604) 681-8775

clivingstone@apexgeoscience.com

www.apexgeoscience.com