ABANDONMENT AND RESTORATION PLAN

FOR THE ASTON BAY PROPERTY (ALSO KNOWN AS THE STORM PROPERTY) NUNAVUT, CANADA

Prepared For:

Aston Bay Holdings Ltd.

303-80 Richmond St. W Toronto, ON M5H 2A4

Prepared By:

APEX Geoscience Ltd.

110-8429 24th St. NW Edmonton, AB T6P 1L3

Table of Contents

1.	Intr	oduction	3
	1.1	Contact Details	3
	1.2	Purpose and Scope	3
	1.3	Other Plans	3
	1.4	Project and Camp Description	4
2.	Sch	edule	5
3.	Det	ailed Infrastructure and Inventory	6
	3.1	Aston Camp Inventory (August 2016)	6
	3.2	Storm Camp Inventory (August 2016)	6
	3.3	Proposed Storm Camp Inventory (Operational)	7
4.	Sea	sonal Shutdowns	0
	4.1	Inspection and Documentation	0
	4.2	Buildings, Contents and Fuel	0
	4.3	Waste	0
	4.4	Seasonal Restoration	1
5.	Fina	al Abandonment and Restoration	2
	5.1	Inspection and Documentation	2
	5.2	Buildings, Content, and Fuel	2
	5.3	Waste1	2
	5.4	Restoration	2
6.	Pos	t Closure Site Monitoring	3
7.	Em	ergency Contact Information1	3
_			
	ables		
Ta	ble 7.2	L: Emergency Contact Information 1	3
Α	ppend	ices	
ΑĮ	opendi	x A: Figures1	4
	•	x B: Seasonal Camp Shutdown Inspection Record	
ΑĮ	opendi	x C: Example Camp Inventory Record2	1



1. Introduction

This Abandonment and Restoration Plan (ARP) applies to mineral exploration activities conducted by Aston Bay Holdings Ltd. ("Aston Bay") at the Aston Bay Property (the "Property," also known as the "Storm Property"), Somerset Island, Nunavut.

This ARP will come into effect September 2016, pending approval. Copies and updates to this plan may be obtained by contacting Aston Bay Holdings Ltd.

1.1 Contact Details

Aston Bay Holdings Ltd.

80 Richmond St. W, Suite 303 Toronto, ON M5H 2A4 Tel: (416) 456-3516 www.astonbayholdings.com

1.2 Purpose and Scope

The purpose of the Aston Bay Property ARP is to provide guidelines to follow during seasonal shutdown and final abandonment of the Property, in order to return exploration sites to as near as possible to natural conditions. This ARP is effective from September, 2016, pending approval. The ARP will be replaced, upon approval, if any there are significant changes to the activities outlined in the existing permits which warrant changes to the ARP. Minor changes will be submitted as an addendum to the ARP and submitted to the distribution list as required.

1.3 Other Plans

The ARP should be considered as a part of the property wide management system. Other management plans in place at the Aston Bay Property include:

- Emergency Response Plan (ERP)
- Environmental Management Plan (EMP)
- Fuel Management Plan (FMP)
- Spill Prevention and Response Plan (SPRP)
- Waste Management Plan (WMP)



1.4 Project and Camp Description

The Aston Bay Property is located on northern Somerset Island, Nunavut in the Canadian Arctic Archipelago (Appendix A, Figure 1). The nearest community is the hamlet of Resolute Bay, located 112 km north of the Property, on Cornwallis Island. The Property is approximately 1,500 km northwest of Iqaluit, the capital of Nunavut, and about 1,500 km northeast of Yellowknife, Northwest Territories. It is situated in the Qikiqtaaluk Region of Nunavut, within the 1:50,000 scale NTS (National Topographic System) map sheets 058B14 and 15, and 058C02, 03, 06, 07, 10, 11, 13 and 14. The Aston Bay Property includes the Seal Zinc-Silver Prospect, and multiple copper showings, collectively known as the Storm Copper Prospect.

The Aston Bay Property comprises fifty seven contiguous mineral claims numbered AB 1 to AB 47 and ASTON 1 to ASTON 10, and sixteen prospecting permits numbered P-8340 to P-8343, P-12 to P-17 and P-26 to P-31 (Appendix A, Figure 2). The Property covers a combined area of approximately 976,357.1 acres (395,118.0 ha), and is bound by latitudes 72°45′ N and 73°52.5′ N, and longitudes 93°30′ W and 95°30′ W.

Access to the Property is typically restricted to privately chartered helicopter or fixed wing aircraft from Resolute Bay, or the Arctic Watch Lodge, a wilderness adventure resort, located approximately 50 km north of the Property, on Cunningham Inlet. Due to the remoteness of the Property location, the only people who would be immediately affected by a potential spill are employees and contractors.

Aston Bay is currently permitted, licensed and authorized to establish a camp and conduct diamond drilling at the Aston Bay Property in accordance with the Aboriginal Affairs and Northern Development Canada (AANDC) Land Use Permit N2015C0014, Nunavut Water Board (NWB) License 2BE-STO1520 and Nunavut Impact Review Board (NIRB) file number 10EN013.

Exploration activities at the Aston Bay Property are anticipated to include soil and rock sampling, geological mapping, ground and airborne geophysical surveys, and diamond drilling. Typically, mineral exploration work in the region is seasonal, and usually starts as early as June and continues until as late as September. All exploration activities at the Aston Bay Property will be helicopter supported and based out of a seasonal exploration camp known as Storm Camp, located along the Aston River at approximately 73°39′23″ N latitude and 94°27′07″ W longitude (Appendix A, Figures 2 and 3).

A 30 to 40 person tent camp is proposed for the Storm Camp site to support exploration activities at the Aston Bay Property. The camp site is located on an elevated gravel bar adjacent to the Aston River and includes an airstrip suitable for landing a Twin Otter. The proposed camp is likely to include an operations office, geology office, core shack, medical tent, kitchen, men's'



dry, women's' dry, drillers' dry, storage shack, generator shack, pacto toilet shack and 8 to 10 sleepers. The majority of the structures will be insulated Weatherport or Weatherhaven tents with plywood floors.

A fuel cache of approximately 80,000L (~400 drums) will be established adjacent to the camp to support camp and exploration operations. The cache will be primarily diesel and jet fuel, with small quantities of gasoline and propane. Each fuel type will be stored separately. All fuel will be stored within "Insta-Berms", or other industry standard containment berms. When possible, "Rain Drain" hydrocarbon filters will be utilized. Small, temporary fuel caches of less than 4,000L may also be required to supply the drilling and exploration programs. Within 30 days of establishing any temporary fuel cache, the AANDC will be notified of the details of the cache including: location, fuel type, container sizes, method of storage and date of removal.

Off-season fuel storage may include up to 60 drums of jet fuel and diesel, and up to 20 cylinders of propane. An Insta-Berm equipped with a cover and Rain Drain is available for off-season storage of fuel drums. Propane cylinders will be placed on a stable surface (such as a tent floor) away from the drum cache and secured.

The previous camp site, known as Aston Camp, is located at approximately 73°42′30″ N latitude and 94°43′15″ W longitude. Aston Camp is the storage site for historical drill core and was used to support recent exploration in 2014 and 2015. The camp included a fuel cache of 27 drums and 2 propane cylinders. During 2016, all fuel was removed from the Aston Camp fuel cache. The only remaining infrastructure at Aston Camp is one 14′x16′ wooden storage shack.

2. Schedule

Equipment and supplies, including camp construction materials, will be mobilized to Storm Camp in June 2017. It is expected that camp construction will take approximately 1-2 weeks. Drilling will start at the beginning of July, and is anticipated to continue until mid-August. Other fieldwork, including mapping, geochemical sampling, and ground geophysical surveys are expected to run through July and August. A seasonal shutdown of the camp will commence in late August, and is anticipated to take 5 to 10 days. Similar exploration programs are anticipated for 3 to 4 subsequent years.

Final abandonment and restoration will commence as soon as possible after it has been determined that the project does not warrant further exploration or following commercial production. The duration of the final abandonment and restoration is dependent on the scale of infrastructure on site and on environmental parameters (physical, biological, and socio economic). All abandonment and restoration work will be completed prior to the date of expiry of any existing or future applicable land use permits and water licenses.



3. Detailed Infrastructure and Inventory

3.1 Aston Camp Inventory (August 2016)

As of August 20, 2016, all that remains at Aston Camp is the historical drill core, a small amount of lumber and one 14'x16' wooden storage shack. The lumber is stacked neatly against the shack. Aston Bay elected to keep the shack on site to store camp and survival equipment and to serve as a shelter for personnel working on the historical core in future years.

3.2 Storm Camp Inventory (August 2016)

As of August 20, 2016, the following structures, equipment and fuel remain at Storm Camp:

3.2.1 Structures

- 1 16'x32' plywood tent floor (kitchen) Includes plywood kitchen counters, tables
- 1 16'x16' plywood tent floor (water tank tent)
- 16 14'x16' plywood tent floor (offices, drys, sleepers) Includes plywood beds, tables, barrel stands
- 1 12'x20' plywood latrine shack (pacto toilets removed)
- 1 10'x16' plywood storage shack
- 1 10'x12' plywood generator shack (generator removed)

3.2.2 Other Camp Equipment

- 2 Water tanks (500gal & 250gal)
- 2 Hot water tanks
- 1 Water supply pump with fish screen and hose line
- 4 Refrigerators
- 3 Chest freezers
- 3 Cooking stoves
- 3 Washing machines
- 2 Dryers
- 2 Oil drip stoves

Various lumber (stacked by generator shack)

Various office, camp and medical supplies



3.2.3 Fuel

- 205L drums of diesel205L drums of jet fuel
- 1 205L drums of gasoline
- 20 100lb cylinders of propane

3.3 Proposed Storm Camp Inventory (Operational)

The following structures, equipment and fuel may be included in Storm Camp for future exploration programs:

3.3.1 Structures

- 1 16'x32' insulated Weatherhaven/Weatherport tent on plywood flooring to serve as a kitchen. Includes plywood kitchen counters, sink, plumbing, tables, chairs, etc.
- 1 16'x16' insulated Weatherhaven/Weatherport tent on plywood flooring to serve as a water tank and storage tent. Includes shelving, plumbing, etc.
- 10 14'x16' insulated Weatherhaven/Weatherport tents on plywood flooring to serve as sleeper tents. Includes plywood beds, tables, chairs etc.
- 3 14'x16' insulated Weatherhaven/Weatherport tents on plywood flooring to serve as drys. Includes shower stalls, sink, plumbing, etc.
- 3 14'x16' insulated Weatherhaven/Weatherport tents on plywood flooring to serve as offices, rec tent and first aid tent. Includes tables, chairs, etc.
- 1 12'x20' plywood latrine shack. Includes 5 pacto toilets.
- 1 10'x16' plywood storage shack
- 1 10'x12' plywood generator shack. Includes exhaust piping, etc.

All structures will be outfitted with a wiring harness including electrical outlets and lights. Each structure will also have a fire extinguisher and a smoke/CO detector.

3.3.2 Other Camp Equipment

- 2 Water tanks (500gal & 250gal)
- 2 Hot water tanks
- 2 Water supply pumps (1 backup) with fish screen and hose line
- 3 Water pressure pumps (1 backup)



1	25 kVA diesel generator
1	15 kVA diesel generator (backup)
1	Electrified bear fence
1	Batch feed dual-chamber controlled air incinerator
4	Refrigerators
3	Chest freezers
3	Cooking stoves
3	Washing machines
2	Dryers
18	Toyotomi heating stoves
2	Oil drip stoves
6	Containment berms for fuel cache
20	Mini berms for tent drums and fuel transfer
2	Satellite communication systems
	Heavy electrical cables and panel boxes
	Various lumber (stacked by generator shack)
	Various office, camp and medical supplies

3.3.3 Fuel

200	205L drums of diesel
300	205L drums of jet fuel
10	205L drums of gasoline
50	100lb cylinders of propane

3.3.4 Vehicles

1	All-terrain vehicles (quads) with trailers
2	Helicopters (BK-117, Astar B3)
1	Twin Otter (on site periodically)



3.3.5 Drilling Equipment

- Zinex A5 (or similar) diamond drill complete with engine, feed frame, control panel, drill head and shack
- 1 Spare engine
- 4 Supply pump with shack
- 2 Generators
- 1 Welder
- 2 Mud tank
- 6 Coil stove
- 2 Frost fighters
- 8 Tidy tank with containment
- 6 Fly basket for drill equipment, spares, supplies, etc.
- 2 Tool crib
- 4 Rod racks
- 2 Survival shacks
- 400 3 metre NQ drill rods
- 50 NQ casing (various sizes)
- 20 Core barrels
- 150 100' hose line



4. Seasonal Shutdowns

4.1 Inspection and Documentation

Prior to seasonal shutdown, a complete inspection of all areas will be conducted. Photographs at all sites (camp, fuel cache, drilling, etc) will be taken to document the conditions prior to leaving the site for winter, and will be archived along with photos taken at the beginning of each season. Copies of these photos will be included as part of the Aston Bay Property Annual Report, which will also include a summary of any remediation at the old Aston Camp. A copy of the Seasonal Camp Inspection Record is attached in Appendix B.

4.2 Buildings, Contents and Fuel

A full inventory of all structures, equipment, fuel, and other supplies will be taken at the beginning and end of each exploration season. An example of the Camp Inventory Record is attached in Appendix C.

All food, wastes, empty fuel drums, and valuable or sensitive equipment will be removed from site. All structures to be left on site will be winterized, closed off, and secured. One tent will be designated to house any chemicals or other hazardous materials that are not suited to outdoor storage. All water tanks and pipes will be drained at the end of each season. Pumps and hoses will be drained and stored inside a secured tent. All mechanical equipment, including vehicles, drill equipment, and generators will be winterized and stored in berms for secondary containment. When possible, the equipment and berms will be fully covered.

The remaining fuel cache will be secured and covered to prevent an influx of snow and water. Fuel drums will be stored on their sides in organized rows with the bungs in the three o'clock and nine o'clock positions. All fuels and other hazardous materials will be stored within "Arctic Insta-Berms", or similar products, for secondary containment. "RainDrain" or similar hydrocarbon filtration systems will be used to safely remove any water collected inside the berms, and as a safeguard against any potential overflows of contaminated water.

4.3 Waste

All wastes will separated into combustible, recyclable or hazardous.

<u>Combustible Waste:</u> All combustible waste will be incinerated in accordance with the Nunavut Environmental Guideline for the Burning and Incineration of Solid Waste. Any residual waste (ash) will be placed in sealed containers and backhauled to Resolute Bay for proper disposal.



<u>Non-Combustible</u>, <u>Recyclable and Hazardous Waste</u>: All non-combustible, recyclable and hazardous wastes will be sealed in appropriate containers and backhauled to Resolute Bay for proper disposal.

<u>Grey Water:</u> Camp grey water will be stored and treated in an excavated sump, which will allow for slow infiltration into the soil and will be located at least 31 m away from a water body. If available, coarse gravel will be placed in the bottom of the sump to provide filtration, and supports will be built on the sides to prevent slumping. Filters will be installed on kitchen drains to ensure solid food wastes do not enter the sumps and have the potential to attract wildlife. When full, greywater sumps will be covered with enough material to allow for future ground settlement.

<u>Sewage</u>: Pacto toilets will be used at Storm Camp. All pacto bags will be incinerated on site in a batch feed dual-chamber controlled air incinerator. If privy pits (outhouses) are used, they will be located at least 31 m away from a water body. To control sewage pathogens, outhouses will be periodically treated with lime. When full, the pits will be covered with at least 30 cm of compacted soil.

<u>Contaminated soils/snow:</u> All contaminated soil will be stored in empty 205 liter drums, and will be transported to Resolute Bay for proper disposal.

<u>Empty barrels/ fuel drums:</u> Empty drums will be collected and transported to Resolute Bay either for disposal at an approved site or for refilling.

For more information on waste generation and management see the Aston Bay Property "Waste Management Plan."

4.4 Seasonal Restoration

Any contaminated areas around the camp or drill sites will be treated in accordance with the Aston Bay Property "Spill Prevention and Response Plan." Any washed out areas will be filled and re-contoured to natural levels. Any areas of disturbed vegetation, including camp, fuel caches or drill sites will be photographed and managed as per recommendation of the AANDC inspector. Remediation procedures might include fertilization to encourage re-growth.



5. Final Abandonment and Restoration

5.1 Inspection and Documentation

Prior to final abandonment, a thorough inspection of all areas will be conducted. Any contaminated areas around the camp or drill sites that have gone unnoticed will be treated as per the "Spill Prevention and Response Plan." Photographs will be taken to include in the final reports submitted to the AANDC Inspector and as part of the Annual Report submitted to the AANDC, NWB and NIRB. All relevant regulatory agencies will be notified upon final abandonment of the Property.

5.2 Buildings, Content, and Fuel

Prior to land use permit, claim or lease termination, all structures, equipment, supplies, and fuel will be removed from the Property with the exception of the drill core stacks, which will be permanently secured on site. Tent floors will be burned in accordance with the Nunavut Environmental Guideline for the Burning and Incineration of Solid Waste, and tent sites may be fertilized, as per recommendation by the Inspector, to encourage re-vegetation.

Drills and drilling equipment will be dismantled, packaged, secured, and shipped as per the drill contract. All drill casing will be cut down to the ground and sealed.

All remaining fuel and empty drums will be removed from site. The soil under and surrounding any area where fuel was stored will be thoroughly inspected for any contamination and photographs will be taken.

5.3 Waste

All wastes will be disposed of in accordance with the Aston Bay Property "Waste Management Plan" and any contamination will be treated as per the "Spill Prevention and Response Plan". Sumps will be inspected to ensure there is no leaching or run-off. Back filling and leveling will be employed as necessary.

5.4 Restoration

Tent sites, drill sites, and any other areas disturbed by activities related to exploration at the Aston Bay Project will be fertilized as recommended by the AANDC Inspector to encourage revegetation. Eroded or washed out areas related to exploration activities will be filled and recontoured to natural levels. Any contaminated areas around the camp or drill sites that have gone unnoticed will be treated as per the "Spill Prevention and Response Plan."



6. Post Closure Site Monitoring

After reclamation is complete, annual monitoring will take place. The monitoring will consist of soil and water testing, measuring and documenting plan re-growth, examining potential run-off and erosion problems, and checking the stability and condition of the core boxes. Reports, including photographs, will be submitted to the appropriate regulatory bodies.

7. Emergency Contact Information

Table 7.1: Emergency Contact Information

Contact	Telephone Number
24 Hour Spill Report Line	1-867-920-8130
Thomas Ullrich, Project Supervisor	1-416-456-3516
COO & Executive VP (Aston Bay Holdings Ltd.)	1-410-430-3310
Chris Livingstone, Project Supervisor	1-604-696-9628
Project Geologist (APEX Geoscience Ltd.)	1-004-090-9028
AANDC (Nunavut)	1-800-567-9604
AANDC Manager of Field Operations	1-867-975-4295
Environment Canada	1-867-975-4644
Environment Canada	24-hr page: 867-766-3737
Covernment of Nunavust Department of Environment	1-867-975-7700 (Iqaluit)
Government of Nunavut Department of Environment	1-867-252-3879 (Resolute)
DFO (Central and Arctic Branch)	1-519-383-1813
Nunavut Water Board	1-867-360-6338
RCMP – Resolute Bay (non-emergency)	1-867-252-0123
Resolute Bay Health Centre	1-867-252-3844
Medevac (Keewatin Air)	1-867-979-3970
Poison Control	1-800-332-1414
Storm Camp Main Line	TBD*
Storm Camp Satellite Phone	TBD*

^{*} The Phone numbers for the satellite phone system used in camp change annually.



Appendix A: Figures



Figure 1 Aston Bay Property Location



Figure 2 Aston Bay Property Mineral Tenures




Figure 2 Storm Camp and Airstrip Locations




Figure 4 Storm Camp During Operations (2016)



Appendix B: Seasonal Camp Shutdown Inspection Record

Seasonal Camp Shutdown Inspection Record Complete Comment Area General Camp area Inspector General camp area inspected for any waste, spills or contamination General camp area secure for winter All combustible and non-recyclable waste incinerated All non-combustible waste prepared for removal Any unnecessary or excessive vegetation damage **Buildings and Content** All tents and building complexes secured for the winter and cleared of any debris All office equipment; furniture; kitchen equipment; recreational equipment and other mobile heavy equipment will be winterised and secured Any equipment not capable of withstanding the harsh winter conditions will be removed Area inspected for petroleum spills or contamination. Water Supply System Water pumps, filtering systems, water lines and any other equipment associated with the water supply system drained and winterised Water pump shed will be secured. Area inspected for petroleum spills or contamination Sewage System Greywater system drained (ie. no greywater remaining in the discharge pipe). Greywater sumps treated if required, filled and recontoured Privy Pits treated with Iye and winterized Privy Pits secure and cleared of any debris Area inspected for petroleum spills or contamination. Incinerator Fuel supply shut off using all valves Incinerator Fuel in appropriate and functional secondary containment adjacent to the incinerator Area inspected for petroleum spills or contami Incinerator area cleared of any debris. Generator shack and surrounding area inspected for signs of spills and remaining wastes such as oil and grease. Generator shed is lined with environat in the event any external spills go unnoticed Generator drained of fuel and winterized Generator shack secured for winter All electrical wires, plugs and sockets which remain in their installed locations are safe and secure All electrical cords temporarily connected to a buildings or machinery implugged, rolled and stored Each 205 Lifel barrel attached to respective tent or building secured and virthin secondary containment Any remaining fuel in lines will burned out. Empty propane cylinders ready for transport for refilling or recycling. Any sleeping quarters converted to electric heat are secured Petroleum Products and Storage Facilities All Fuel stored in appropriate and functional secondary containment All fuel storage areas clearly marked in the event snow clearing activities are required during spring camp opening All Fuel labelled properly Area inspected for spills or contamination Fuel storage area cleared of any debris. Chemicals and Hazardous Waste All chemicals stored in appropriate building or on within appropriate functional secondary containment All household cleaners properly secured and stored in kitchen and dry, All empty bags/containers removed for proper disposal Any remaining waste fuel, oil and grease stored in approved and labelled containers for reuse during summer operations. Any hazardous waste that cannot be reused properly stored, sealed, labels, and prepared for removal Area inspected for spills or contamination. Area cleared of any debris. Spill Response Kits Spill kits not needed over winter relocated to secured building Spill kits needed over winter (ie. for the remaining petroleum areas) properly stocked and secure Emergency Response Fire extinguishers in working order and secure in all necessary locations Smoke/CO2 detectors in working order and secure in all necessary locations fire extinguishers used prepared for removal for refilling Transport areas including air strips, helipads, ATV trails, docks and footpaths inspected for spills or contamination Vehicles remaining onsite moved into secure buildings Vehicles remaining on site winterized Drill Sites Diamond drills dismantled and ready for demobilization or secure in designated storage area Diamond drills remaining on site winterized Any drill casing unable to be removed flush cut so as to not pose a hazard. Drill sites restored and inspected for any waste, spills or contamination Drill sites photographed before drilling and after restoration Proper documentation and approvals for all inert and Hazardous waste transport and receiving Notification to all required authorities of pending seasonal shut down Baseline samples (ie. water, soil, air quality) collected and all data recorded Inspections recorded, dated and signed Photos taken of camp, drill sites, fuel caches and any other important locations/items Photos of drill lay down storage area GPS coordinates recorded for camp, fuel storage areas, drill sites, wildlife or habitat sightings, Archeological/paleontological sites or any area/items of interes Descriptions recorded for all wildlife or habitat sightings, Archeological/paleontological sites or any area/item of interest Year-end inventory of all equipment and buildings left on site list of all equipment, items and repairs required for next operating season



Appendix C: Example Camp Inventory Record



Container	<u>Item</u>	Quantity	Container	Item	Quantity
Kitchen Box 1	Dishes, Cutlery, Cooking Utensiis		Kitchen Box 4	Large Kitchen Items	
	Dinner plates, dessert plates, bowls			Stand up fridge	
	Coffee cups			Propane stoves	
	Juice cups			Overhead fans	
	Forks, spoons, butter knives			Grease traps for under sinks	
	Steak knives			Water cooler	
	Pearing Knives	.50		Chest freezers	
	Cutting knives			Barbeque	
	Cutlery trays			Metal brush for BBQ grill	
	Serving spoons			Folding tables	
	Slotted serving spoons			Folding chairs	
	Wooden spoons			Plastic bins for holding vegetables	
	plastic spatulas			microwave	
	Whisks			Floor mats	
	Can openers				
	Cutting boards				
	Tongs			7	
	Disposable drinking cups				
	Tupperware storage containers				
Kitchen Box 2	Cookware, Bakeware		Kitchen Box 5	Cleaning	
	Square cake pans			Teatowels	
	Round cake pans			Dishtowels	
	Pie pans	_		Rags	
	Cookie sheets			Dish racks	
	cake cooling rack	_		Scrub brushes	
	Bread loaf tins			Rubber gloves	
	non stick fry pan			Liquid handsoap	
	Large metal bowls			Smoke/CO2 Detectors	
	Small metal bowls			Brooms	
	Soup pots with lids			Dust Pans	
	Large pots with lids			Carbage Bins	
	Small pots with lids			Wooden Bods	
	5 gallon galvonized pot			Foamies	
	2 gallon galvonized pot				
	1 gallon galvonized pot			_	
	Sauce pan with lid				
	Omelet pan with lid				
	Roasting pans with lids				
Kitchen Box 3	Small Appliences & Cleaning	_	Needed For Na	ext Season	
	Metal sieves				
	Plastic sieves				
	Quisenar with grating and slicing blade				
	Kitchen aide mixer				
	Coffee Makers				
	Electric kettle			-	
	Toaster				
	Pump style coffee thermos			=	
	Clothes pins			-	
	Hand pump for large water bottles			-	
	CONTRACTOR OF STREET STREET			•	
	-			-	
	-			=	
	÷ -			-	
	-	-		2	
	ė) -	-1.1
	1			1-	
	-			-	
	-			1	
	-				



	<u>m</u>		ntainer Item	Q
ice Box 1 - Safe		Of	fice Box 4 (freezables to be sent out for storage)	
	fety glasses		Ероху	
Ea	rplugs		Enamal paint	
Ha	rd hat ear defenders		Wet coat tree paint	
Sa	fety goggles		Marker paint	
	st masks		Printer ink	-
	spirator masks		******	
	spirator filters			
			-	
	grepellant			-
	ar spray			-
Pla	stic rain suites	Page 1		
M	osquito coils	7		14.5
	homs			
	fety vest		-	
			P-	
	ange gloves	-		-
	ather gloves			
	bber gloves			
Cò	th gloves			
_				
-			_	-
_				
ice Box 2 - Fiel	d Goar	0.0	fice Box 5 -	
		101	INC DOX 3	
	gging			
	cking tape			
	lon rope			£ (E)
Fie	ld books		-	
Ro	ck sample cards			
	sample cards		<u> </u>	_
			-	
	re sample cards		-	
	rsonal FA kits			_
5a	mple tags			
Sh	arpies			3 =
Ca	ble ties			
	curity seals		-	_
	pe chains		-	
			<u> </u>	
Sci				
	ectrical power bars			
Su	rge protector			
M	easuring tape			
_			-	_
			1	
_				
N 25 3 C.			774 LATE (170 COS)	
ice Box 3 - Offi		Ne	eeded For Next Season	
Bir	nders			200
Sta	pler			
	ples		-	
	hite board			
			8	
	y erase pens			
Pe				_
	ncils			
Vo	It meter			1
31	ole punch			30
	sh pins		-	-
	meras		-	-
			-	
-	nters		-	-
	nter paper			
Ro	uterstand			31=
	uter boaster			
_	rdless phones			
	COLUMN TO SERVICE STATE OF THE			-
			General Control of the Control of th	-
_				
=				



	Shut Down Inventory				
First Aid Tent	in the second se	discount?	Augusta	Name of the last o	A
Container	<u>Item</u>	Quantity	Container	item	Quantity
Hist Aid Box 1	Bandages, Gauze, Pads		First Aid Box 4		
	Telfa bandages			D size oxygen tank	
	Bag of stick on bandages			E size oxygen tank	
	Cut to size stick on bandages			H size oxygen tank	
	Butterfly bandages - size -S,M,L			Regulator for small tanks	T-0
	Triangle bandages			Regulator for larg tanks	7.0
	Tensor bandages with padding			Ventalation masks	
	Lightweight tensor bandages			Plastic Spine Board	_
	Brown tensor bandage for sprains	_		Spider Straps for the Spine Board	
	2x2 gauze			Head immobilizer for the Spine board	
	2x2 telfa gauze			Metal cage basket for the Spine Board	
	4x4 gauze			Felt grey blankets	
	4x4 telfa gauze			Pillows	
	6x6 gauze			Kidney dishes/ bed pans	
	6x6 telfa gauze				
	Abd pads				
	4x4 Telfa pads				
					-
	Eye patch			,	
	Small burn kit with burn bandages			-	
First Aid Box 2 -	Tools		First Ald Box 5 -		
	Scissors				
	Tweezers				
	Rubber bandage for hemmorage				
				-	
	Magnifying glass for eye injury				
	Eye Wash cup			_	
	Wooden tip Q tip				
	Sami splints			-	
	Mesh mettle for making splint for hand/arm injury				
	Each large and small hockey tape				
	Thermometer				
	Cold paks recycle type				
	Hot paks crush type instant			-	
	Cold paks crush type instant			-	
		_		-	
	Set of adjustable collars	_		-	
	Pair disposable gloves - s,m,ex large				
	Tongue depressors				
	Finger tube cage for lacerations				
	Finger tube gauze				
	THE RESERVE AND ADDRESS OF THE PARTY OF THE				
	-				-
				-	
Char Ald Gang	Other Hamilton		Man Jud Pay New	4 Facines	
First Aid Box 3			Needed For Nex	u season	
	Patient Assessment forms			-	-
	Bottle of Savon solution	-			-
	Bottle of Peroxide				
	Bottles of Saline solution				1. 18
	Epi pen				
	Stitch kit with surgical needle and thread				
	Emergency dental kit				
	Vomit bags			-	
				1-	
	Vomit extractor hand pump	_			
				-	
				7	
		11			
		-		-	
	-	_		-	
		-		-	



easonal Ca	mp Shut Down Inventory			
Generator S	nack			
Container		Quantity	Container item	Quantity
	Shack Box 1 - Large Gear	2000000	Generator Shack Box 4 -	2000000
- delicitation	Generators		Sellerates strate son s	
	Incinerator			
	Pump for incinerator	-		
	Barrel Lifter	-	-	
	Gas Wobble Pump	-		
	Diesel Wobble Pump	-	÷	_
	Tie Down Kit for Tidy Tank		-	_
	Rock saw	-	-	_
	Rock saw blades			
	Spade shovels	-		
	Square shovels		-	
	Geotools	-	· -	
	Sledge hammers	-	(
	Dil stoves and elbows		· ·	
	Axes		7	_
	Tiger tarch		-	
	Spill kits	-	-	_
	Breaker panels		U	
				_
Generator	Shack Box 2 - Small Gear		Generator Shack Box 5 -	_
aciici ato,	Feet of 3/4" Fuel Line		Salitation arratio post o	
	Feet of 3/8° Fuel Line	-	-	
	Battery Charger			_
	Booster Pack			
	Ratchet Straps	-		_
	15' Extension Cord	-		_
	Oil Filter Wrench			_
	Large Channel pliers		·	
	Fuel Filters	-	-	_
	Oil Filters		_	_
	Air Filters		· ·	
	Roll of Absorbent Material		-	_
	Power Bar	-		_
	Axe	-	-	
	Pry Bar	P-E	· ·	_
	Dewalt Corded Drill	-		_
	Sets of Mastercraft Drill Bits	_		_
				_
		-		
Generator	Shack Box 3 - Tools	-	Needed For Next Season	
24/14/444	Set of Hex Driver Bits		31-1-2-1 (1.1.1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
	Vise Grips		_	_
	Pliers	7	,	_
	Side Cutters		(W.	_
	Channel Pliers	-	-	
	Files (Wood, Metal, Round)	-	-	_
	Drivers Bits		-	_
	Diffity Knife	-		
	Caulking Gun	-	-	_
	"T-50" Stapler			
	Packs of "T-50" 1/4" Staples (5000 each)	-	-	_
	New Dewalt 7.1/4" Circular Saw Blade		·	
	Pair Tin Snips	-		
	Stanley 12° Steel Chisel	-	((
	Rolk of "Petro" Thread Tape		F	_
	6" Speed Square			
	Ratchet Set	-	-	
	ligsaw	_	-	
	Set Of Metric Wrenches			
	THE PARTY OF THE P	-		

