NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Ashton Bay Holdings Inc. Storm Project Application for amendment to water licence 2BE-STO2025

Richard Dwyer <richard.dwyer@nwb-oen.ca> Mon, Jun 15, 2026 at 1:18 PM
To: Thomas Ullrich <thomas.ullrich@astonbayholdings.com>, Tara Gunson <tgunson@apexgeoscience.com>
Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good afternoon,

Please find attached replacement water licence 2BE-STO2631.

Regards,

Richard

Richard Dwyer - ᕆᑦᓯᕐᑦ ᑐᐊᐃᔪᕐ - he\him\his
Manager of Licensing- Responsable des permis
ᐊᐅᓚᕐᑎᔨ ᓚᐃᓴᓕᕆᓂᖅᒧᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔩᖏ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑎᑎᕋᒃᑲᕝᕕᖓ 119
ᐅᖅᓱᖅᑑᖅ, ᓄᓇᕗᑦ X0B 1J0

Titigaqaqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓯᕗᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᙱᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]

260615 2BE-STO2631 Replacement Licence OASE.pdf
553K