
NW BZTAH





May 22, 2002

Phyllis Beaulieu Acting Licensing Administrator Nunavut Water Board P.O. Box 119 Gjoa Haven, NU X0B 1J0



Dear Phyllis:

As you know Major General Resources Ltd. is in the process of initializing our mobilization of camp and drill gear to the Tahoe Lake area of Victoria Island, Nunavut.

However, further interpretation of airborne geophysical data suggests that a number of favourable magnetic anomalies (outlined as dots on the accompanying map) exist to the north and northeast of the area outlined in our current Water Licence NWB2TAH0103.

Most of these newly discovered target areas have been or will be staked by Major General in the very near future. It is our intention to then carry out preliminary airborne geophysics on these newly acquired claims followed by grid establishment, ground magnetometer surveying, till sampling and prospecting; all of which do not require a Water Licence.

A large majority of these newly acquired targets will be accessed from our current winter/early summer camp location, however, many of the targets are situated in the vicinity and well to the north of the Tuktu River. As such it would be safer and more cost effective for Major General and its contractors to establish a secondary campsite at the previously permitted (Monopros) Tuktu camp located at 70° 46′ 06″ N, 109° 10′ 18″ W. (Presently it is our belief that this site is completely decommissioned and reclaimed as per personal communication with Willy Laserich, Chief Pilot of Adlair Aviation Ltd. in Cambridge Bay).

Once the preliminary exploration work has been conducted on these targets (50-60) I would envision that up to 20 of these would be drill tested over the next two years.

Of course without the detailed results of the preliminary work program it is impossible to say which targets will be drilled at the present time.

Page 2 Nunavut Water Board May 23, 2002

As this proposed program is a direct continuation of the work outlined in the application for our current Water Licence do you think that an amendment request to Licence # NWB2TAH0103 would be the most efficient and timely manner in which to proceed in gaining approval for this concept?

Of course all conditions annexed in our current Licence as well as the Fuel Spill Contingency Plan would remain in effect.

I will call you today to discuss this matter in more detail.

Yours very truly

MAJOR GENERAL RESOURCES LTD.

D. H. Tuel

D. Graham Gill, P. Geo

Project Manager

DGG:mm