



P.O. Box 119  
GJOA HAVEN, NU X0B 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ  
NUNAVUT WATER BOARD  
NUNAVUT IMALIRIYIN KATIMAYINGI  
OFFICE DES EAUX DU NUNAVUT

---

File: 2BE-THE0813/B2/H2/I2

April 17, 2009

John Dixon  
Titan Uranium Inc.  
Suite 100, 2100 Airport Drive  
Saskatoon, SK  
S7L 6M6

Email: [jdixon@titanuranium.com](mailto:jdixon@titanuranium.com)

**Subject: Submission of an Annual Report, Addendum to the approved Spill Contingency Plan and a revised Abandonment and Restoration Plan for the Thelon Basin Project; Licence 2BE-THE0813**

Dear Mr. Dixon;

The Nunavut Water Board ("NWB") would like to acknowledge the receipt of the above documents.

The technical review of the Addendum to the Spill Contingency Plan, Annual Report and revised Abandonment and Restoration Plan has been completed. The documents were found to meet the terms and conditions of Licence 2BE-THE0313.

Should you have any further questions, please feel free to contact me at (867) 360-6338, at your earliest convenience.

Yours truly,

*Original Signed By:*

Don Carr  
Technical Advisor