



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓚᓕᓂᓪ ᑲᑎᓚᓪᓴᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File: 2BE-THE0608/H1

October 15, 2007

Paul Nicholls
Field Supervisor
Titan Uranium Inc.
8 Albert Street
Stouffville, Ontario L4A 4H1

paul.nicholls2@sympatico.ca
chadw@titanuranium.com

**Subject: Titan Uranium Inc.; Submission of a Spill Contingency Plan for the Thelon Project;
Licence 2BE-THE0608**

Dear Mr. Nicholls;

The Spill Contingency Plan addendum received on March 13, 2007 was distributed upon receipt for review and comment to interested persons with a submission deadline of April 18, 2007. No immediate concerns were expressed by any parties.

The internal technical review is complete and the Plan was found to be acceptable. The Board has taken into consideration the information submitted and hereby accepts and approves the Spill Plan under **Motion 2007-28, dated October 9, 2007.**

As part of the annual report, please provide an addendum to this plan to confirm that the spill response coordinators contact is a 24 hour contact number.

Should you have any further questions, please feel free to contact me at (867) 360-6338, at your earliest convenience.

Yours truly,

Original signed by:

Don Carr, B.Sc..
Hearing Coordinator

Cc: Distribution list - Kivalliq