

EXPLORATION - WORK AND SAFETY PROGRAM SUBMISSION

Date: July-Augus

Please note as per Section 15.02.4 of the Mine Health and Safety Regulations
No work shall commence until the safety program is accepted by the chief inspector.

In Compliance with Mine Health and Safety Regulation Section		Details
Section #		
15.02.1	Before any exploration activity is commenced, the owner shall submit to the chief inspector an operational plan containing details of:---	
(a)	The OWNER - the Principal Exploration Company's name - the OWNER's address - the OWNER's contact person - contact phone number - NWT/Nunavut's WCB employer number J.V. Partner(s) - Exploration Company #2's name - Exploration Company #3's name - Exploration Company #4's Name - Exploration Company #5...n's name(s) Exploration Project's Official Title - Year of Exploration program - Region of Exploration program the location Nearest Community - RCMP officer in charge - office phone number - Administrator in charge of Nursing station - office phone number Main Camp's name - Latitude - North - Longitude - West - Map number(s) - Phone number - Fax number Main Camp's airstrip - Latitude - North - Longitude - West Crown land - from permit # - to permit # Native owned land - from permit # - to permit # the proposed method of exploration Exploring for - base metals/diamonds/gold/silver/uranium/other.... - is the work likely to encounter a gas pocket(s) - is the work likely to encounter ionizing radiation - will the work involve drilling from lake or river ice if the answer is yes, also submit as part of this application the proposed hazard control program that will be implemented Drilling program - number of holes and/or 'x' feet or meters of drilling Other mechanical disturbance Other exploration work Exploration Program Operator's Company name - if different then the OWNER - name of person in charge of program	Northrock Exploration P.O. Box 10322, 1588-609 Granvil Vancouver,BC, V7Y 1G5 Lorne Warner 604-603-6579 Turner Lake Project 2009 Kitikmeot Region, Nunavut Bathurst Inlet na Bathurst Inlet 66 50 21 108 02 05 076K 780-643-7250 66 50 12 108 00 45 KTL 308C008 gold no no no 1150m Lorne warner

EXPLORATION - WORK AND SAFETY PROGRAM SUBMISSION

Date: July-Augus**Please note as per Section 15.02.4 of the Mine Health and Safety Regulations****No work shall commence until the safety program is accepted by the chief inspector.**

In Compliance with Mine Health and Safety Regulation Section	Details
- person's telephone number - person's fax number	604-603-6579 604-689-7442
- name of field person in charge of program - Supervisor level - Cert # - Expires	Lorne Warner Level II 2007-1199 30-Aug-12
Drilling Company's Name - office location - contact - person's telephone number	Foraco Drilling Ltd. Kamloops, BC Jamie Hutton 250-374-3366
- name of field person in charge of drillers - Supervisor level - Cert # - Expires	Shane Wasylucha
Catering Company's Name - office location - contact - person's telephone number	Bathurst Inlet Lodge Yellowknife NWT Boyd Warner 867-920-4330
Expediting company's name - office location - contact - person's telephone number	Same as Above
Other field contractors... - office location - contact - person's telephone number	
the type of equipment to be used	
Drilling equipment Drill #1 - make & mode	Boyles 25A
Drill #2 - make & mode	
Drill #3 - make & mode	
Helicopter Company - office location - contact - person's telephone number - make & model helicopter #1 assigned to project - make & model helicopter #2 assigned to project - make & model helicopter #3 assigned to project - where will the project helicopter(s) be based	Matrix Helicopter Solutions Inc. 12840 16th Ave Suite 204, White f V4A 1N6 Don Venturi 604-538-4574 Bell Jet Ranger
and the numbers of persons to be employed; and	
Total number of persons to be employed on site	9
Program duration total in weeks - field work start date - field work end date	20-Jul-09 5-Aug-09

EXPLORATION - WORK AND SAFETY PROGRAM SUBMISSION

Date: July-Augus

Please note as per Section 15.02.4 of the Mine Health and Safety Regulations
No work shall commence until the safety program is accepted by the chief inspector.

In Compliance with Mine Health and Safety Regulation Section	Details
Accommodation - is there a fully equipped emergency shelter with communication at the camp Carrier providing air support for supply runs to/from camp - office location - contact - person's telephone number - trip frequency ie once a week on Fridays...	yes Air Tindi Yellowknife Terry or Peter 867-669-8210 2-3 trips/week
(b) a safety program concerning the health and safety of persons employed in the exploration activities that includes (i) particulars of work practices and employee protection, - will there be safety meetings and how frequently will they be conducted - what procedure must be followed by the drill crew if bad weather or mechanical problems prevents access to drill site (ii) procedures for first aid and prevention of hypothermia, - drill crew - field crew (iii) procedures for dealing with fire hazards, (iv) procedures for explosives handling and use, - are there explosives on site (v) procedures for handling equipment and materials when using aircraft, (vi) particulars of survival techniques and survival equipment, and (vii) procedures for diamond drilling, surface trenching and underground exploration.	as written by Foraco at start and once a week crew stationed at lodge, only helic first aid station 200m from drill working next to first aid station no
15.02.2 The owner shall ensure that all employees are trained in the elements of the safety program by a qualified person appointed by the owner and a record of the training shall be maintained at the exploration site and made available to an inspector on request. - name of qualified person appointed to do the training	
15.02.3 Where a Committee is in place, the Committee shall review the safety program and make recommendations to the person in charge of the exploration site	
15.02.4 No work shall commence until the safety program is accepted by the chief inspector.	
15.03.1 Before an isolated camp is set up, the owner of the camp shall establish means by which emergency assistance and transportation can be obtained at all times. Carrier contracted to perform emergency medical evacuation - office location - contact - person's telephone number is/are the helicopter(s) on site equipped for a medical evacuation using a stretcher how would a broken neck/back type medical evacuations from the field be handled	Staton Hospital Yellowknife 867-669-4115 yes yes with basket
15.03.2 The owner shall ensure that means of communication with all worksites operated from an isolated camp are available at all times.	

EXPLORATION - WORK AND SAFETY PROGRAM SUBMISSION

Date: July-Augus

**Please note as per Section 15.02.4 of the Mine Health and Safety Regulations
No work shall commence until the safety program is accepted by the chief inspector.**

In Compliance with Mine Health and Safety Regulation Section		Details
	Communications - camp site to outside world - camp to worksite(s) - worksite(s) to camp - field crew to camp - helicopter - other	2 sat phones sat phone hand held radios hand held radios
15.04	At exploration drill sites, the manager shall ensure that each member of the drill crew has a valid first aid certificate acceptable to the chief inspector	
15.05.1	The person in charge of an exploration site shall ensure that all persons employed at the site are instructed in any potential hazards in the area and are trained in procedures to safeguard themselves against those hazards	
15.05.2	The instruction and training referred to in subsection (1) shall include	
(a)	instruction on	
	(i) protection from attack by animals, (ii) the wearing of appropriate clothing, (iii) the use of protective equipment, and (iv) the need for navigational or directional equipment to avoid becoming lost; and	
(b)	training in	
	(i) the use of the equipment referred to in subparagraphs (a)(iii) and (iv), (ii) the handling of boats, where necessary, and (iii) use of communications equipment in an emergency.	
8.38	To provide for the proper treatment and transportation of persons who may be injured at work, the owner shall supply and make readily accessible to employees, as a minimum, the first aid equipment, supplies, facilities and services specified by this Division	
	briefly explain what will be done as a First Aid facility on site	A tent 14x16 located close to drill v
8.39	First aid equipment, supplies and facilities shall be kept clean, dry and ready for use.	first aid equipment as required with water and emergency food.
8.40	First aid equipment shall meet the requirements of Schedules 1, 2 and 3 unless these regulations specify otherwise or unless the chief inspector orders otherwise.	
8.41	Each employee shall be made aware of the location of first aid for his or her worksite and how to call for first aid	
8.42	Signs clearly indicating the location of, and how to call for, first aid shall be posted conspicuously throughout the mine.	
8.43	The manager shall ensure that a first aid facility is in the charge of a person who	
(a)	holds a valid St. John Ambulance Advanced First Aid, Level I qualification, or an equivalent or greater qualification;	
	note - more then 20 minute from a hospital clause 8.48 applies; it requires St. John Ambulance Advanced First Aid, Level II qualification - (the 80 hour course)	done
(b)	shall only perform duties which allow the prompt response to a request for first aid and the rendering of first aid in a clean and sanitary condition; and	
(c)	is suitably trained to administer first aid in any area of a mine or exploration site.	
8.44	There shall be an effective means of communication between the person in charge of the first aid facility and all worksites to be served.	
	how will the first aid person be summoned in an emergency	sat phone, hand held or visually as then 200 metres from drill.
8.45	There shall be effective means of communication for the person in charge of the first aid	

EXPLORATION - WORK AND SAFETY PROGRAM SUBMISSION

Date: July-Augus

**Please note as per Section 15.02.4 of the Mine Health and Safety Regulations
No work shall commence until the safety program is accepted by the chief inspector.**

In Compliance with Mine Health and Safety Regulation Section		Details	
	facility to summon additional assistance		
8.46	The first aid facility shall be adequately illuminated, heated and ventilated.		
8.47.1	First aid equipment and supplies shall be provided and maintained at the following places		
(d)	a worksite where diamond drilling equipment is used;		
	- what first aid equipment supplies will be provided at the drill site	all equipment is located within 200	
(g)	other places where required by an inspector.		
	- what first aid equipment supplies will be provided to the field crew	personal first aid kits	
8.47.2	The equipment and supplies required by subsection (1) shall meet the requirements of Schedule 1, and shall be checked weekly and maintained or replenished as necessary.		
8.48	Where the time for the surface transportation of a person from a mine to the nearest hospital exceeds 20 minutes, the owner shall		
(a)	provide a first aid facility that is provided with first aid equipment and supplies that meet the requirements of Schedule 2, and		
(b)	notwithstanding paragraph 8.43(a), ensure that the first aid facility is in the charge of a person who holds a valid St. John Ambulance Advanced First Aid, Level 2 certificate or an equivalent or greater qualification or certificate		
	name and qualification of first aid person	Mitchell Warner	level 2
	name and qualification of back-up person	Glen Jealous	level 2
8.49	Where the time for stabilization treatment of an injured person may be longer than two hours, unless circumstances of the injury dictate otherwise, suitable arrangements shall be made to ensure the comfort and treatment of the injured patient		
	- what supplies of oxygen etc will be provided on site to support injured person during a normal bad weather period where a medical evacuation cannot get in or out	3- 50 pound bottles, 3-10 pound b	
	- is a defibrillator part of the first aid supplies	no	

Please note as per Section 15.02.4 of the Mine Health and Safety Regulation
No work shall commence until the safety program is accepted by the chief

In Compliance with Mine Health and Safety Regulation Section	
Section #	
15.02.1	Before any exploration activity is commenced, the owner shall submit to the chief inspector
(a)	an operational plan containing details of:---
	The OWNER - the Principal Exploration Company's name - the OWNER's address - the OWNER's contact person - contact phone number - NWT/Nunavut's WCB employer number J.V. Partner(s) - Exploration Company #2's name - Exploration Company #3's name - Exploration Company #4's Name - Exploration Company #5...n's name(s) Exploration Project's Official Title - Year of Exploration program - Region of Exploration program the location Nearest Community - RCMP officer in charge - office phone number - Administrator in charge of Nursing station - office phone number Main Camp's name - Latitude - North - Longitude - West - Map number(s) - Phone number - Fax number Main Camp's airstrip - Latitude - North - Longitude - West Crown land - from permit # - to permit # Native owned land - from permit # - to permit # the proposed method of exploration Exploring for - base metals/diamonds/gold/silver/uranium/other.... - is the work likely to encounter a gas pocket(s) - is the work likely to encounter ionizing radiation - will the work involve drilling from lake or river ice if the answer is yes, also submit as part of this application the proposed hazard control program that will be implemented Drilling program - number of holes and/or 'x' feet or meters of drilling Other mechanical disturbance Other exploration work Exploration Program Operator's Company name - if different then the OWNER - name of person in charge of program

Please note as per Section 15.02.4 of the Mine Health and Safety Regulation
No work shall commence until the safety program is accepted by the chief

In Compliance with Mine Health and Safety Regulation Section	
- person's telephone number - person's fax number - name of field person in charge of program Supervisor level Cert # Expires Drilling Company's Name - office location - contact - person's telephone number - name of field person in charge of drillers Supervisor level Cert # Expires Catering Company's Name - office location - contact - person's telephone number Expediting company's name - office location - contact - person's telephone number Other field contractors... - office location - contact - person's telephone number the type of equipment to be used Drilling equipment Drill #1 - make & mode Drill #2 - make & mode Drill #3 - make & mode Helicopter Company - office location - contact - person's telephone number - make & model helicopter #1 assigned to project - make & model helicopter #2 assigned to project - make & model helicopter #3 assigned to project where will the project helicopter(s) be based and the numbers of persons to be employed; and Total number of persons to be employed on site Program duration total in weeks - field work start date - field work end date	Rock BC

Please note as per Section 15.02.4 of the Mine Health and Safety Regulation
No work shall commence until the safety program is accepted by the chief

In Compliance with Mine Health and Safety Regulation Section		
	Accommodation - is there a fully equipped emergency shelter with communication at the camp Carrier providing air support for supply runs to/from camp - office location - contact - person's telephone number - trip frequency ie once a week on Fridays...	
(b)	a safety program concerning the health and safety of persons employed in the exploration activities that includes (i) particulars of work practices and employee protection, - will there be safety meetings and how frequently will they be conducted - what procedure must be followed by the drill crew if bad weather or mechanical problems prevents access to drill site (ii) procedures for first aid and prevention of hypothermia, - drill crew - field crew (iii) procedures for dealing with fire hazards, (iv) procedures for explosives handling and use, - are there explosives on site (v) procedures for handling equipment and materials when using aircraft, (vi) particulars of survival techniques and survival equipment, and (vii) procedures for diamond drilling, surface trenching and underground exploration.	opter moves
15.02.2	The owner shall ensure that all employees are trained in the elements of the safety program by a qualified person appointed by the owner and a record of the training shall be maintained at the exploration site and made available to an inspector on request. - name of qualified person appointed to do the training	
15.02.3	Where a Committee is in place, the Committee shall review the safety program and make recommendations to the person in charge of the exploration site	
15.02.4	No work shall commence until the safety program is accepted by the chief inspector.	
15.03.1	Before an isolated camp is set up, the owner of the camp shall establish means by which emergency assistance and transportation can be obtained at all times. Carrier contracted to perform emergency medical evacuation - office location - contact - person's telephone number is/are the helicopter(s) on site equipped for a medical evacuation using a stretcher how would a broken neck/back type medical evacuations from the field be handled	
15.03.2	The owner shall ensure that means of communication with all worksites operated from an isolated camp are available at all times.	

Please note as per Section 15.02.4 of the Mine Health and Safety Regulation
No work shall commence until the safety program is accepted by the chief

In Compliance with Mine Health and Safety Regulation Section		
	Communications - camp site to outside world - camp to worksite(s) - worksite(s) to camp - field crew to camp - helicopter - other	
15.04	At exploration drill sites, the manager shall ensure that each member of the drill crew has a valid first aid certificate acceptable to the chief inspector	
15.05.1	The person in charge of an exploration site shall ensure that all persons employed at the site are instructed in any potential hazards in the area and are trained in procedures to safeguard themselves against those hazards	
15.05.2	The instruction and training referred to in subsection (1) shall include	
(a)	instruction on	
	(i) protection from attack by animals, (ii) the wearing of appropriate clothing, (iii) the use of protective equipment, and (iv) the need for navigational or directional equipment to avoid becoming lost; and	
(b)	training in	
	(i) the use of the equipment referred to in subparagraphs (a)(iii) and (iv), (ii) the handling of boats, where necessary, and (iii) use of communications equipment in an emergency.	
8.38	To provide for the proper treatment and transportation of persons who may be injured at work, the owner shall supply and make readily accessible to employees, as a minimum, the first aid equipment, supplies, facilities and services specified by this Division	
	briefly explain what will be done as a First Aid facility on site	with all n heat and
8.39	First aid equipment, supplies and facilities shall be kept clean, dry and ready for use.	
8.40	First aid equipment shall meet the requirements of Schedules 1, 2 and 3 unless these regulations specify otherwise or unless the chief inspector orders otherwise.	
8.41	Each employee shall be made aware of the location of first aid for his or her worksite and how to call for first aid	
8.42	Signs clearly indicating the location of, and how to call for, first aid shall be posted conspicuously throughout the mine.	
8.43	The manager shall ensure that a first aid facility is in the charge of a person who	
(a)	holds a valid St. John Ambulance Advanced First Aid, Level I qualification, or an equivalent or greater qualification;	
	note - more than 20 minute from a hospital clause 8.48 applies; it requires St. John Ambulance Advanced First Aid, Level II qualification - (the 80 hour course)	
(b)	shall only perform duties which allow the prompt response to a request for first aid and the rendering of first aid in a clean and sanitary condition; and	
(c)	is suitably trained to administer first aid in any area of a mine or exploration site.	
8.44	There shall be an effective means of communication between the person in charge of the first aid facility and all worksites to be served.	
	how will the first aid person be summoned in an emergency	s tent is less
8.45	There shall be effective means of communication for the person in charge of the first aid	

Please note as per Section 15.02.4 of the Mine Health and Safety Regulation
No work shall commence until the safety program is accepted by the chief

In Compliance with Mine Health and Safety Regulation Section		
	facility to summon additional assistance	m of drill
8.46	The first aid facility shall be adequately illuminated, heated and ventilated.	
8.47.1	First aid equipment and supplies shall be provided and maintained at the following places	
(d)	a worksite where diamond drilling equipment is used;	
	- what first aid equipment supplies will be provided at the drill site	
(g)	other places where required by an inspector.	
	- what first aid equipment supplies will be provided to the field crew	
8.47.2	The equipment and supplies required by subsection (1) shall meet the requirements of Schedule 1, and shall be checked weekly and maintained or replenished as necessary.	
8.48	Where the time for the surface transportation of a person from a mine to the nearest hospital exceeds 20 minutes, the owner shall	
(a)	provide a first aid facility that is provided with first aid equipment and supplies that meet the requirements of Schedule 2, and	
(b)	notwithstanding paragraph 8.43(a), ensure that the first aid facility is in the charge of a person who holds a valid St. John Ambulance Advanced First Aid, Level 2 certificate or an equivalent or greater qualification or certificate	bottles
	name and qualification of first aid person name and qualification of back-up person	
8.49	Where the time for stabilization treatment of an injured person may be longer than two hours, unless circumstances of the injury dictate otherwise, suitable arrangements shall be made to ensure the comfort and treatment of the injured patient	
	- what supplies of oxygen etc will be provided on site to support injured person during a normal bad weather period where a medical evacuation cannot get in or out - is a defibrillator part of the first aid supplies	