

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

## 140704 2BE-TRN0813 Assignment - Request Deficiencies-OMLE

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fri, Jul 4, 2014 at 1:21 PM

To: Karl Kottmeier -karl@pemgroup.ca>, Karen Kharatyan -karen kharatyan@nwb-oen.ca>, Robin Ikkutisluk -robin ikkutisluk@nwb-oen.ca>

The attached was forwarded to you on June 24, 2013 and to date the information has not been received. In order to continue processing the request for assignment our office needs the requested documents. Please provide as soon as possible. Regards.



## 

Manager of Licensing- Responsable des Permis 

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ຼຼວວ່ຽ ΔLሮሲትና b∩Lትዣ - NUNAVUT IMALIRIYIN KATIMAYINGI www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0 C.P. 119 Gjoa Haven (Nunavut), X0B 1J0

በበናዔሌህ 119 ك(ك X0B 1J0 كوم, مورهام) × X0B 1J0 Titigaqaqvia 119 Ughuqtuuq, NU, X0B 1J0

Tel / Téléphone / イペトレC / Hivayauta: (867) 360-6338 | Fax / Télécopieur / んしょしょ / Fax-kut: (867) 360-6369 Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Amerci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

130624 2BE-TRN0813 Technical Follow Up Request-OLAE.pdf 317K