



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2BE-TTM----

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, Jun 20, 2022 at 10:40 AM

To: info@bathurstmetalscorp.com, Greg Bronson <grbronson@gmail.com>

Cc: Nirali Gosai <nirali.gosai@nwb-oen.ca>

Good morning,

The Nunavut Water Board requests response to the attached comments by June 27, 2022.

Regards,

Richard



Richard Dwyer - ㄹㄱㄱㄱ ㄷㄹㄹㄱ - he\him\his

Manager of Licensing- Responsable des permis

ᐃᐅᑕᓴᓂ ᑕᐃᓴᑦᐱᓂ[®]Jᑕ Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᑦ ᐃᒪᓕᓂᐱᑦ ᑲᑎᒪᔭᖅ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

၂၂၂၂၂၂၂၂ ၂၂၂

▷¹▷²▷³▷⁴▷⁵▷⁶▷⁷▷⁸▷⁹▷¹⁰▷¹¹▷¹²▷¹³▷¹⁴▷¹⁵▷¹⁶▷¹⁷▷¹⁸▷¹⁹▷²⁰▷²¹▷²²▷²³▷²⁴▷²⁵▷²⁶▷²⁷▷²⁸▷²⁹▷³⁰▷³¹▷³²▷³³▷³⁴▷³⁵▷³⁶▷³⁷▷³⁸▷³⁹▷⁴⁰▷⁴¹▷⁴²▷⁴³▷⁴⁴▷⁴⁵▷⁴⁶▷⁴⁷▷⁴⁸▷⁴⁹▷⁵⁰▷⁵¹▷⁵²▷⁵³▷⁵⁴▷⁵⁵▷⁵⁶▷⁵⁷▷⁵⁸▷⁵⁹▷⁶⁰▷⁶¹▷⁶²▷⁶³▷⁶⁴▷⁶⁵▷⁶⁶▷⁶⁷▷⁶⁸▷⁶⁹▷⁷⁰▷⁷¹▷⁷²▷⁷³▷⁷⁴▷⁷⁵▷⁷⁶▷⁷⁷▷⁷⁸▷⁷⁹▷⁸⁰▷⁸¹▷⁸²▷⁸³▷⁸⁴▷⁸⁵▷⁸⁶▷⁸⁷▷⁸⁸▷⁸⁹▷⁹⁰▷⁹¹▷⁹²▷⁹³▷⁹⁴▷⁹⁵▷⁹⁶▷⁹⁷▷⁹⁸▷⁹⁹▷¹⁰⁰▷¹⁰¹▷¹⁰²▷¹⁰³▷¹⁰⁴▷¹⁰⁵▷¹⁰⁶▷¹⁰⁷▷¹⁰⁸▷¹⁰⁹▷¹¹⁰▷¹¹¹▷¹¹²▷¹¹³▷¹¹⁴▷¹¹⁵▷¹¹⁶▷¹¹⁷▷¹¹⁸▷¹¹⁹▷¹²⁰▷¹²¹▷¹²²▷¹²³▷¹²⁴▷¹²⁵▷¹²⁶▷¹²⁷▷¹²⁸▷¹²⁹▷¹³⁰▷¹³¹▷¹³²▷¹³³▷¹³⁴▷¹³⁵▷¹³⁶▷¹³⁷▷¹³⁸▷¹³⁹▷¹⁴⁰▷¹⁴¹▷¹⁴²▷¹⁴³▷¹⁴⁴▷¹⁴⁵▷¹⁴⁶▷¹⁴⁷▷¹⁴⁸▷¹⁴⁹▷¹⁵⁰▷¹⁵¹▷¹⁵²▷¹⁵³▷¹⁵⁴▷¹⁵⁵▷¹⁵⁶▷¹⁵⁷▷¹⁵⁸▷¹⁵⁹▷¹⁶⁰▷¹⁶¹▷¹⁶²▷¹⁶³▷¹⁶⁴▷¹⁶⁵▷¹⁶⁶▷¹⁶⁷▷¹⁶⁸▷¹⁶⁹▷¹⁷⁰▷¹⁷¹▷¹⁷²▷¹⁷³▷¹⁷⁴▷¹⁷⁵▷¹⁷⁶▷¹⁷⁷▷¹⁷⁸▷¹⁷⁹▷¹⁸⁰▷¹⁸¹▷¹⁸²▷¹⁸³▷¹⁸⁴▷¹⁸⁵▷¹⁸⁶▷¹⁸⁷▷¹⁸⁸▷¹⁸⁹▷¹⁹⁰▷¹⁹¹▷¹⁹²▷¹⁹³▷¹⁹⁴▷¹⁹⁵▷¹⁹⁶▷¹⁹⁷▷¹⁹⁸▷¹⁹⁹▷²⁰⁰▷²⁰¹▷²⁰²▷²⁰³▷²⁰⁴▷²⁰⁵▷²⁰⁶▷²⁰⁷▷²⁰⁸▷²⁰⁹▷²¹⁰▷²¹¹▷²¹²▷²¹³▷²¹⁴▷²¹⁵▷²¹⁶▷²¹⁷▷²¹⁸▷²¹⁹▷²²⁰▷²²¹▷²²²▷²²³▷²²⁴▷²²⁵▷²²⁶▷²²⁷▷²²⁸▷²²⁹▷²³⁰▷²³¹▷²³²▷²³³▷²³⁴▷²³⁵▷²³⁶▷²³⁷▷²³⁸▷²³⁹▷²⁴⁰▷²⁴¹▷²⁴²▷²⁴³▷²⁴⁴▷²⁴⁵▷²⁴⁶▷²⁴⁷▷²⁴⁸▷²⁴⁹▷²⁵⁰▷²⁵¹▷²⁵²▷²⁵³▷²⁵⁴▷²⁵⁵▷²⁵⁶▷²⁵⁷▷²⁵⁸▷²⁵⁹▷²⁶⁰▷²⁶¹▷²⁶²▷²⁶³▷²⁶⁴▷²⁶⁵▷²⁶⁶▷²⁶⁷▷²⁶⁸▷²⁶⁹▷²⁷⁰▷²⁷¹▷²⁷²▷²⁷³▷²⁷⁴▷²⁷⁵▷²⁷⁶▷²⁷⁷▷²⁷⁸▷²⁷⁹▷²⁸⁰▷²⁸¹▷²⁸²▷²⁸³▷²⁸⁴▷²⁸⁵▷²⁸⁶▷²⁸⁷▷²⁸⁸▷²⁸⁹▷²⁹⁰▷²⁹¹▷²⁹²▷²⁹³▷²⁹⁴▷²⁹⁵▷²⁹⁶▷²⁹⁷▷²⁹⁸▷²⁹⁹▷³⁰⁰▷³⁰¹▷³⁰²▷³⁰³▷³⁰⁴▷³⁰⁵▷³⁰⁶▷³⁰⁷▷³⁰⁸▷³⁰⁹▷³¹⁰▷³¹¹▷³¹²▷³¹³▷³¹⁴▷³¹⁵▷³¹⁶▷³¹⁷▷³¹⁸▷³¹⁹▷³²⁰▷³²¹▷³²²▷³²³▷³²⁴▷³²⁵▷³²⁶▷³²⁷▷³²⁸▷³²⁹▷³³⁰▷³³¹▷³³²▷³³³▷³³⁴▷³³⁵▷³³⁶▷³³⁷▷³³⁸▷³³⁹▷³⁴⁰▷³⁴¹▷³⁴²▷³⁴³▷³⁴⁴▷³⁴⁵▷³⁴⁶▷³⁴⁷▷³⁴⁸▷³⁴⁹▷³⁵⁰▷³⁵¹▷³⁵²▷³⁵³▷³⁵⁴▷³⁵⁵▷³⁵⁶▷³⁵⁷▷³⁵⁸▷³⁵⁹▷³⁶⁰▷³⁶¹▷³⁶²▷³⁶³▷³⁶⁴▷³⁶⁵▷³⁶⁶▷³⁶⁷▷³⁶⁸▷³⁶⁹▷³⁷⁰▷³⁷¹▷³⁷²▷³⁷³▷³⁷⁴▷³⁷⁵▷³⁷⁶▷³⁷⁷▷³⁷⁸▷³⁷⁹▷³⁸⁰▷³⁸¹▷³⁸²▷³⁸³▷³⁸⁴▷³⁸⁵▷³⁸⁶▷³⁸⁷▷³⁸⁸▷³⁸⁹▷³⁹⁰▷³⁹¹▷³⁹²▷³⁹³▷³⁹⁴▷³⁹⁵▷³⁹⁶▷³⁹⁷▷³⁹⁸▷³⁹⁹▷⁴⁰⁰▷⁴⁰¹▷⁴⁰²▷⁴⁰³▷⁴⁰⁴▷⁴⁰⁵▷⁴⁰⁶▷⁴⁰⁷▷⁴⁰⁸▷⁴⁰⁹▷⁴¹⁰▷⁴¹¹▷⁴¹²▷⁴¹³▷⁴¹⁴▷⁴¹⁵▷⁴¹⁶▷⁴¹⁷▷⁴¹⁸▷⁴¹⁹▷⁴²⁰▷<

Titigacaqvia 119

Ughmctmct, NU, X0B 110

Tel / Téléphone / ལྷན་སྐྱོད་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ལྷན་སྐྱོད་ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᑭᑦᑐᑦ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



220606 2BE-TTM---- New Water Licence Application CIRNAC Review Comments-IMLE.pdf

715K