



Suite 507-700 W. Pender Street,
Vancouver, BC V6C 1G8
CANADA
Tel: +1.778.379.1433

August 1, 2025

Richard Dwyer
Manager of Licencing
Nunavut Water Board
PO Box 119
Gjoa Haven, NU
X0B 1J0

Dear Mr. Dwyer,

Re. 2BM-ULU2030 Part J Item 14 – Monthly Monitoring Program, JULY

Further to Part J Item 14 of 2BM-ULU2030, Blue Star Gold Corp. (Blue Star) is pleased to provide the following in fulfillment of monthly monitoring requirements during periods of site activity. Activities ongoing at Ulu Camp throughout July included camp operations, compliance monitoring, waste management, and exploration. Results for monitoring stations listed in Table 1 are provided in Table 3.

Table 1. Applicable monitoring stations, **JULY 2025** (active site)

Station ID	Station Description	Comment
ULU-1	Water Intake at West Lake	See Table 2
ULU-2	Sewage effluent discharge point	Inactive, facility decommissioned
ULU-3	Sewage effluent discharge point	Inactive, facility decommissioned
ULU-4	Mine water pumped from underground Mine Sump	No underground operations. Not discharging
ULU-4b	Portal Surface Retention Pond	Not discharging
ULU-5	Settling/Neutralization Pond	Pond not constructed
ULU-6	Settling/Neutralization Pond	Pond not constructed
ULU-7	Runoff from Waste Rock Pile	Not flowing
ULU-8	Runoff from Ore Pad	See Table 3
ULU-9	Outflow from East Lake	Not flowing
ULU-10	Ulu Lake Inflow from East Lake	Inactive, facility decommissioned
ULU-11	Ulu Lake Outflow	See Table 3
ULU-12	Domestic water intake for new camp	New camp not constructed
ULU-13	Soil treatment facility water holding pond	Pond not constructed
ULU-14	Airstrip Bulk Fuel Storage Facility	Not yet constructed for the season
ULU-15	Landfill Facility	Not flowing
MW-1, -2, -3	Monitoring well at soil treatment facility	Facility not constructed; wells not installed

Table 2. ULU-1 Daily water use volume, **JULY 2025**; domestic water sourced from West Lake (ULU-1).

Date	Volume (m ³)			
	Domestic	Drilling	Core cutting*	Total
1	9.28	-	-	9.28
2	6.28	-	-	6.28
3	7.02	-	-	7.02
4	2.9	-	-	2.9
5	4.4	-	-	4.4
6	3.31	-	-	3.31
7	3.28	-	-	3.28
8	3.39	-	-	3.39
9	2.91	-	-	2.91
10	3.3	-	-	3.3
11	2.62	-	-	2.62
12	3.22	-	-	3.22
13	3.95	-	-	3.95
14	3.23	-	-	3.23
15	2.54	-	-	2.54
16	6.58	-	-	6.58
17	4.28	-	-	4.28
18	3.83	-	-	3.83
19	3.42	-	-	3.42
20	3.7	-	-	3.7
21	3.18	-	-	3.18
22	3.95	-	-	3.95
23	4.85	-	-	4.85
24	3.75	-	-	3.75
25	2.64	-	-	2.64
26	3.35	-	-	3.35
27	3.74	-	-	3.74
28	2.95	-	-	2.95
29	3.70	-	-	3.70
30	4.96	-	-	4.96
31	3.35	-	-	3.35
Total				123.86
*core cutting water is included in the domestic extraction				

Table 3. Results for Compliance Stations, **JULY 2025**. No results been received for the sampling completed in July as of the date of this report; they will be included in the next reporting period.

	Units	Detection Limits	ULU-08	ULU-9	ULU-11
Date					
pH	Field				
	Lab				
Conductivity	uS/cm	2.0			
Total Suspended Solids	mg/L	1.0			
Total Dissolved Solids		10			
Alkalinity (PP as CaCO3)	mg/L	1.0			
Alkalinity (Total as CaCO3)	mg/L	1.0			
Chloride (Cl)	mg/L	1.0			
Sulphate (SO4)	mg/L	1.0			
Fecal Coliforms	CFU/100 mL	1			
Total Ammonia (N)	mg/L	0.015			
Dissolved Nitrite (N)	mg/L	0.01			
Dissolved Nitrate (N)	mg/L	0.01			
Turbidity	NTU	0.1			
Total Mercury (Hg)	ug/L	0.0019			
Total Arsenic (As)	ug/L	0.020			
Total Cadmium (Cd)	ug/L	0.0050			
Total Calcium (Ca)	ug/L	0.050			
Total Copper (Cu)	ug/L	0.050			
Total Lead (Pb)	ug/L	0.0050			
Total Nickel (Ni)	ug/L	0.020			
Total Sodium (Na)	ug/L	0.050			
Total Zinc (Zn)	ug/L	0.10			
F1 (C6-C10) BTEX	ug/L	100			
F2 (C10-C16 Hydrocarbons)	ug/L	0.10			
F3 (C16-C34 Hydrocarbons)	ug/L	0.10			
F4 (C35-C50 Hydrocarbons)	ug/L	0.20			

If you have any questions or concerns about this report, please don't hesitate to reach out.

Kindest regards,

Annabelle Perry

Environmental Technician

Blue Star Gold Corp.

enviro@bluestargold.ca

778-379-1433

cc. T. Bolt, Kitikmeot Inuit Association
J. Bolt, Crown-Indigenous Relations and Northern Affairs Canada
D. Lindsay, Blue Star Gold Corp