NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2WLC-YAV2627 – Approval for the Use of Waters and Deposit of Waste Without a Licence

Richard Dwyer <richard.dwyer@nwb-oen.ca> Fri, Jun 19, 2026 at 1:00 PM
To: ajedemann@honeybadgersilver.com, Tara Gunson <tgunson@apexgeoscience.com>
Bcc: Distro Kitikmeot <distro-kitikmeot@nwb-oen.ca>

Good afternoon,

Please find attached the 2WLC-YAV2627 – Approval for the Use of Waters and Deposit of Waste Without a Licence.

Regards,

Richard

Richard Dwyer - ᕆᑦᓱᕐᑦ ᑐᐊᐃᔦᕐ - he\him\his
Manager of Licensing- Responsable des permis
ᐊᐅᓚᔪᖅ ᓚᐃᓴᓕᕆᓂᕐᒧᑦ- Maniyauyuq Laisaligiriiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᕆᔩᑦ ᑲᑎᒪᔩᖏ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑎᑎᖃᒃᑲᕕᖓ 119
ᐅᖅᓱᖅᑑᖅ, ᓄᓇᕗᑦ X0B 1J0

Titigaqaqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓯᕗᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᓐᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

260619 2WLC-YAV2627 Approval OAKE.pdf
346K