

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

140714 2WLE-FER1314 Conditions for Approval-OMLE

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Mon, Jul 14, 2014 at 4:51 PM

In accordance with Schedule 1, Record Keeping, Item 6.c.. of the above there was a requirement to submit to the Board a report containing a summary description and supporting photographs of the restoration of the site of the undertaking within thirty (30) days after the earliest of (I) the day on which the Nunavut Water Board has no record of receiving this summary report. Please provide. Regards,



Phyllis Beaulieu- & c ゝ こう

Manager of Licensing- Responsable des Permis

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ຼຼວວ່ຽ ΔL ፫ ሲትና b∩Lት Ƴ - NUNAVUT IMALIRIYIN KATIMAYINGI www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0 C.P. 119 Gjoa Haven (Nunavut), X0B 1J0 በበናዔዔሌ 119 X0B 1J0 دوم, •(دوام) ا

Titigaqaqvia 119 Ughuqtuuq, NU, X0B 1J0

Tel / Téléphone / イペトンC / Hivayauta: (867) 360-6338 | Fax / Télécopieur / として / Fax-kut: (867) 360-6369 Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Amerci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email