

Richard Dwyer

From: Loder, Allison [ALoder@GOV.NU.CA]
Sent: Tuesday, June 22, 2010 1:27 PM
To: licensingadmin@nunavutwaterboard.org
Cc: dts@nunavutwaterboard.org
Subject: 3AM-ARV - Arviat Public Hearing
Attachments: DOE Non-Attendance at PH.pdf; 3AM-ARV New 'A' Application DOE Response (022410).pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Good afternoon Richard/David,

Attached is a formal notice that the DOE will be unable to attend the public hearing for the Hamlet of Arviat's Type A Water License. Also attached is a copy of our recommendations and comments from the technical review of this application.

Please do not hesitate to contact me if you have any questions or comments.

Sincerely,

ᐱᓄᓇ ᐱᓄᓇ

Allison Loder

ᐱᓄᓇ ᐱᓄᓇ ᐱᓄᓇ ᐱᓄᓇ
Environmental Analyst

ᐱᓄᓇ ᐱᓄᓇ ᐱᓄᓇ
Department of Environment

ᐱᓄᓇ ᐱᓄᓇ ᐱᓄᓇ
Government of Nunavut

PH: (867) 975 - 7733
FX: (867) 975 - 7739
aloder@gov.nu.ca

<<DOE Non-Attendance at PH.pdf>> <<3AM-ARV New 'A' Application DOE Response (022410).pdf>>