



Department of Community and Government Services
Nunalingni Kavamatkunnilu Pivikhaqautikkut
Ministère des Services Communautaires et gouvernementaux

October 3rd, 2020

Re: **Licence No: 3AM-ARV1016, Type “A”; Hamlet of Arviat; 2019 Annual Report Review**

Dear Assol Kubeisinova,

Thank you for your review of the 2019 Annual Report for 3AM-ARV1016. Please see the below table with response and action items to be undertaken by the Hamlet and CGS. All documents relating to the new water treatment plant have been included with the submission. As-built drawings have not been received from the Contractor, but they will also be shared once received.

No .	Intervener Recommendation / Concern	Deadline to Respond by and Provide Outstanding Information	Response by CGS
Crown-Indigenous Relations and Northern Affairs (CIRNA)			
1	Water Licence No: 3AM-ARV1016 expired in 2016. The Licensee to make all necessary efforts to renew it as early as possible.	The Board notes that GN-CGS informed the NWB of its plans to submit an application to renew and amend the Licence in the fall of 2020.	N/A
2	Based on information provided in Appendix E, there were four sets of monitoring data. It seems that monitoring data for September 20, 2019 were not included in Appendix A. In addition, the result of fecal coliforms on July 7, 2019 was >24,200 (104 CFU/100 mL) in Appendix A, but at 24,200 (104 CFU/100 mL) in Appendix E. Clarify the discrepancies in Appendix E.	October 5, 2020	Appendix A corrected in re-submission. In appendix E the table is used to calculate averages, minimums, and maximums. Therefore, the greater than signs cannot be used. If in the future averages/min/max are not required, we can make the adjustment in the Appendix E data to show symbols.
3	Include a map of the location of the monitoring stations.	Subsequent annual reports	Noted
Environment and Climate Change Canada (ECCC)			

P.O. Box 490 Government of Nunavut, Rankin Inlet, NU. X0C 0G0

 (867) 645-8119  (867) 645-8141



Department of Community and Government Services
Nunalingni Kavamatkunnilu Pivikhaqautikkut
Ministère des Services Communautaires et gouvernementaux

P.O. Box 490 Government of Nunavut, Rankin Inlet, NU. X0C 0G0

 (867) 645-8119  (867) 645-8141



Department of Community and Government Services
Nunalingni Kavamatkunnilu Pivikhaqautikkut
Ministère des Services Communautaires et gouvernementaux

P.O. Box 490 Government of Nunavut, Rankin Inlet, NU. X0C 0G0

 (867) 645-8119 (867) 645-8141



Department of Community and Government Services
Nunalingni Kavamatkunnilu Pivikhaqautikkut
Ministère des Services Communautaires et gouvernementaux

P.O. Box 490 Government of Nunavut, Rankin Inlet, NU. X0C 0G0

 (867) 645-8119 (867) 645-8141



Department of Community and Government Services
Nunalingni Kavamatkunnilu Pivikhaqautikkut
Ministère des Services Communautaires et gouvernementaux

P.O. Box 490 Government of Nunavut, Rankin Inlet, NU. X0C 0G0

 (867) 645-8119 (867) 645-8141



<p><i>submit to the Board, for approval in writing, a revision to the Environmental Monitoring Program and Quality Assurance/Quality Control (QA/QC) Plan, referred to in Part H, Item 15, to address the New Solid Waste Disposal Facility and/or Hydrocarbon Impacted Soil Storage and Treatment Facility.</i></p>		
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

A. Collins

 (867) 645-8119 (867) 645-8141