



Application for Renewal-Amendment to Water Licence No: 3AM-ARV1016; Hamlet of Aryiat

Thu, Mar 10, 2022 at 3:07 PM

To: Steve England <sao@arviat.ca>, "Chalmers, Elan" <Echalmers@gov.nu.ca>

Bcc: Distro Kivalliq <distro-kivalliq@nwb-oen.ca>

Good afternoon.

The Nunavut Water Board acknowledges receipt March 3, 2022, as per the commitments from the technical meetings, of:

- Arviat Environmental Monitoring and QAQC Plan
- Arviat Sewage Treatment Facility O&M Plan
- Hamlet of Arviat Technical Meeting Presentations translated to Inuktitut and French

They're attached and can be found at the link below:

<ftp://ftp.nwb-on.ca/registry/3%20MUNICIPAL/3A/3AM%20-%20Municipality/3AM-ARV1016/2%20ADMIN/4%20HEARINGS/1%20PREHEARING>

The Nunavut Water board is aware that a number of web browsers are no longer supporting File Transfer Protocol (ftp). If you are having difficulty accessing our FTP site you may need to download an FTP application. We have been recommending the FileZilla Client below to access the files, which is a free and open source application. A link can be found below:

<https://filezilla-project.org/>

Regards,

Richard



Richard Dwyer - ʀɪˈtʃɪd ˈdwaɪə - he\him\his

Manager of Licensing- Responsable des permis

ᐃᑦᓴᓂᐅ ᐱᐸᓕᓂᐅ^ᔭ Manivauyuq Laisaliginiumun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑦ ᐱᓕᓂᐸᑦ ᓅᓂᓴᓯᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

በጥናቱ ላይ 119

▷^c▷^a▷^a, $\mathbf{m} \triangleright^c \mathbf{XOIB} \perp \mathbf{JO}$

Titigachovia 119

Uebungung NU, X013 110

Tel / Téléphone / འཕྲིན་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / འཕྲིན་ཐུག་ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᑭᕐᓂᕈᑦ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

4 attachments



220303 3AM-ARV1016 Arviat Sewage Treatment Facility OM Plan - Updated March 2022-IMLE.pdf
1850K



220303 3AM-ARV1016 Arviat Environmental Monitoring and QAQC Plan 2021 - Updated March 2022-IMLE.pdf
2344K



220303 3AM-ARV1016 Presentation INUKTITUT-IMLE.pptx
1725K



220303 3AM-ARV1016Presentation FRENCH-IMLE.pptx
1720K