



ᐅᐃᐅᐅᐅ ᐅᐃᐅᐅᐅ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

PUBLIC NOTICE OF AMENDMENT APPLICATION Hamlet of Chesterfield Inlet

Pursuant to Section 55(1) of the Nunavut Waters and Nunavut Surface Rights Tribunal Act (“Act”), notice is given that The Hamlet of Chesterfield Inlet filed a complete application on December 20, 2022 for a Amendment water licence to the Nunavut Water Board (“NWB”) to use water or deposit of waste into water for the following project:

File #: 3BM-CHE1523
Project: Municipal Water Use
Location: Latitude : 63°20'47.43" N Lognitude : 90°44'12.60" W
Purpose: Municipal
Type: “B”

Interested persons are invited to make representations on or before **February 3, 2023**. to:

Manager of Licensing
Nunavut Water Board
P.O. Box 119, Gjoa Haven, Nunavut X0B 1J0
Phone: (867) 360-6338; Fax: (867) 360-6369;
E-mail: licensing@nwb-oen.ca

Copies of all application documents may be obtained by affected parties, free of charge, through the internet on our ftp site at the following link:

[ftp://ftp.nwb-oen.ca/registry/3 MUNICIPAL/3B/3BM - Municipality/3BM-CHE1523/1 APPLICATION/2022 Renewal](ftp://ftp.nwb-oen.ca/registry/3_MUNICIPAL/3B/3BM_-_Municipality/3BM-CHE1523/1_APPLICATION/2022_Renewal)

or by contacting:

Kayla Clouter, Environmental Technologist – Municipal Infrastructure - CGS
Phone: 1 (867) 975 - 5476
E-mail: kclouter@gov.nu.ca

Failure to respond to this Notice of Application within the specified period shall result in the loss of the right to be compensated, pursuant to Sections 58 to 61 of the Act.

January 3, 2022

P.O. Box 119, Gjoa Haven, NU X0B 1J0, Tel: (867) 360-6338, Fax: (867) 360-6369