



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Application for a Type 'A' Water Licence No: 3AM-CHE----, to replace the expired Type 'B' Water Licence No: 3BM-CHE1523; Hamlet of Chesterfield Inlet Technical Review

Clouter, Kayla <KClouter@gov.nu.ca>
To: Richard Dwyer <richard.dwyer@nwb-oen.ca>
Cc: CAO Chesterfield Inlet <sao@chesterfield-inlet.ca>

Thu, Jul 13, 2023 at 2:14 PM

Hi Richard,

Apologies for the delay on this. Individuals attending the TM and PHC from GN-CGS are myself and Elan Chalmers, Manager of Municipal works. I will be presenting on behalf of the Licensee.

Thank you,

Kayla

ᐅᐅᐅᐅᐅᐅ

Kayla Clouter, CET, EPT

Project Manager

Tel: (709) 660-4997 E-mail: kclouter@gov.nu.ca

From: Richard Dwyer <richard.dwyer@nwb-oen.ca>
Sent: Thursday, July 6, 2023 12:12 PM
To: CAO Chesterfield Inlet <sao@chesterfield-inlet.ca>; Clouter, Kayla <KClouter@GOV.NU.CA>
Subject: Re: Application for a Type 'A' Water Licence No: 3AM-CHE----, to replace the expired Type 'B' Water Licence No: 3BM-CHE1523; Hamlet of Chesterfield Inlet Technical Review

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good morning,

[Quoted text hidden]

[Quoted text hidden]