

Nunavut Water Board (NWB)

Licence Overview

ᓄᓇᓂᓪ ᐃᐱᓕᓂᓪ ᑲᑎᐱᓪ
ᐱᐱᓕᓂᓪ ᐱᓕᓂᓪᓴᓴᓪᓴᓪ



Public Hearing

for

Hamlet of Chesterfield Inlet

Application for Type “A” Water licence

ᐃᓄᓕᐱᓪ ᐱᐱᓪᓴᓴᓪᓴᓪ

ᐱᐱᓪᓴᓴᓪᓴᓪ ᐃᓪᓴᓴᓪᓴᓪ

ᐱᐱᓪᓴᓴᓪᓴᓪ ᐃᓪᓴᓴᓪᓴᓪ “A” ᐃᐱᓪᓴᓪ ᐱᐱᓪᓴᓪ





Topics ᐱᑦᐳᑎᑦ

- Nunavut Water Board Background
 - Types of Authorizations
 - The NWB's Licensing Process
 - Overview of the Project
 - Scope of the Application
 - Application Procedural History
 - Next Steps in the Application
 - Questions and/or Comments
- ᓄᓇᑭᑦ ᐃᑦᑕᓚᓂᑦᑕᑦ
ᑭᓄᐃᑕᓚᓂᓄᓄᓂᑦ
 - ᐸᓂᑦᑕᐃᐅᑦᓇᑦᑕᑦ ᐃᑦᑕᓚᓂᓄᓄᓂᑦ
ᑕᓂᑦᓇᑦᑕᑦ
 - ᐃᑦᑕᓚᓂᓄᓄᓂᑦ ᐃᑕᐃᑦᑕᑦ "A"
ᐱᑦᓇᓂᐅᑎᑦ ᐸᐅᑕᓂᑦ
 - ᑭᓄᑎᑦ ᐱᓚᓚᓂᓄᓂᑦ ᑭᓄᓂᑦᐸᑦᐸᑦᑕᐅᓂᓄᓂᑦ
 - ᐱᓇᓂᑕᑦ ᐸᐅᑕᓂᑦ
ᑭᓄᐃᑕᓚᓂᓄᓄᓂᑦ
 - ᑭᓄᐃᑕᐅᓂᓄᓂᑦᑕᑦᑕᑦ ᐃᑕᐃᑦᑕᑦ
"A" ᐱᓇᓂᑕᑦ
 - ᐃᑦᑕᓚᓂᓄᓄᓂᑦ ᐃᑦᓇᐃᓚᑦᑎᓂᑦ
ᑭᓄᓂᑦᐸᑦᐸᑦᐸᑦᑕᐅᓂᓄᓂᑦ
 - ᐸᐱᑦᐸᑎᓂᑦᐃᑦ ᐅᑦᓄᓂᑦᐸᑦᐸᑦᐸᑦ



Background ᐅᓂᓐᓂᐅᓯᓐ

The objective of the NWB is to provide for the conservation and utilization of waters in Nunavut, except in a national park, in a manner that will provide the optimum benefit from those waters for Nunavut's residents in particular and Canadians in general.

ᐅᑕᑕᐅᓯᓐ ᐃᓯᓕᓕᓯᓐᓂᓐ ᐱᓕᓐᓂᐃᓐᓐᓐᓐᓐᓐ ᐃᓯᓐ
ᐃᐅᓐᓂᐅᓯᓐᓂᓐ ᐃᓯᓐ ᓂᐃᓐᓂᓯ, ᓯᓯᐃᓂ ᓂᐃᓂᓯ ᓯᓐᓂᐅᓯᓐᓂᓐ,
ᐱᐅᓕᓐᓂᓯᓐ ᐃᓂᓯᓂᐅᓯᓐᓂᓐ ᓂᐃᓐᓂᓯᐅᓯᓐᓂᓐᓂᓐ ᐃᓯᓐ
ᓂᐃᓂᓯᐅᓂᐅᓯᓐᓂᓐ.



Types of Authorizations نوع تراخيص الاستخدام

- **Type “B” Water Licence**
(between 50 m³ and 299 m³ per day water required)
- $\Delta L \Delta \text{ج}^{\text{ب}}$ “B” $\Delta \Gamma^{\text{ج}}$ $\Delta \text{ج}^{\text{ب}}$ (أقل من 50 m³ وأقل من 299 m³ في اليوم $\Delta \Gamma^{\text{ج}}$ $\Delta \text{ج}^{\text{ب}}$ $\Delta \Gamma^{\text{ج}}$ $\Delta \text{ج}^{\text{ب}}$)
- **Type “A” Water Licence**
(300 m³ or more per day water required)
- $\Delta L \Delta \text{ج}^{\text{أ}}$ “A” $\Delta \Gamma^{\text{ج}}$ $\Delta \text{ج}^{\text{أ}}$ (300 m³ أو أكثر في اليوم $\Delta \Gamma^{\text{ج}}$ $\Delta \text{ج}^{\text{أ}}$ $\Delta \Gamma^{\text{ج}}$ $\Delta \text{ج}^{\text{أ}}$)



NWB Type “A” Licensing Process

ΔΓΓΑΠΔΔ ΔΛΔΔΔΓ “A” ΑΔΑΔΠΓΓΑΠΔ ΔΔΔΔΔ

Parties exchange written interventions
ΑΔΑΠΔΔ ΠΔΔΔΔΔ ΠΠΔΔΔΔΠΠΔΔΔΔ

Parties prepare for public hearing
ΑΔΑΠΔΔ ΠΔΠΠΔΔΔΔ ΑΔΔΔΔΔΔ ΠΔΔΔΔΔΔΔ

NWB holds Public Hearing
ΔΓΓΑΠΔΔ ΠΔΔΔΔΔΔΔ ΔΔΠΠΔΔΠΠ

Current Stage

NWB issues decision to approve of application and provides a draft licence to Minister (Crown-Indigenous Relations and Northern Affairs)
ΔΓΓΑΠΔΔ ΔΠΠΠΠΠΠ ΔΠΠΠΠΠΠ ΔΠΠΠΠΠΠ ΑΔΔΔΔΔ ΔΔΔΔ ΔΔΔΔΔΔΔΔΓ ΑΔΑΔΠΠΠ ΓΠΠΠΠ 9ΔΔΔΔΔΔΔ- ΔΔΔΔΔΔΔΔ ΓΠΠΠΠ ΔΔΔ ΔΠΠΠΠΠΠ ΑΔΔΔΔΔ Δ

NWB issues decision to not approve of application with reasons to Minister (Crown-Indigenous Relations and Northern Affairs)
ΔΓΓΑΠΔΔ ΔΠΠΠΠΠΠ ΔΠΠΠΠΠΠ ΔΠΠΠΠΠΠ ΑΔΑΠΔΔ ΑΔΠΠΠΠΠΠ ΔΠΠΠΠ ΓΠΠΠΠ 9ΔΔΔΔΔΔΔ- ΔΔΔΔΔΔΔΔ ΓΠΠΠΠ ΔΔΔ ΔΠΠΠΠΠΠ ΑΔΔΔΔΔ Δ

Minister approves the issuance of the licence
ΓΠΠΠΠ ΔΠΠΠΠΠΠ ΔΠΠΠΠΠΠ ΑΔΑΔΠΠ

Minister does not approve the issuance of the licence
ΓΠΠΠΠ ΔΠΠΠΠΠΠ ΔΠΠΠΠΠΠ ΑΔΑΔΠΠ

Minister approves of NWB decision
ΓΠΠΠΠ ΔΠΠΠΠΠΠ ΔΠΠΠΠΠΠ ΔΓΓΑΠΔΔ

Minister does not approve of NWB decision
ΓΠΠΠΠ ΔΠΠΠΠΠΠ ΔΓΓΑΠΔΔ ΔΠΠΠΠΠΠ



Hamlet of Chesterfield Inlet: Overview

ᑕᓄᓐ ᑕᓄᓐ ᑕᓄᓐ ᑕᓄᓐ: ᑕᓄᓐ ᑕᓄᓐ ᑕᓄᓐ

- Located in the Kivalliq Region
- Current population is 397 (2021 Census)
- Projected population in 2033 is 489
- Water Management Area: Wilson Watershed (13)
- Previous Licence:
 - Type “B” 3BM-CHE1523
 - Expired on May 14, 2023
 - Water Use Authorized: 23,000 cubic metres per annum
- New Licence Application:
 - Type “A” 3AM-CHE----
 - Term requested is 10 years (*expiring in 2033*)
 - Water Use requested: 23,000 cubic metres per annum (*no change*)
 - withdraw of up to 2,000 m³/day of water from First Lake during the open water season



- 11



Scope of Application

ᐱᓕᓄᓐᑕᓄᓐ ᑕᓄᓐ ᑕᓄᓐ

- Withdrawal of Water from First Lake to support community needs;
- Continued operation and maintenance of the following municipal facilities:
 - Water Supply Facilities, including:
 - Pump station at First Lake,
 - Overland water supply pipeline;
 - Water Storage Reservoir; and
 - Truck-Fill Station.
 - Sewage Disposal Facility, including:
 - Two sewage detention cells; and
 - A wetland area for supplementary treatment.
 - Solid Waste Disposal Facility.

14

15



<u>June 15, 2023</u>	CIRNAC requested extension to submit Technical Review comments by June 21, 2023
<u>June 21, 2023</u>	Parties submit Technical Review comments
<u>June 29, 2023</u>	GN-CGS provided response to interveners' comments
<u>July 6, 2023</u>	NWB distributed the draft agenda for TM-PHC along with the timelines for the next steps in the process
<u>July 13, 2023</u>	The NWB received confirmation of participation and presentation documents from CIRNA and the Applicant.
<u>July 14, 2023</u>	NWB provided correspondence with the final Agenda for the TM-PHC
<u>July 19, 2023</u>	The NWB hosted the TM-PHC via teleconference, followed by a Community Session in the evening
<u>August 25, 2023</u>	The NWB issued the Pre-Hearing Conference Decision for the file; providing the Panel's direction that the Public Hearing be conducted in-person, and proposing tentative timelines for the Pre-Hearing exchange of information by parties and the public as the Application proceeded to the Public Hearing



<u>ጳጉሙ 15, 2023</u>	ከፋይ ልምድ ወይን ስራ ለማሳካት ለሚገባው ለሚገኝ ሰው ስራ ስራ 21, 2023
<u>ጳጉሙ 21, 2023</u>	ለሚገኝ ወይን ስራ ለሚገኝ ሰው ስራ ስራ
<u>ጳጉሙ 29, 2023</u>	ከፋይ ልምድ ወይን ስራ ለሚገኝ ሰው ስራ ስራ
<u>ጳጉሙ 6, 2023</u>	ለሚገኝ ወይን ስራ ለሚገኝ ሰው ስራ ስራ
<u>ጳጉሙ 13, 2023</u>	ለሚገኝ ወይን ስራ ለሚገኝ ሰው ስራ ስራ
<u>ጳጉሙ 14, 2023</u>	ለሚገኝ ወይን ስራ ለሚገኝ ሰው ስራ ስራ
<u>ጳጉሙ 19, 2023</u>	ለሚገኝ ወይን ስራ ለሚገኝ ሰው ስራ ስራ
<u>ጳጉሙ 25, 2023</u>	ለሚገኝ ወይን ስራ ለሚገኝ ሰው ስራ ስራ



<u>August 25, 2023</u>	The NWB issued Notice of the written Public Hearing
<u>November 2, 2023</u>	NWB provided the final Agendas for the Public Hearing and the related Community Session
<u>November 15, 2023</u>	The NWB Panel (P24) conducted an in-person Public Hearing, including hosting a Community Session, in the Hamlet of Chesterfield Inlet

<u>ᐱᓪᓂ 25, 2023</u>	ᑕᑦᐅᐱᑦ ᐃᓚᓕᓂᓂᑦ ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ
<u>ᐅᐅᓂ 2, 2023</u>	ᐃᓚᓕᓂᓂᑦ ᐱᓂᓂᓂᓂᑦ ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ
<u>ᐅᐅᓂ 15, 2023</u>	ᑕᑦᐅᐱᑦ ᐃᓚᓕᓂᓂᑦ ᐅᐅᓂᓂᑦ (P24) ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ ᐅᐅᓂᓂᑦ



- 19



- 20



NWB Staff Contact Information

- Stephanie Autut, Executive Director stephanie.autut@nwb-oen.ca
- Karén Kharatyan, Director of Technical Services karen.kharatyan@nwb-oen.ca
- Richard Dwyer, Manager of Licensing richard.dwyer@nwb-oen.ca
- Robert Hunter, Licensing Administrator robert.hunter@nwb-oen.ca
- Ben Kogvik, Director of Board Administration ben.kogvik@nwb-oen.ca
- Mohammad Ali Shaikh, Technical Advisor ali.shaikh@nwb-oen.ca



ᐃᓕᓕᓐᓂ ᓂᓕᓂᓐ ᐃᓕᓂᓐ ᐃᓕᓂᓐ

- ᓂᓕᓂᓐ ᐃᓕᓂᓐ, ᐃᓕᓂᓐ ᐃᓕᓂᓐ
- ᓂᓕᓂᓐ ᐃᓕᓂᓐ, ᐃᓕᓂᓐ ᐃᓕᓂᓐ ᐃᓕᓂᓐ
- ᓂᓕᓂᓐ ᐃᓕᓂᓐ, ᐃᓕᓂᓐ ᐃᓕᓂᓐ
- ᓂᓕᓂᓐ ᐃᓕᓂᓐ, ᐃᓕᓂᓐ
- ᐃᓕᓂᓐ ᐃᓕᓂᓐ, ᐃᓕᓂᓐ ᐃᓕᓂᓐ
- ᐃᓕᓂᓐ ᐃᓕᓂᓐ, ᐃᓕᓂᓐ ᐃᓕᓂᓐ

stephanie.autut@nwb-oen.ca

karen.kharatyan@nwb-oen.ca

richard.dwyer@nwb-oen.ca

robert.hunter@nwb-oen.ca

ben.kogvik@nwb-oen.ca

ali.shaikh@nwb-oen.ca



Comments?

▷⁹▷⁷▷⁵▷³▷¹ ?

Qujannamiiq

[illegible]