

Water Resources Division  
Qimugjuk Building  
P.O. Box 2200  
Iqaluit, Nunavut  
X0A 0H0

référence

Your file - Votre

NWB3COR

Our file - Notre référence

September 16, 2002

Ms. Phyllis Beaulieu  
Acting Licensing Administrator  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, Nunavut  
X0E 1J0

Dear Ms. Beaulieu:

Re: Coral Harbour - Additional Information

Further to the comments submitted on July 25, 2002, the Water Resources Division of the Department of Indian Affairs and Northern Development (DIAND) has reviewed the additional information that was submitted by the Hamlet of Coral Harbour on August 26, 2002. The engineered drawings and supporting information do not contain significant changes to the project description that was evaluated in the environmental assessment screening, thus the comments previously submitted remain applicable. In general, DIAND is supportive of the improvements the Hamlet is making to the sewage discharge area and waste disposal site. However, please note that this application does not include detailed plans for the expansion of the solid waste disposal site and this should be coordinated through an amendment to the water licence.

Thank you for forwarding a copy of these documents to our office, should you have any questions or comments, please do not hesitate to contact me at (867) 975-4548 or by e-mail at [meechristiem@inae.gc.ca](mailto:meechristiem@inae.gc.ca).

Sincerely,  
*Original signed by:*

Michelle McChristie  
Kitikmeot/Kivalliq Regional Coordinator

c.c. Water Resources Officer, Iqaluit

020916COR DIAND Comments - ILAE