



RE: Hamlet of Coral Harbour New Type "A" water licence application - Applicants Response

Sabourin, Jennifer (ECCC) <Jennifer.Sabourin@ec.gc.ca>
To: "licensing@nwb-oen.ca" <licensing@nwb-oen.ca>
Cc: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, Nov 15, 2021 at 11:19 AM

Hello Richard,

ECCC has reviewed the applicant responses and has no further comments to provide at this time.

Regards,

Jennifer Sabourin

Environmental Assessment Officer, Environmental Protection Branch

Environment and Climate Change Canada / Government of Canada

jennifer.sabourin@ec.gc.ca

Agente d'évaluation environnementale, Direction générale de la protection de l'environnement

Environnement et Changement climatique Canada / Gouvernement du Canada

jennifer.sabourin@ec.gc.ca



Government
of Canada

Gouvernement
du Canada

Canada

From: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Sent: November 9, 2021 9:06 AM

To: Sabourin, Jennifer (ECCC) <Jennifer.Sabourin@ec.gc.ca>; EE Nord RPN NU / EA North PNR NU (EC)
<ec.eenordrpnnu-eanorthpnrnu.ec@canada.ca>

Subject: Re: Hamlet of Coral Harbour New Type "A" water licence application - Applicants Response

Good morning,

The NWB requests reply by November 16, 2021 whether or not attached response address comments.

Regards,

Richard



[Quoted text hidden]