



ወይም ለፍርድ ቤቱ ማስገባት

[illegible]

C^La A^cdP^cdN^c bNLσ^b ΔD^bhCΔ^aJ^b CLdασ▷^c J^arσ Δ^LL P^aP^aJ^arσ:

- [illegible]

$\mu_{\text{ac}} \triangleright^{\text{c}} \Delta_{\text{c}} \triangleright^{\text{a}} \underline{e}^{\text{b}} \triangleright^{\text{c}} {}^{\text{b}} n_1 \triangleright^{\text{b}} d^{\text{c}} \triangleleft^{\text{a}} L P N^{\text{a}} \sigma \triangleleft \dot{C} \sigma:$

Δ_{CD}σ^{9b} bNLσ^{9b} ṽ_Ld^C 9bNLΔ^bd^C

<https://us06web.zoom.us/j/83705666003?pwd=NWtiRHVqQktJbWY2N2VNbENFa1FkUT09>

[illegible]

1 (438) 809 7799

1 (587) 328 1099

1 (647) 374 4685



ᓄᓇᓂᓪ ᐃᒐᓕᓂᓪᓴᓪ ᑲᑎᒐᓪᓴᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

1 (647) 558 0588

1 (778) 907 2071

1 (204) 272 7920

ᐋᐱᓂᓴᐅᓂᓪ ᓇᓴᓴᓪᓴᓪ ᑲᑎᒐᓪᓴᓪ ᓇᓴᓇᐃᐅᑎᓪ: 837 0566 6003

ᐋᐱᓂᓴᐅᓂᓪ ᓇᓴᓴᓪᓴᓪ ᐋᓪᒐᓴᑎᓪ: 550900

ᓄᓇᓕᐅᓴᓪ ᐱᓴᓪᓇᓪᑎᓴᐅᓴᓪ ᐃᓴᐅᓪᓴᓪ ᐋᓪᒐ ᐱᓪᓴᓴᐅᓪᓴᓪ ᓴᓴᓪ ᐱᓪᓴᓴᓴᓴᓴᓪ
ᑲᑎᒐᓪᓴᓪ.

ᐅᓴᓪᓴᓴᓴᓴᓪ, ᐅᓴᓪᓴᓴᓴᓴᓪ:

ᓂᓴᓴᓪ ᐅᐋᐃᓴᓪ, ᐱᓴᓪᓇᐅᑎᓄᓪ ᐋᐅᓴᓪᓴᓪ

ᓄᓇᓂᓪ ᐃᒐᓕᓂᓪᓴᓪ ᑲᑎᒐᓪᓴᓪ

ᐅᓪᓴᓴᓪᓴᓪ, ᓄᓇᓂᓪ X0B 1J0

ᓴᓴᓴᓴᓴᓪ: (867) 360-6338

ᓴᓴᓴᓴᓴᓪ: (867) 360-6369

ᓪᓴᓴᓴᓴᓴᓴᓪ: Richard.Dwyer@nwb-oen.ca