



RE: Hamlet of Coral Harbour Type 'A' Water Licence No: 3AM-COR----, to replace the expired Type 'B' Water Licence No: 3BM-COR1521

Shore,Victoria (ECCC) <Victoria.Shore@ec.gc.ca>

Thu, Dec 2, 2021 at 11:24 AM

To: "richard.dwyer@nwb-oen.ca" <richard.dwyer@nwb-oen.ca>, "licensing@nwb-oen.ca" <licensing@nwb-oen.ca>

Cc: "EANorthNU [Yel]" <EANorthNU@ec.gc.ca>, "Small,Jody (ECCC)" <Jody.Small@ec.gc.ca>, "Sabourin,Jennifer (ECCC)" <Jennifer.Sabourin@ec.gc.ca>

Good afternoon Richard,

Myself and Jennifer Sabourin will attend the Coral Harbour Technical meeting for water licence 3AM-COR---- on behalf of ECCC.

Please find attached ECCC's presentation and summary. The presentation is partially translated, but we are still awaiting the full translations. I will send the fully translated versions as soon as they are received.

Thank you,

Victoria

Victoria Shore

Senior Environmental Assessment Officer, Environmental Protection Branch – Prairie and Northern Region

Environment and Climate Change Canada / Government of Canada

Victoria.Shore@ec.gc.ca

Tel : +1 (343) 571-1921

Agente principal d'évaluation environnemental, Direction général de la protection de l'environnement – Région des prairies et du nord

Environnement et changement climatique du Canada / Gouvernement du Canada

Victoria.Shore@ec.gc.ca

Tél : +1 (343) 571-1921

1222K



20211202_3AM-COR---_Coral Harbour WL_ECCC TM presentation Summary.pdf

233K