

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Hamlet of Coral Harbour New Type "A" water licence application Pre-Hearing **Conference Decision Report**

Richard Dwyer <richard.dwyer@nwb-oen.ca> To: munch@qiniq.com, "Chalmers, Elan" < Echalmers@gov.nu.ca>

Bcc: Distro Kivalliq < distro-kivalliq@nwb-oen.ca>

Fri, Dec 17, 2021 at 2:29 PM

Good afternoon,

Please see attached for Type "A" Water Licence No: 3AM-COR----: Pre-Hearing Conference Decision Report Regarding an Application for a Water Licence to Replace the expired Water Licence No: 3BM-COR1521. The next step preceding the written hearing are:

- On or before Friday, December 24, 2021 the NWB will issue Notice of the Public Hearing;
- On or before Friday, January 14, 2022 any party requesting French translation of the Executive Summary materials, final written submissions of parties, reply submissions and/or presentation materials should make such requests to the Board in writing;
- On or before Monday, February 07, 2022 the Interveners, members of the public or other interested parties must file any further and final written submissions in respect of the Application with the Board;
- On or before Thursday, February 17, 2022 the Applicant must file any further responses to the information filed in advance of the Public Hearing and final written submissions with the Board;
- On or before Friday, February 25, 2022 parties must file any final statements and/or presentation materials they wish the Panel to consider in their decision-making for the Application and
- In the week of February 28 March 04, 2022 the NWB reviews all materials received in respect of the Application and determines whether the Public Hearing Record can be closed for the written Public Hearing. If the NWB decides the Public Hearing Record can be closed, the NWB will provide notice to all parties that the Record is closed and the Application will be remitted to the Panel for decision-making.

The Nunavut Water board is aware that a number of web browsers are no longer supporting File Transfer Protocol (ftp). If you are having difficulty accessing our FTP site you may need to download an FTP application. We have been recommending the FileZilla Client below to access the files, which is a free and open source application. A link can be found below:

https://filezilla-project.org/

Regards,

Richard



Richard Dwyer - へっていって コタムマー he\him\his

Manager of Licensing- Responsable des permis ¬□ CASC → CASC → Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ຼຼວວ້ ΔL < ሲትና የሀገታል - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0

C.P. 119 Gjoa Haven (Nunavut), X0B 1J0

በበናዔዔልዲ 119 Þ5/25°, ۵03 1J0 Titigaqaqvia 119 Ughighing, NU, X0B 1J0

Tel / Téléphone / ┌<┡▷Ć / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ┌└ Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer on le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



📤 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

2 attachments



211217 3AM-COR---- PHC Decision Report-OASE.pdf

211217 3AM-COR--- New Type A Water Licence Application Public Hearing Notice-OMLE.pdf 183K