



NWB Tools

Richard Dwyer &lt;richard.dwyer@nwb-oen.ca&gt;

---

## Hamlet of Coral Harbour - New Type "A" Water Licence Application - Final Written Submission

---

**Sabourin, Jennifer (ECCC)** <Jennifer.Sabourin@ec.gc.ca>

Thu, Feb 24, 2022 at 3:03 PM

To: Richard Dwyer &lt;richard.dwyer@nwb-oen.ca&gt;

Cc: Licensing Department &lt;licensing@nwb-oen.ca&gt;, "EANorthNU [Yel]" &lt;EANorthNU@ec.gc.ca&gt;, Ali Shaikh &lt;ali.shaikh@nwb-oen.ca&gt;

Hello Richard,

The attached QA/QC Plan for the Hamlet of Coral Harbour has satisfied our recommendation for ECCC-2, and is now considered resolved.

Regards,

Jennifer Sabourin

Environmental Assessment Officer, Environmental Protection Branch

Environment and Climate Change Canada / Government of Canada

[jennifer.sabourin@ec.gc.ca](mailto:jennifer.sabourin@ec.gc.ca)

Agente d'évaluation environnementale, Direction générale de la protection de l'environnement

Environnement et Changement climatique Canada / Gouvernement du Canada

[jennifer.sabourin@ec.gc.ca](mailto:jennifer.sabourin@ec.gc.ca)

Government  
of CanadaGouvernement  
du Canada

Canada

**From:** Richard Dwyer <richard.dwyer@nwb-oen.ca>**Sent:** February 17, 2022 11:05 AM**To:** Sabourin, Jennifer (ECCC) <Jennifer.Sabourin@ec.gc.ca>**Cc:** Licensing Department <licensing@nwb-oen.ca>; EANorthNU [Yel] <EANorthNU@ec.gc.ca>; Ali Shaikh <ali.shaikh@nwb-oen.ca>**Subject:** Re: Hamlet of Coral Harbour - New Type "A" Water Licence Application - Final Written Submission

Good morning,

The NWB requests confirmation by February 24, 2022, whether or not the attached Quality Assurance/Quality Control Plan for the Hamlet of Coral Harbour satisfies ECCC comments.

Regards,

Richard

[Redacted signature]

[Quoted text hidden]