From:	Karen Kharatyan
To:	Phyllis Beaulieu
Subject:	FW: 121127 3AM-GRA1015 Response to Submission Amendment Application-OKKE
Date:	Friday, July 19, 2013 1:24:04 PM
Attachments:	image001.png

FYI

Karén Kharatyan, Ph.D
Technical Advisor
Nunavut Water Board

(Ph.) 867-360-6338 ext. 35
(Fx.) 867-360-6369
k.kharatyan@nunavutwaterboard.org

From: Foster, Arlen [mailto:Arlen.Foster@stantec.com]
Sent: Wednesday, June 26, 2013 1:59 PM
To: Karen Kharatyan
Cc: 'BDuguay@gov.nu.ca'; Hodgins, Kevin; Phyllis Beaulieu
Subject: RE: 121127 3AM-GRA1015 Response to Submission Amendment Application-OKKE

Hi Karen,

We have not prepared any further information for the NWB at this time and are awaiting approval from GN-CGS to proceed.

Regards,

Arlen Foster, E.I.T.
Civil / Environmental Engineering
Stantec
4910 - 53 Street PO Box 1777
Yellowknife NT X1A 2P4
Ph: (867) 920-2882 Ext. 287
Fx: (867) 920-4319
arlen.foster@stantec.com
stantec.com

The content of this email is the confidential property of Stantec and should not be copied, modified, retransmitted, or used for any purpose except with Stantec's written authorization. If you are not the intended recipient, please delete all copies and notify us immediately.

Please consider the environment before printing this email.

From: Karen Kharatyan [mailto:k.kharatyan@nunavutwaterboard.org]
Sent: Wednesday, June 26, 2013 1:03 PM
To: Foster, Arlen
Cc: 'BDuguay@gov.nu.ca'; 'BDuguay@gov.nu.ca'; 'BDuguay@gov.nu.ca'; Hodgins, Kevin; Phyllis Beaulieu
Subject: FW: 121127 3AM-GRA1015 Response to Submission Amendment Application-OKKE

Hello Arlen,

Could you please provide an update with the potential amendment application as no additional information was received since that.

Regards,

Karén Kharatyan, Ph. D- ᑲᑎᓐ ᑲᕋᑎᔭᓐ
Technical Advisor- Conseiller technique
ᐱᔭᐊᖅᓇᖅᑐᓕᕆᓂᖅᒧᑦ ᐃᑲᔪᖅᑎ- Piluaqnaqtuliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔨᖕᒋ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.NunavutWaterBoard.org

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑎᑎᕋᖅᐱᖕᒐ 119
ᐅᑦᓱᕐᔪᐊ, ᓄᓇᕗᑦ X0B 1J0

Titigaqaqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᓐᑯᑦ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

---

From: Phyllis Beaulieu
Sent: Tuesday, November 27, 2012 2:48 PM
To: Foster, Arlen (Arlen.Foster@stantec.com)
Cc: BDuguay@gov.nu.ca; GN-CGS Bryan Purdy; Orr, Walter; Hodgins, Kevin; Karen Kharatyan
Subject: 121127 3AM-GRA1015 Response to Submission Amendment Applicaiton-OKKE

Please see attached letter in response to Stantec's letter dated November 6, 2012, also attached. Clarification is required regarding several items, prior to moving forward on the amendment application.
Regards,

Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU X0B 1J0
Phone: (867) 360-6338, Ext. 27
Fax: (867) 360-6369
Email: licensing@nunavutwaterboard.org