Google Groups

140221 3AM-GRA1015 Extension Request to Commitment List Deadline - GN-CGS - Rankin Inlet

me <robin.ikkutisluk@nwb-oen.ca> Posted in group: Licensing Department Feb 21, 2014 10:35 AM

Stantec Architecture Ltd. on behalf of GN-CGS submitted a request to extend the deadline for submissions to the Commitment List. The Nunavut Water Board hereby

advises that the extension has been granted. The deadline for submission has been extended to March 23, 2014.

Please note that the extension request may impact the timing of the public hearing

Regards, Robin Ikkutisluk



Robin Ikkutisluk- S∧° ∆d∩'حـ

Licence Administrator Assistant- Administratrice des Permis C∆5CCO56JC ∆b756∩- Laisaliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0 C.P. 119 Gjoa Haven (Nunavut), X0B 1J0 **በበናዔዔል** 119 ک^ودیم, مورهارک (X0B 1J0 دیم کارهارک) کارهارک کارها

Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / パペトレく / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ぱっぱ / Fax-kut: (867) 360-6369 Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Amerci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email